



THE INDIANA PREVENTION RESOURCE CENTER
2015 MAIN FINDINGS

INDIANA YOUTH SURVEY

(Formerly known as Alcohol, Tobacco and Other Drug
Use by Indiana Children and Adolescents)

ABC School Corporation
- 7th - 12th Grade Students -

Survey Conducted January through April 2015
Report Dated August 2015

**Conducted by: Indiana Prevention Resource Center
School of Public Health-Bloomington
Indiana University
501 North Morton Street Suite 110
Bloomington, IN 47404**

**<http://www.drugs.indiana.edu>
INYS@indiana.edu
Toll free: 1-800-346-3077
Fax: 812-855-4940**

Funded in part by a contract with the Indiana Family
and Social Services Administration - Division of
Mental Health and Addiction

INDIANA YOUTH SURVEY

Thank you for participating in the 2015 Indiana Youth Survey! Your participation allows us to collect valid data about children and adolescents across the state of Indiana. We can then present this data to state officials so they can better understand the students in Indiana as well as identify and address any issues related to substance use and mental health.

We also hope that your INYS report results will be of value to your school/corporation. We believe these results can help you better understand your student body, inform school policies, select prevention programs or curricula, collaborate with community prevention efforts, and provide necessary data for grant and funding applications.

If you have any questions about your report, please contact the INYS Coordinators at 1-800-346-3077 or at INYS@indiana.edu.

Thank you!

Note: A single copy of this report was prepared for the designated local survey coordinator. The local data contained herein are the property of the local survey sponsor. They will not be released to anyone else by the Indiana Prevention Resource Center (IPRC). The local survey sponsor may determine whether or not to release these data to anyone else. If released, a reference to the source would be appreciated. Statewide data are the property of the IPRC and the Trustees of Indiana University, and they are copyrighted. Permission is granted to distribute the statewide results with the copyright notice.



Table of Contents

| | |
|--|----|
| Selection Criteria..... | 3 |
| Demographic Information | 4 |
| Prevalence Rates for Alcohol, Tobacco and Other Drug Use | 5 |
| Mean Age of First Time Use of Alcohol, Tobacco and Other Drugs | 12 |
| Communities that Care (CTC) Risk and Protective Factors..... | 13 |
| CRAFFT Screening Measures..... | 16 |
| Mental Health | 18 |
| Gambling Behavior..... | 19 |
| Frequency Tables | 21 |

Selection Criteria

The table below describes the number of surveys collected from participating students in your school/corporation. There is a protocol for checking errors to eliminate unreliable responses. A survey meeting any one of the following exclusion criteria was not included in the data analysis:

- Majority of the survey questions were left unanswered
- Student indicated they did not answer survey truthfully
- Student indicated use of fictitious drug
- No gender information provided
- No grade information provided
- Implausible combination of age and grade
- Implausible combination of age and age of first time use of substances
- Inconsistent responses
- Pharmacologically implausible responses

Only valid surveys (**Usable surveys**) were included in the final analyses.

**Number of Usable Questionnaires
ABC School Corporation Students, 2015
(Count, Percentage)**

| | | Year | |
|----------|--------------------------------------|-------------|-------------|
| | | 2015 | |
| selected | Blank surveys/Refused to participate | 12 | .8 |
| | Not honest at all response | 19 | 1.2 |
| | Indicated fictitious drug (vivo) use | 13 | .8 |
| | Rejected by gender check | 10 | .6 |
| | Rejected by grade check | 4 | .3 |
| | Rejected by grade and age check | 6 | .4 |
| | Rejected by age and onset age check | 4 | .3 |
| | Rejected by consistent use check | | |
| | Rejected by dose check | 2 | .1 |
| | Usable surveys | 1502 | 95.5 |
| | Total | 1572 | 100.0 |

Demographic Information

The following table shows the demographic characteristics of the students participating in the survey from your school corporation. Please note that NO DATA will be presented in this report for any **grade level with fewer than 30 usable surveys**. This is to protect the **confidentiality** of your students.

Demographic Information
ABC School Corporation Students, 2015
(Valid cases only: Count, Percentage)

| | | Year | |
|--------------------|----------------------------------|------|------|
| | | 2015 | |
| Q1 Gender | Male | 749 | 49.9 |
| | Female | 753 | 50.1 |
| Q2 Hispanic/Latino | Non-Hispanic | 1155 | 78.3 |
| | Hispanic | 321 | 21.7 |
| Q3 Race | White | 1118 | 80.2 |
| | Black/African American | 20 | 1.4 |
| | Asian | 21 | 1.5 |
| | Native Hawaiian/Pacific Islander | 2 | .1 |
| | American Indian/Alaskan Native | 15 | 1.1 |
| | Race not known or other | 101 | 7.2 |
| | More than one race | 117 | 8.4 |
| Q4 Grade | 7th | 306 | 20.4 |
| | 8th | 300 | 20.0 |
| | 9th | 302 | 20.1 |
| | 10th | 216 | 14.4 |
| | 11th | 225 | 15.0 |
| | 12th | 153 | 10.2 |
| Q5 Age | 12 years | 72 | 4.9 |
| | 13 years | 276 | 18.7 |
| | 14 years | 306 | 20.7 |
| | 15 years | 276 | 18.7 |
| | 16 years | 221 | 15.0 |
| | 17 years | 213 | 14.4 |
| | 18 years or older | 114 | 7.7 |

Prevalence Rates for Alcohol, Tobacco and Other Drug Use

Monthly prevalence rate is defined as the percentage of students who reported using a particular substance at least once within the past 30 days. The following table shows the monthly prevalence rates among your school corporation's students who participated in the survey. Binge drinking is defined as five or more alcoholic drinks in a row in the past two weeks.

If your school corporation has participated in the survey more than once in the past ten years, trend data are provided so that you can monitor changes in prevalence rates between years. Please note that the cleaning protocol used by the IPRC to determine valid surveys was changed in 2015. These changes were made to better align the methodology with that used by national surveys. These changes may have a noticeable effect on the reported rates, especially for alcohol use, binge drinking, and marijuana use. Therefore, caution should be used when comparing the 2015 data with earlier years.

Monthly Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Percentages)

| | 7th Grade | | | | | | | | |
|---------------------------|-----------|------|------|------|------|------|------|------|-------|
| | Local | | | | | | | | State |
| | 2006 | 2007 | 2008 | 2011 | 2012 | 2013 | 2014 | 2015 | 2015 |
| Cigarettes | 5.4 | 0.0 | 3.7 | 2.4 | 0.0 | 1.6 | 4.3 | 3.0 | 3.5 |
| Smokeless tobacco | 2.7 | 0.0 | 1.2 | 0.6 | 0.6 | 0.5 | 0.0 | 0.6 | 1.3 |
| Cigars | 0.7 | 1.7 | 3.1 | 0.0 | 0.6 | 1.0 | 0.0 | 0.6 | 0.9 |
| Pipe | 0.7 | 0.0 | 0.6 | 0.6 | 0.6 | 0.0 | 0.0 | 0.6 | 1.5 |
| Electronic vapor products | -- | -- | -- | -- | -- | -- | -- | 7.9 | 5.5 |
| Alcohol | 11.6 | 13.6 | 3.7 | 7.6 | 2.5 | 4.2 | 6.9 | 5.7 | 7.7 |
| Binge drinking* | 6.1 | 8.5 | 1.8 | 3.5 | 6.4 | 2.6 | 3.4 | 1.3 | 2.7 |
| Marijuana | 2.7 | 5.1 | 1.2 | 1.8 | 0.6 | 0.0 | 0.9 | 0.6 | 3.3 |
| Synthetic marijuana | -- | -- | -- | -- | -- | -- | 0.9 | 0.6 | 0.7 |
| Cocaine/Crack | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Inhalants | 5.4 | 5.1 | 0.6 | 3.5 | 0.0 | 0.0 | 1.7 | 0.0 | 0.7 |
| Methamphetamines | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.2 |
| Heroin | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 |
| Hallucinogens/Ecstasy | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.3 |
| Prescription drugs | 0.7 | 0.0 | 0.6 | 0.6 | 0.0 | 0.0 | 0.9 | 0.6 | 1.4 |
| Over the counter drugs | -- | 3.4 | 1.2 | 0.6 | 0.6 | 0.5 | 0.9 | 1.9 | 2.4 |

Notes: -- Data not available.

* Binge drinking during the past two weeks.

Local data represent entire school corporation for this and previous years, when available.

State data from the Indiana Youth Survey, IPRC, 2015.

National data from the Monitoring the Future Study, University of Michigan, 2014.

Monthly Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Percentages)

| | 8th Grade | | | | | | | | | | |
|---------------------------|-----------|------|------|------|------|------|------|------|------|-------|----------|
| | Local | | | | | | | | | State | National |
| | 2006 | 2007 | 2008 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2015 | 2014 |
| Cigarettes | 7.0 | 0.0 | 5.1 | 2.1 | 2.0 | 4.6 | 0.6 | 0.9 | 4.3 | 6.3 | 4.0 |
| Smokeless tobacco | 0.6 | 0.0 | 3.4 | 0.0 | 2.0 | 1.1 | 0.0 | 1.7 | 1.6 | 2.4 | 3.0 |
| Cigars | 1.3 | 2.8 | 6.3 | 6.4 | 1.4 | 0.0 | 0.0 | 1.7 | 2.2 | 1.9 | -- |
| Pipe | 0.0 | 2.8 | 2.3 | 4.3 | 0.7 | 0.0 | 0.0 | 1.7 | 1.6 | 3.2 | -- |
| Electronic vapor products | -- | -- | -- | -- | -- | -- | -- | -- | 7.1 | 10.4 | 8.7 |
| Alcohol | 16.6 | 13.9 | 12.6 | 25.5 | 14.2 | 8.6 | 7.7 | 6.9 | 12.2 | 13.3 | 9.0 |
| Binge drinking* | 7.0 | 0.0 | 6.3 | 10.6 | 3.4 | 6.3 | 7.1 | 0.9 | 2.2 | 5.4 | 4.1 |
| Marijuana | 3.2 | 0.0 | 3.4 | 0.0 | 0.7 | 1.1 | 1.3 | 1.7 | 3.2 | 7.1 | 6.5 |
| Synthetic marijuana | -- | -- | -- | -- | -- | -- | -- | 0.9 | 0.5 | 1.4 | 4.4 |
| Cocaine/Crack | 0.6 | 0.0 | 1.1 | 0.0 | 0.0 | 0.6 | 0.0 | 0.9 | 0.0 | 0.4 | 0.5 |
| Inhalants | 3.2 | 2.8 | 5.7 | 0.0 | 1.4 | 2.9 | 0.0 | 0.9 | 0.0 | 1.0 | 2.2 |
| Methamphetamines | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.6 | 0.0 | 0.9 | 0.0 | 0.3 | 0.2 |
| Heroin | 0.0 | 0.0 | 0.6 | 0.0 | 0.0 | 0.6 | 0.0 | 0.9 | 0.0 | 0.2 | 0.3 |
| Hallucinogens/Ecstasy | 0.0 | 0.0 | 2.3 | 0.0 | 0.0 | 0.6 | 0.0 | 0.9 | 0.0 | 0.8 | 0.5 |
| Prescription drugs | 0.6 | 0.0 | 1.1 | 0.0 | 0.7 | 2.3 | 0.0 | 0.9 | 1.1 | 2.3 | -- |
| Over the counter drugs | -- | 0.0 | 5.1 | 0.0 | 0.0 | 0.6 | 0.0 | 0.9 | 1.6 | 3.0 | -- |

Notes: -- Data not available.

* Binge drinking during the past two weeks.

Local data represent entire school corporation for this and previous years, when available.

State data from the Indiana Youth Survey, IPRC, 2015.

National data from the Monitoring the Future Study, University of Michigan, 2014.

Monthly Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Percentages)

| | 9th Grade | | | | | | | | |
|---------------------------|-----------|------|------|------|------|------|------|------|-------|
| | Local | | | | | | | | State |
| | 2006 | 2007 | 2008 | 2011 | 2012 | 2013 | 2014 | 2015 | 2015 |
| Cigarettes | 8.5 | 10.3 | 8.6 | 12.6 | 5.2 | 5.7 | 6.6 | 3.9 | 7.7 |
| Smokeless tobacco | 2.8 | 5.1 | 2.5 | 3.3 | 3.7 | 1.7 | 1.3 | 1.1 | 4.1 |
| Cigars | 7.8 | 5.1 | 8.6 | 4.6 | 1.5 | 1.1 | 2.0 | 1.1 | 2.8 |
| Pipe | 1.4 | 0.0 | 4.3 | 4.0 | 0.7 | 1.1 | 6.0 | 3.9 | 4.4 |
| Electronic vapor products | -- | -- | -- | -- | -- | -- | -- | 14.4 | 14.4 |
| Alcohol | 19.9 | 28.2 | 24.7 | 23.8 | 18.7 | 12.6 | 9.3 | 14.8 | 17.7 |
| Binge drinking* | 12.8 | 17.9 | 13.0 | 11.9 | 9.7 | 6.3 | 9.3 | 3.4 | 7.3 |
| Marijuana | 6.4 | 7.7 | 6.2 | 8.6 | 1.5 | 4.0 | 6.6 | 1.7 | 9.9 |
| Synthetic marijuana | -- | -- | -- | -- | -- | -- | 1.3 | 0.0 | 1.7 |
| Cocaine/Crack | 0.7 | 0.0 | 0.6 | 0.7 | 0.0 | 0.0 | 0.7 | 0.0 | 0.6 |
| Inhalants | 1.4 | 5.1 | 3.1 | 0.7 | 2.2 | 1.1 | 0.7 | 0.0 | 0.8 |
| Methamphetamines | 0.7 | 2.6 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.6 | 0.4 |
| Heroin | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.6 | 0.3 |
| Hallucinogens/Ecstasy | 0.0 | 0.0 | 0.6 | 0.0 | 0.7 | 0.6 | 1.3 | 0.6 | 1.2 |
| Prescription drugs | 0.7 | 0.0 | 1.2 | 6.0 | 1.5 | 1.1 | 2.6 | 1.1 | 3.2 |
| Over the counter drugs | -- | 5.1 | 3.7 | 6.0 | 1.5 | 2.3 | 2.6 | 1.7 | 2.9 |

Notes: -- Data not available.

* Binge drinking during the past two weeks.

Local data represent entire school corporation for this and previous years, when available.

State data from the Indiana Youth Survey, IPRC, 2015.

National data from the Monitoring the Future Study, University of Michigan, 2014.

Monthly Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Percentages)

| | 10th Grade | | | | | | | | | | |
|---------------------------|------------|------|------|------|------|------|------|------|------|-------|----------|
| | Local | | | | | | | | | State | National |
| | 2006 | 2007 | 2008 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2015 | 2014 |
| Cigarettes | 13.1 | 12.8 | 12.9 | 7.0 | 8.9 | 12.6 | 8.4 | 9.3 | 9.4 | 10.7 | 7.2 |
| Smokeless tobacco | 2.2 | 6.4 | 5.2 | 4.7 | 4.4 | 6.6 | 5.2 | 5.7 | 6.8 | 5.3 | 5.3 |
| Cigars | 8.8 | 14.9 | 10.3 | 4.7 | 4.4 | 5.4 | 1.3 | 5.0 | 4.7 | 4.8 | -- |
| Pipe | 0.7 | 10.6 | 6.5 | 0.0 | 3.8 | 4.2 | 5.8 | 8.6 | 3.4 | 5.7 | -- |
| Electronic vapor products | -- | -- | -- | -- | -- | -- | -- | -- | 12.8 | 18.2 | 16.2 |
| Alcohol | 32.1 | 25.5 | 21.9 | 20.9 | 18.4 | 19.8 | 18.8 | 15.7 | 16.9 | 22.8 | 23.5 |
| Binge drinking* | 12.4 | 14.9 | 14.8 | 11.6 | 10.1 | 9.6 | 8.4 | 7.9 | 6.1 | 10.1 | 12.5 |
| Marijuana | 6.6 | 6.4 | 8.4 | 7.0 | 5.1 | 7.2 | 5.8 | 5.0 | 5.4 | 14.0 | 16.6 |
| Synthetic marijuana | -- | -- | -- | -- | -- | -- | -- | 0.0 | 1.3 | 1.9 | 6.8 |
| Cocaine/Crack | 1.5 | 0.0 | 2.6 | 0.0 | 0.6 | 1.2 | 0.6 | 0.0 | 0.7 | 0.7 | 0.6 |
| Inhalants | 0.7 | 0.0 | 3.9 | 2.3 | 0.6 | 1.2 | 0.0 | 0.7 | 2.1 | 0.8 | 1.1 |
| Methamphetamines | 0.7 | 0.0 | 0.6 | 0.0 | 0.6 | 0.6 | 0.0 | 0.0 | 0.0 | 0.5 | 0.3 |
| Heroin | 0.0 | 0.0 | 0.6 | 0.0 | 0.6 | 1.2 | 0.0 | 0.0 | 0.0 | 0.3 | 0.4 |
| Hallucinogens/Ecstasy | 0.7 | 0.0 | 1.9 | 0.0 | 1.3 | 0.6 | 0.0 | 0.7 | 2.0 | 1.8 | 1.2 |
| Prescription drugs | 0.7 | 2.1 | 5.8 | 2.3 | 2.5 | 1.8 | 1.3 | 2.1 | 6.0 | 4.4 | -- |
| Over the counter drugs | -- | 4.3 | 6.5 | 2.3 | 2.5 | 2.4 | 0.0 | 1.4 | 3.4 | 3.3 | -- |

Notes: -- Data not available.

* Binge drinking during the past two weeks.

Local data represent entire school corporation for this and previous years, when available.

State data from the Indiana Youth Survey, IPRC, 2015.

National data from the Monitoring the Future Study, University of Michigan, 2014.

Monthly Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Percentages)

| | 11th Grade | | | | | | | | |
|---------------------------|------------|------|------|------|------|------|------|------|-------|
| | Local | | | | | | | | State |
| | 2006 | 2007 | 2008 | 2011 | 2012 | 2013 | 2014 | 2015 | 2015 |
| Cigarettes | 18.9 | 8.1 | 21.7 | 12.1 | 13.6 | 20.4 | 9.3 | 11.6 | 13.1 |
| Smokeless tobacco | 4.7 | 2.7 | 9.8 | 6.8 | 6.1 | 9.2 | 6.5 | 8.7 | 6.5 |
| Cigars | 11.0 | 8.1 | 21.0 | 7.6 | 6.1 | 10.5 | 4.6 | 7.2 | 6.7 |
| Pipe | 2.4 | 13.5 | 9.8 | 6.8 | 5.3 | 9.9 | 7.4 | 6.6 | 6.4 |
| Electronic vapor products | -- | -- | -- | -- | -- | -- | -- | 19.3 | 20.3 |
| Alcohol | 28.3 | 32.4 | 33.6 | 34.1 | 18.9 | 25.0 | 22.2 | 21.1 | 28.1 |
| Binge drinking* | 20.5 | 10.8 | 19.6 | 15.2 | 11.4 | 17.8 | 6.5 | 8.2 | 12.7 |
| Marijuana | 14.2 | 10.8 | 8.4 | 14.4 | 9.1 | 9.9 | 4.6 | 7.9 | 16.6 |
| Synthetic marijuana | -- | -- | -- | -- | -- | -- | 0.0 | 2.2 | 2.0 |
| Cocaine/Crack | 3.1 | 0.0 | 0.7 | 1.5 | 0.0 | 0.0 | 0.0 | 0.7 | 0.9 |
| Inhalants | 0.8 | 2.7 | 1.4 | 0.8 | 0.8 | 2.0 | 0.0 | 1.4 | 0.9 |
| Methamphetamines | 0.8 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 |
| Heroin | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.7 | 0.3 |
| Hallucinogens/Ecstasy | 3.1 | 0.0 | 1.4 | 1.5 | 0.8 | 0.7 | 0.0 | 0.0 | 2.4 |
| Prescription drugs | 1.6 | 0.0 | 2.8 | 3.8 | 0.8 | 6.6 | 3.7 | 7.2 | 5.2 |
| Over the counter drugs | -- | 2.7 | 3.5 | 2.3 | 2.3 | 1.3 | 0.9 | 1.4 | 3.3 |

Notes: -- Data not available.

* Binge drinking during the past two weeks.

Local data represent entire school corporation for this and previous years, when available.

State data from the Indiana Youth Survey, IPRC, 2015.

National data from the Monitoring the Future Study, University of Michigan, 2014.

**Monthly Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Percentages)**

| | 12th Grade | | | | | | | | | |
|---------------------------|------------|------|------|------|------|------|------|------|-------|----------|
| | Local | | | | | | | | State | National |
| | 2006 | 2007 | 2008 | 2011 | 2012 | 2013 | 2014 | 2015 | 2015 | 2014 |
| Cigarettes | 22.5 | 19.4 | 30.0 | 18.7 | 15.4 | 13.9 | 13.6 | 26.2 | 16.2 | 13.6 |
| Smokeless tobacco | 11.6 | 13.9 | 11.7 | 9.3 | 6.7 | 10.2 | 3.4 | 19.4 | 8.3 | 8.4 |
| Cigars | 16.3 | 25.0 | 24.2 | 15.9 | 15.4 | 11.1 | 5.7 | 16.8 | 11.4 | -- |
| Pipe | 2.3 | 27.8 | 13.3 | 13.1 | 14.4 | 13.0 | 9.1 | 10.7 | 9.4 | -- |
| Electronic vapor products | -- | -- | -- | -- | -- | -- | -- | 44.7 | 24.8 | 17.1 |
| Alcohol | 40.3 | 38.9 | 43.3 | 29.0 | 28.8 | 18.5 | 21.6 | 40.6 | 33.2 | 37.4 |
| Binge drinking* | 27.1 | 22.2 | 30.0 | 15.9 | 13.5 | 12.0 | 9.1 | 19.4 | 16.7 | 19.4 |
| Marijuana | 21.7 | 16.7 | 11.7 | 6.5 | 8.7 | 6.5 | 10.2 | 12.7 | 18.8 | 21.2 |
| Synthetic marijuana | -- | -- | -- | -- | -- | -- | 1.1 | 3.8 | 2.1 | 2.7 |
| Cocaine/Crack | 8.5 | 0.0 | 2.5 | 0.9 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 1.0 |
| Inhalants | 3.9 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.0 | 2.9 | 0.8 | 0.7 |
| Methamphetamines | 3.1 | 0.0 | 1.7 | 0.9 | 0.0 | 0.9 | 0.0 | 1.9 | 0.5 | 0.5 |
| Heroin | 3.1 | 0.0 | 1.7 | 0.0 | 0.0 | 0.9 | 0.0 | 0.0 | 0.4 | 0.4 |
| Hallucinogens/Ecstasy | 3.1 | 0.0 | 2.5 | 0.9 | 0.0 | 1.9 | 0.0 | 4.9 | 2.9 | 1.5 |
| Prescription drugs | 2.3 | 0.0 | 3.3 | 3.7 | 2.9 | 1.9 | 2.3 | 6.7 | 6.0 | 6.4 |
| Over the counter drugs | -- | 8.3 | 6.7 | 0.9 | 1.0 | 0.9 | 0.0 | 1.9 | 3.1 | -- |

Notes: -- Data not available.

* Binge drinking during the past two weeks.

Local data represent entire school corporation for this and previous years, when available.

State data from the Indiana Youth Survey, IPRC, 2015.

National data from the Monitoring the Future Study, University of Michigan, 2014.

Mean Age of First Time Use of Alcohol, Tobacco and Other Drugs

Research has shown that the younger a person is when she or he begins using alcohol, the more likely the person is to experience alcohol dependence and abuse.^{1,2} Compared to persons who began drinking at age 21 or older, those who began drinking before age 14 were more likely to experience alcohol dependence later in life.³ The table below shows the average age of first use among students who reported using a particular substance at least once during their lifetime.

**Mean Age of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Students, 2015
(Valid cases only: Mean age)**

| At what age did you first use...? | Grade | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Cigarettes | 11.45 | 11.57 | 11.87 | 12.69 | 13.60 | 14.38 |
| Q9 Smokeless tobacco | 11.75 | 12.33 | 12.32 | 12.93 | 13.88 | 14.09 |
| Q9 Cigars | 12.00 | 12.14 | 13.39 | 13.79 | 14.40 | 15.73 |
| Q9 Pipe | 12.38 | 12.93 | 13.45 | 14.13 | 15.80 | 15.55 |
| Q9 Electronic vapor products | 11.75 | 12.82 | 13.88 | 14.85 | 15.74 | 16.43 |
| Q9 Alcohol | 11.11 | 11.84 | 12.66 | 13.80 | 14.28 | 14.63 |
| Q9 Marijuana | 12.00 | 12.34 | 13.06 | 13.50 | 14.73 | 14.20 |
| Q9 Synthetic marijuana | 12.00 | 11.70 | 13.00 | 14.00 | 15.70 | 14.56 |
| Q9 Cocaine/Crack | 10.00 | 12.50 | 11.67 | 16.00 | 17.00 | 15.50 |
| Q9 Inhalants | 11.00 | 13.00 | 13.17 | 14.00 | 14.50 | 13.50 |
| Q9 Methamphetamines | . | 12.75 | 14.00 | 14.00 | 17.00 | . |
| Q9 Heroin | . | 12.75 | 14.00 | 16.00 | . | . |
| Q9 Hallucinogens/Ecstasy | 12.00 | 12.83 | 13.67 | 15.17 | 16.20 | 16.25 |
| Q9 Prescription drugs not prescribed to you | 10.67 | 11.86 | 12.50 | 15.00 | 13.82 | 15.60 |
| Q9 Over the counter drugs to get high | 10.33 | 11.55 | 12.33 | 14.20 | 13.60 | 15.17 |

1 Grant, B. F., Stinson, F. S., & Harford, T. C. (2001). Age at onset of alcohol use and DSM-IV alcohol abuse and dependence: A 12-year follow-up. *Journal of Substance Abuse, 13*(4), 493-504.

2 Warner, L. A., & White, H. R. (2003). Longitudinal effects of age at onset and first drinking situations on problem drinking. *Substance Use & Misuse, 38*(14), 1983-2016.

3 Hingson, R. W., Heeren, T., & Winter, M. R. (2006). Age at drinking onset and alcohol dependence: Age at onset, duration, and severity. *Archives of Pediatrics & Adolescent Medicine, 160*(7), 739-746.

Communities that Care (CTC) Risk and Protective Factors


Risk factors are conditions that increase the chances that children will become involved in problem behaviors in adolescence and young adulthood.¹ Measures included in the *Indiana Youth Survey* from the Communities That Care (CTC) System can predict alcohol and other drugs use, as well as delinquency, dropping out of school, teen pregnancy and violence. Students with elevated risk factor scores have a higher likelihood of substance use and problem behaviors compared to those with low risk factor scores.

CTC is based on the Social Development Strategy which focuses primarily on the strengthening of protective factors. **Protective factors** are conditions that have a positive influence and “protect” or “buffer” against the negative influences associated with risk factors. Though closely related, protective factors are not the opposite of risk factors but rather reduce the effects of existing risk factors.

The Indiana Prevention Resource Center uses a cut-point method to identify elevated risk factors and depressed protective factors on the *Indiana Youth Survey* for students in grades 6, 8, 10 and 12.² Survey respondents were divided into two categories – low risk and high risk for risk factors, and low protection and high protection for protective factors– based upon national data. Students from around the country were asked the same questions.

For example, youth were asked: “How much do you think people risk harming themselves if they try marijuana once or twice?”

All of the responses from the national survey were scored with a numerical value and put in order from lowest to highest, and the middlemost score was identified. This score is the median and it divided all responses into two halves (50% of responses are at/below the median and 50% are above the median). The median was used to determine the cut point for low and high groups. In this example, any youth that indicated a 2 or higher is considered to be at high risk.



In simple terms, if 50% of the students in Indiana are at high risk and 50% are at low risk on a particular risk factor, then the Indiana students are similar to the nationwide data. **Problem areas are considered to be any risk factors with 50% or more of students showing high risk or any protective factors with 50% or more of students showing low protection.** The following

table shows the percentage of students at low or high risk for fourteen different risk factors, while the second table shows the percentage of students at low or high protection for six protective factors. Please take note of **bold numbers over 50.0**.

**Percentage of students with CTC risk factor scores
at/below (low risk) or above (high risk) the national standard
ABC School Corporation Students, 2015**

| | | Grade | | |
|---|------------------|-------------|-------------|-------------|
| | | 8th | 10th | 12th |
| Community: Laws and norms favorable to drug use | Low risk | 70.3 | 60.6 | 67.1 |
| | High risk | 29.7 | 39.4 | 32.9 |
| Community: Perceived availability of drugs | Low risk | 79.9 | 81.7 | 64.0 |
| | High risk | 20.1 | 18.3 | 36.0 |
| Family: Poor family management | Low risk | 75.3 | 81.9 | 79.3 |
| | High risk | 24.7 | 18.1 | 20.7 |
| Family: Family conflict | Low risk | 49.3 | 59.8 | 60.5 |
| | High risk | 50.7 | 40.2 | 39.5 |
| Family: Parental attitudes favorable toward drug use | Low risk | 83.7 | 76.8 | 67.8 |
| | High risk | 16.3 | 23.2 | 32.2 |
| Family: Parental attitudes favorable toward antisocial behavior | Low risk | 63.6 | 65.9 | 63.0 |
| | High risk | 36.4 | 34.1 | 37.0 |
| School: Academic failure | Low risk | 53.6 | 64.1 | 58.3 |
| | High risk | 46.4 | 35.9 | 41.7 |
| School: Low commitment to school | Low risk | 54.8 | 59.0 | 47.3 |
| | High risk | 45.2 | 41.0 | 52.7 |
| Peer-individual: Early initiation of drug use | Low risk | 80.3 | 84.7 | 76.8 |
| | High risk | 19.7 | 15.3 | 23.2 |
| Peer-individual: Favorable attitudes toward antisocial behavior | Low risk | 71.1 | 76.3 | 75.7 |
| | High risk | 28.9 | 23.7 | 24.3 |
| Peer-individual: Favorable attitudes toward drug use | Low risk | 71.8 | 70.1 | 70.3 |
| | High risk | 28.2 | 29.9 | 29.7 |
| Peer-individual: Perceived risk of drug use | Low risk | 34.6 | 39.6 | 30.6 |
| | High risk | 65.4 | 60.4 | 69.4 |
| Peer-individual: Interaction with antisocial peers | Low risk | 69.9 | 79.3 | 61.4 |
| | High risk | 30.1 | 20.7 | 38.6 |
| Peer-individual: Rewards for antisocial involvement | Low risk | 55.8 | 64.6 | 49.0 |
| | High risk | 44.2 | 35.4 | 51.0 |

Note: The national standards (cut-off points) are provided by the Social Development Research Group at the University of Washington.

**Percentage of students with CTC protective factor scores
at/below (low protection) or above (high protection) the national standard
ABC School Corporation Students, 2015**

| | | Grade | | |
|---|-----------------------|-------------|-------------|-------------|
| | | 8th | 10th | 12th |
| Community: Rewards for prosocial involvement | Low protection | 67.0 | 61.1 | 56.3 |
| | High protection | 33.0 | 38.9 | 43.8 |
| Family: Opportunities for prosocial involvement | Low protection | 36.2 | 39.7 | 36.3 |
| | High protection | 63.8 | 60.3 | 63.7 |
| Family: Rewards for prosocial involvement | Low protection | 37.7 | 38.2 | 40.8 |
| | High protection | 62.3 | 61.8 | 59.2 |
| School: Opportunities for prosocial involvement | Low protection | 33.3 | 32.7 | 31.5 |
| | High protection | 66.7 | 67.3 | 68.5 |
| School: Rewards for prosocial involvement | Low protection | 49.5 | 29.0 | 46.6 |
| | High protection | 50.5 | 71.0 | 53.4 |
| Peer-individual: Interaction with prosocial peers | Low protection | 53.2 | 49.3 | 59.7 |
| | High protection | 46.8 | 50.7 | 40.3 |

Note: The national standards (cut-off points) are provided by the Social Development Research Group at the University of Washington.

Identification of elevated risk and low protection is important to addressing several problem behaviors among youth. Implementation of evidence-based curricula and environmental strategies is the best way to address these issues. Visit www.findyouthinfo.gov for more information.

1 Hawkins, J. D., & Catalano, R. F. (2005). Investing in your community's youth: An introduction to the Communities that Care System. Retrieved July 1, 2010 from <http://download.ncadi.samhsa.gov/Prevline/pdfs/ctc/Investing%20in%20Your%20Community's%20Youth.pdf>.

2 Arthur, M. W., Briney, J. S., Hawkins, J. D., Abbott, R.D. Brooke-Weiss, B. L., & Catalano, R. F. (2007). Measuring risk and protection in communities using the Communities That Care Youth Survey. *Evaluation and Program Planning*, 20, 197-211.

CRAFFT Screening Measures

The CRAFFT is a screening instrument and may be used clinically to detect whether an individual is likely to have problems with substance use or a substance use disorder.¹ If someone were to screen positive on the CRAFFT in a clinical setting, the clinician would likely refer the patient for a more thorough assessment to determine if a substance use disorder exists.

The CRAFFT is used within the *Indiana Youth Survey* to estimate the prevalence of students that exhibit problem use. We emphasize strongly that the CRAFFT **does not diagnose a substance use disorder** and that **the data presented below are not estimates of the prevalence of substance use disorders in your school corporation**. However, the results do provide the percentage of students who screened positive. Since the survey is anonymous, individual students and their problem use cannot be identified. Thus, it is advised that referral resources be a part of your school’s student assistance policy.

The CRAFFT has the following six items:

- Have you ever ridden in a **C**ar driven by someone (including yourself) who was high or had been using alcohol or drugs?
- Do you use alcohol or drugs to **R**elax, feel better about yourself, or fit in?
- Do you ever use alcohol or drugs while you are **A**lone?
- Do you ever **F**orget things you did while using alcohol or drugs?
- Do your **F**amily or friends ever tell you that you should cut down on your drinking or drug use?
- Have you ever gotten into **T**rouble while you were using alcohol or drugs?

Affirmative responses (“Yes”) to **two or more** CRAFFT items constitute a **positive** screen.² A “positive” screen indicates that the adolescent is at high-risk for having an alcohol or drug-related disorder and requires further assessment. The CRAFFT is validated for use with people aged 14 to 19.³ The table below shows a breakout of CRAFFT scores by age of respondent.

**CRAFFT Substance Abuse Screening
ABC School Corporation 14 Years or Older Students, 2015
(Values are percentages, valid cases only)**

| | | Age | | | | |
|--------|------------------------------|------------|-------------|-------------|-------------|-------------------|
| | | 14 years | 15 years | 16 years | 17 years | 18 years or older |
| CRAFFT | 0-1 positive responses | 90.5 | 88.0 | 83.0 | 78.1 | 69.0 |
| | 2+ positive responses | 9.5 | 12.0 | 17.0 | 21.9 | 31.0 |

Please note that any **age group with fewer than 30 usable surveys** is not presented in order to protect the confidentiality of your students.

1 Knight, J. R., Shrier, L. A., Bravender, T. D., Farrell, M., Vander Bilt, J., & Shaffer, H. J. (1999). A new brief screen for adolescent substance abuse. *Archives of Pediatrics & Adolescent Medicine, 153*, 591-596.

2 Knight, J. R., Sherritt, L., Harris, K. S., Gates, E. C., & Chang, G. (2003). Validity of brief alcohol screening tests among adolescents: a comparison of the AUDIT, POSIT, CAGE, and CRAFFT. *Alcoholism: Clinical and Experimental Research, 27 (1)*, 67-73.

3 Knight, J. R., Sherritt, L., Shrier, L. A., Harris, S. K., & Chang, G. (2002). Validity of the CRAFFT substance abuse screening test among adolescent clinic patients. *Archives of Pediatrics & Adolescent Medicine, 156 (6)*, 607-614.

Mental Health

Prior research has demonstrated robust relationships between adolescent depression, suicidal behavior and substance abuse.^{1,2,3} As a result, the State is trying to better understand the prevalence of mental health concerns among Indiana’s youth. Mental health was measured for the past year (12 months) with survey items that asked about “feeling so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities,” “seriously consider attempting suicide,” and “making a plan about how you would attempt suicide.” Since the survey is anonymous, individual students and their mental health problems cannot be identified. Thus, it is advised that referral resources be a part of your school’s student assistance policy.

**Mental Health in the Past Twelve Months
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| During the past 12 months, did you...? | | Grade | | | | | |
|--|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q21 Feel sad or hopeless for 2+ weeks in a row | No | 72.8 | 66.0 | 67.9 | 72.2 | 64.4 | 69.9 |
| | Yes | 27.2 | 34.0 | 32.1 | 27.8 | 35.6 | 30.1 |
| Q21 Seriously consider attempting suicide | No | 85.7 | 79.5 | 83.4 | 83.3 | 82.8 | 87.3 |
| | Yes | 14.3 | 20.5 | 16.6 | 16.7 | 17.2 | 12.7 |
| Q21 Make a plan about attempting suicide | No | 88.4 | 87.4 | 86.1 | 84.7 | 88.0 | 91.6 |
| | Yes | 11.6 | 12.6 | 13.9 | 15.3 | 12.0 | 8.4 |

¹ Esposito-Smythers, C., & Spirito, A. (2004). Adolescent substance use and suicidal behavior: A review with implications for treatment research. *Alcoholism: Clinical and Experimental Research, 28* (5), 775-885.

² Hallfors, D. D., Waller, M.W., Ford, C.A., Halpern, C. T., Brodish, P. H., & Iritani, B. (2004). Adolescent depression and suicide risk: Association with sex and drug behavior. *American Journal of Preventive Medicine, 27*(3), 224-230.

³ Light, J.M., Grube, J.W., Madden, P.A., & Gover, J. (2003). Adolescent alcohol use and suicidal ideation: A nonrecursive model. *Addictive Behaviors, 28*, 705-724.

Gambling Behavior

As gambling options and venues in the state expand, monitoring the prevalence of gambling activities among children and adolescents is increasingly important for planning prevention efforts. All gambling-related questions on the *Indiana Youth Survey* asked about behavior and experiences in the past year. Gambling behaviors include playing card games, bingo, or online games; betting on personal games of skill, sports, or personal challenges; and buying lottery tickets. The response options have been collapsed into yes (any amount of gambling)/no categories in the following tables but all response options are presented separately at the end of the report in the frequency tables.

**Gambling during the Last Twelve Months
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How often have you bet/gambled for money or valuables in the following ways? | | Grade | | | | | |
|--|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q22 Card games | No | 89.8 | 87.4 | 87.2 | 86.7 | 87.9 | 84.9 |
| | Yes | 10.2 | 12.6 | 12.8 | 13.3 | 12.1 | 15.1 |
| Q22 Personal games of skill | No | 83.0 | 79.0 | 80.8 | 81.4 | 81.9 | 81.5 |
| | Yes | 17.0 | 21.0 | 19.2 | 18.6 | 18.1 | 18.5 |
| Q22 Sports | No | 84.6 | 82.0 | 83.7 | 91.5 | 82.9 | 91.0 |
| | Yes | 15.4 | 18.0 | 16.3 | 8.5 | 17.1 | 9.0 |
| Q22 Lottery | No | 94.2 | 88.4 | 88.2 | 89.5 | 92.1 | 81.5 |
| | Yes | 5.8 | 11.6 | 11.8 | 10.5 | 7.9 | 18.5 |
| Q22 Bingo | No | 89.8 | 92.9 | 93.4 | 95.3 | 95.4 | 94.5 |
| | Yes | 10.2 | 7.1 | 6.6 | 4.7 | 4.6 | 5.5 |
| Q22 Online gambling | No | 96.2 | 93.5 | 94.8 | 95.7 | 96.3 | 98.6 |
| | Yes | 3.8 | 6.5 | 5.2 | 4.3 | 3.7 | 1.4 |
| Q22 Personal challenges | No | 80.9 | 72.9 | 74.5 | 79.1 | 76.4 | 81.4 |
| | Yes | 19.1 | 27.1 | 25.5 | 20.9 | 23.6 | 18.6 |
| Q22 Gambled in other ways | No | 93.2 | 84.6 | 87.5 | 88.6 | 84.7 | 85.5 |
| | Yes | 6.8 | 15.4 | 12.5 | 11.4 | 15.3 | 14.5 |

Given the various types of gambling activities attractive to youth and their widespread availability, the negative consequences associated with adolescent gambling need to be addressed. Communities are better positioned to address gambling problems if they understand the relationship of these behaviors to their consequences (for example, academic problems, poor health, or issues with family, friends, or the legal system).

**Consequences of Gambling
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How often have you experienced the following consequences due to your gambling? | | Grade | | | | | |
|---|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q23 Academic problems | No | 79.7 | 75.9 | 79.0 | 78.5 | 76.4 | 74.7 |
| | Yes | 20.3 | 24.1 | 21.0 | 21.5 | 23.6 | 25.3 |
| Q23 Issues with the legal system | No | 80.7 | 75.2 | 78.9 | 78.6 | 76.4 | 74.7 |
| | Yes | 19.3 | 24.8 | 21.1 | 21.4 | 23.6 | 25.3 |
| Q23 Lost possessions or money | No | 80.1 | 74.8 | 78.5 | 78.5 | 76.4 | 74.0 |
| | Yes | 19.9 | 25.2 | 21.5 | 21.5 | 23.6 | 26.0 |
| Q23 Felt bad about gambling | No | 80.4 | 75.2 | 78.2 | 78.1 | 76.9 | 74.7 |
| | Yes | 19.6 | 24.8 | 21.8 | 21.9 | 23.1 | 25.3 |
| Q23 Poor health | No | 80.4 | 74.7 | 78.2 | 78.1 | 76.4 | 74.7 |
| | Yes | 19.6 | 25.3 | 21.8 | 21.9 | 23.6 | 25.3 |
| Q23 Issues with friends and family | No | 79.9 | 74.0 | 77.7 | 78.1 | 76.4 | 74.7 |
| | Yes | 20.1 | 26.0 | 22.3 | 21.9 | 23.6 | 25.3 |

For more information on problem gambling prevention and approaches for youth and the community, contact the Indiana Problem Gambling Awareness Program at 812-855-1237 or visit www.ipgap.indiana.edu.

Frequency Tables

The responses to all survey questions are presented in this section, in three segments. The tables are first presented by grade level, followed by tables including only male student responses, and lastly tables including only female student responses. The responses to the individual items that make up each of the CTC risk and protective factors are provided. The frequency tables are presented in the following order in each of the segments:

- Personal and Family Information
- Past Month Use of Alcohol, Tobacco, and Other Drugs
- Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
- Binge Drinking in the Last Two Weeks
- Perceived Availability of Drugs
- Usual Sources of Alcoholic Beverages in the Past Year
- Usual Sources of Prescription Drugs in the Past Year
- CRAFFT Substance Abuse Screening
- Consequences of Alcohol, Tobacco, and Other Drug Use
- Perceived Risks of Drug Use
- Favorable Attitudes Toward Antisocial Behavior
- Favorable Attitudes Toward Drug Use
- Perceived Peer Approval of Drug Use
- Rewards for Antisocial Involvement
- Parental Attitudes Favorable Toward Drug Use
- Parental Attitudes Favorable Toward Antisocial Behavior
- Mental Health in the Past Twelve Months
- Gambling during the Last Twelve Months
- Consequences of Gambling
- School Opportunities for Prosocial Involvement
- School Rewards for Prosocial Involvement
- Academic Failure
- Low Commitment to School
- Poor Family Management
- Family Conflict
- Family Opportunities for Prosocial Involvement
- Family Rewards for Prosocial Involvement
- Interaction with Antisocial Peers
- Interaction with Prosocial Peers

- Community Laws and Norms Favorable to Drug Use
- Community Rewards for Prosocial Involvement

Personal and Family Information
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---------------------------------|----------------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q1 Gender | Male | 46.4 | 50.3 | 52.3 | 49.5 | 50.7 | 50.3 |
| | Female | 53.6 | 49.7 | 47.7 | 50.5 | 49.3 | 49.7 |
| Q2 Hispanic/Latino | Non-Hispanic | 74.7 | 73.7 | 79.9 | 80.5 | 81.3 | 82.9 |
| | Hispanic | 25.3 | 26.3 | 20.1 | 19.5 | 18.8 | 17.1 |
| Q3 Race | White | 75.9 | 73.3 | 83.3 | 81.6 | 84.8 | 86.9 |
| | Black/African American | .4 | 2.2 | .7 | 2.6 | .9 | 2.8 |
| | Asian | 1.8 | 1.5 | 1.4 | .0 | 1.4 | 3.4 |
| | Native Hawaiian/Pacific Islander | .0 | .7 | .0 | .0 | .0 | .0 |
| | American Indian/Alaskan Native | 1.1 | 2.2 | 1.0 | .5 | .9 | .0 |
| | Race not known or other | 8.9 | 8.8 | 7.3 | 6.6 | 6.2 | 3.4 |
| | More than one race | 12.1 | 11.4 | 6.3 | 8.7 | 5.7 | 3.4 |
| Q5 Age | 12 years | 24.4 | .0 | .0 | .0 | .0 | .0 |
| | 13 years | 63.4 | 29.1 | .7 | .0 | .0 | .0 |
| | 14 years | 12.2 | 63.9 | 26.6 | .0 | .0 | .0 |
| | 15 years | .0 | 6.4 | 66.7 | 26.9 | .9 | .0 |
| | 16 years | .0 | .7 | 5.4 | 64.6 | 29.3 | .0 |
| | 17 years | .0 | .0 | .7 | 8.5 | 63.1 | 34.0 |
| | 18 years or older | .0 | .0 | .0 | .0 | 6.7 | 66.0 |
| Q6 Parents served in a war zone | No | 73.3 | 77.1 | 82.9 | 83.0 | 83.4 | 81.1 |
| | Yes | 15.5 | 14.1 | 8.9 | 9.9 | 12.6 | 12.2 |
| | Not sure | 11.1 | 8.8 | 8.2 | 7.1 | 4.0 | 6.8 |
| Q7 Parents served time in jail | No | 59.5 | 57.5 | 64.4 | 71.2 | 70.0 | 69.1 |
| | Yes | 26.5 | 31.5 | 25.6 | 20.2 | 22.7 | 24.8 |
| | Not sure | 14.1 | 11.0 | 10.0 | 8.7 | 7.3 | 6.0 |

**Past Month Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How many times in the last month (30 days) have you used...? | | Grade | | | | | |
|--|-------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q8 Cigarettes | Never | 97.3 | 93.3 | 91.0 | 88.4 | 87.7 | 79.6 |
| | 1-5 times | 1.3 | 5.4 | 4.3 | 6.5 | 4.5 | 9.2 |
| | 6-19 times | .7 | 1.0 | 1.3 | 1.4 | 2.7 | 3.3 |
| | 20-39 times | .0 | .3 | 1.3 | 1.9 | 3.6 | 2.0 |
| | 40+ times | .7 | .0 | 2.0 | 1.9 | 1.4 | 5.9 |
| Q8 Smokeless tobacco | Never | 99.3 | 97.0 | 94.0 | 93.9 | 94.1 | 86.7 |
| | 1-5 times | .3 | 2.4 | 2.3 | 2.8 | 3.2 | 3.3 |
| | 6-19 times | .0 | .7 | .7 | .9 | .9 | 1.3 |
| | 20-39 times | .0 | .0 | .7 | .5 | .0 | .0 |
| | 40+ times | .3 | .0 | 2.3 | 1.9 | 1.8 | 8.7 |
| Q8 Cigars | Never | 98.7 | 97.3 | 94.9 | 94.0 | 94.5 | 86.5 |
| | 1-5 times | .7 | 2.0 | 2.7 | 4.6 | 3.2 | 10.1 |
| | 6-19 times | .7 | .7 | 1.4 | 1.4 | 1.8 | 2.0 |
| | 20-39 times | .0 | .0 | .3 | .0 | .5 | 1.4 |
| | 40+ times | .0 | .0 | .7 | .0 | .0 | .0 |
| Q8 Pipe | Never | 98.0 | 97.0 | 94.3 | 93.9 | 96.4 | 93.9 |
| | 1-5 times | 1.3 | .7 | 3.0 | 3.3 | 2.3 | 3.4 |
| | 6-19 times | .7 | 1.0 | 1.7 | 1.9 | .5 | 2.0 |
| | 20-39 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | .7 | 1.0 | .9 | .9 | .7 |
| Q8 Electronic vapor products | Never | 95.7 | 91.2 | 89.9 | 87.0 | 85.9 | 75.3 |
| | 1-5 times | 2.3 | 6.1 | 5.1 | 8.3 | 8.6 | 12.7 |
| | 6-19 times | 1.3 | .7 | 2.0 | 2.3 | 3.6 | 4.0 |
| | 20-39 times | .0 | .7 | 1.4 | 1.4 | .9 | 4.0 |
| | 40+ times | .7 | 1.4 | 1.7 | .9 | .9 | 4.0 |
| Q8 Alcohol | Never | 93.2 | 84.4 | 85.5 | 81.5 | 75.0 | 70.1 |
| | 1-5 times | 5.1 | 13.6 | 9.8 | 13.7 | 18.1 | 19.7 |
| | 6-19 times | 1.0 | 1.4 | 2.7 | 2.4 | 4.6 | 3.4 |
| | 20-39 times | .7 | .3 | 1.3 | 1.9 | 1.4 | 2.7 |
| | 40+ times | .0 | .3 | .7 | .5 | .9 | 4.1 |
| Q8 Marijuana | Never | 96.0 | 93.0 | 93.3 | 91.7 | 88.7 | 89.3 |
| | 1-5 times | 2.3 | 3.0 | 2.7 | 2.3 | 6.8 | 4.0 |
| | 6-19 times | 1.0 | 1.3 | 1.3 | 1.4 | 1.4 | 2.7 |
| | 20-39 times | .3 | 1.3 | .0 | .9 | 1.4 | 1.3 |
| | 40+ times | .3 | 1.3 | 2.7 | 3.7 | 1.8 | 2.7 |
| Q8 Synthetic marijuana | Never | 99.3 | 97.6 | 97.0 | 96.3 | 97.7 | 99.3 |
| | 1-5 times | .7 | 1.4 | 2.0 | 1.4 | 1.8 | .7 |

**Past Month Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How many times in the last month (30 days) have you used...? | | Grade | | | | | |
|--|-------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q8 Cocaine/Crack | 6-19 times | .0 | .3 | .3 | .9 | .0 | .0 |
| | 40+ times | .0 | .7 | .7 | 1.4 | .5 | .0 |
| | Never | 100 | 99.0 | 99.0 | 100 | 99.5 | 99.3 |
| | 1-5 times | .0 | .3 | .7 | .0 | .5 | .0 |
| Q8 Inhalants | 6-19 times | .0 | .3 | .3 | .0 | .0 | .7 |
| | 20-39 times | .0 | .3 | .0 | .0 | .0 | .0 |
| | Never | 100 | 98.0 | 98.7 | 100 | 99.5 | 98.7 |
| | 1-5 times | .0 | 1.0 | 1.0 | .0 | .0 | 1.3 |
| | 6-19 times | .0 | .3 | .3 | .0 | .5 | .0 |
| Q8 Methamphetamines | 20-39 times | .0 | .3 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | .3 | .0 | .0 | .0 | .0 |
| | Never | 100 | 99.3 | 99.7 | 99.5 | 99.5 | 100 |
| | 1-5 times | .0 | .3 | .3 | .0 | .5 | .0 |
| | 6-19 times | .0 | .3 | .0 | .5 | .0 | .0 |
| Q8 Heroin | Never | 100 | 99.7 | 99.7 | 99.5 | 100 | 100 |
| | 1-5 times | .0 | .0 | .3 | .5 | .0 | .0 |
| | 6-19 times | .0 | .3 | .0 | .0 | .0 | .0 |
| Q8 Hallucinogens/Ecstasy | Never | 100 | 98.3 | 98.0 | 98.1 | 98.2 | 97.4 |
| | 1-5 times | .0 | 1.0 | 2.0 | 1.9 | 1.8 | 2.6 |
| | 6-19 times | .0 | .7 | .0 | .0 | .0 | .0 |
| Q8 Prescription drugs not prescribed to you | Never | 99.7 | 98.0 | 96.6 | 96.3 | 98.2 | 97.3 |
| | 1-5 times | .0 | 1.0 | 2.4 | 2.8 | 1.4 | 1.3 |
| | 6-19 times | .3 | .0 | .0 | .5 | .0 | .7 |
| | 20-39 times | .0 | 1.0 | .7 | .5 | .0 | .0 |
| | 40+ times | .0 | .0 | .3 | .0 | .5 | .7 |
| Q8 Over the counter drugs to get high | Never | 99.0 | 97.7 | 96.3 | 96.7 | 98.6 | 98.0 |
| | 1-5 times | .7 | 1.0 | 3.0 | 2.8 | .9 | .7 |
| | 6-19 times | .3 | .7 | .0 | .5 | .0 | 1.3 |
| | 20-39 times | .0 | .3 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | .3 | .7 | .0 | .5 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Cigarettes | Never used | 92.7 | 85.3 | 86.5 | 77.8 | 73.6 | 65.1 |
| | 10 years or younger | 2.0 | 5.0 | 4.4 | 3.7 | 3.2 | 2.6 |
| | 11 years | 1.0 | 2.3 | 2.0 | 3.7 | 1.8 | 2.0 |
| | 12 years | 3.3 | 3.0 | 2.7 | 4.2 | 4.5 | 3.3 |
| | 13 years | 1.0 | 2.7 | 1.0 | 2.3 | 2.7 | 4.6 |
| | 14 years | .0 | 1.7 | 2.0 | 3.2 | 1.8 | 4.6 |
| | 15 years | .0 | .0 | 1.3 | 3.2 | 5.9 | 3.3 |
| | 16 years | .0 | .0 | .0 | 1.4 | 5.5 | 5.9 |
| | 17 years or older | .0 | .0 | .0 | .5 | .9 | 8.6 |
| Q9 Smokeless tobacco | Never used | 98.7 | 94.9 | 91.6 | 87.3 | 88.1 | 77.2 |
| | 10 years or younger | .3 | 1.0 | 2.0 | 2.3 | .9 | 2.0 |
| | 11 years | .0 | 1.0 | 1.0 | 1.9 | .9 | 1.3 |
| | 12 years | .7 | .0 | .7 | .0 | .5 | 2.7 |
| | 13 years | .3 | 1.7 | 2.3 | 2.8 | 3.7 | 3.4 |
| | 14 years | .0 | 1.0 | 1.7 | 2.3 | .0 | 3.4 |
| | 15 years | .0 | .3 | .7 | 2.3 | 3.2 | 2.7 |
| | 16 years | .0 | .0 | .0 | .9 | 1.8 | 2.0 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | 5.4 |
| Q9 Cigars | Never used | 98.0 | 95.3 | 93.9 | 88.8 | 86.2 | 77.7 |
| | 10 years or younger | .0 | .7 | .3 | 1.4 | .5 | .0 |
| | 11 years | .3 | .7 | .0 | .0 | .9 | 1.4 |
| | 12 years | 1.3 | 1.3 | 1.0 | .5 | .9 | .7 |
| | 13 years | .3 | 1.3 | 1.7 | 1.9 | 1.8 | .7 |
| | 14 years | .0 | .7 | 1.7 | 1.9 | 1.4 | 3.4 |
| | 15 years | .0 | .0 | 1.4 | 5.1 | 4.1 | .7 |
| | 16 years | .0 | .0 | .0 | .5 | 2.8 | 2.7 |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.4 | 12.8 |
| Q9 Pipe | Never used | 97.3 | 95.3 | 93.2 | 92.5 | 90.7 | 86.3 |
| | 10 years or younger | .0 | .0 | .7 | .9 | .0 | .0 |
| | 11 years | .3 | .7 | .3 | .0 | .0 | .7 |
| | 12 years | 1.3 | .7 | .3 | .0 | .0 | .0 |
| | 13 years | .7 | 2.0 | 1.7 | .9 | .0 | 1.4 |
| | 14 years | .3 | 1.0 | 2.0 | 1.4 | 1.4 | 2.1 |
| | 15 years | .0 | .3 | 1.0 | 2.8 | 1.9 | .7 |
| | 16 years | .0 | .0 | .7 | 1.4 | 3.2 | 2.7 |
| | 17 years or older | .0 | .0 | .0 | .0 | 2.8 | 6.2 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Electronic vapor products | Never used | 94.7 | 87.1 | 88.4 | 81.9 | 80.1 | 63.3 |
| | 10 years or younger | .3 | .7 | .7 | .0 | .0 | .7 |
| | 11 years | 2.0 | 1.4 | .0 | .9 | .0 | .0 |
| | 12 years | 2.0 | 1.0 | .7 | .0 | .0 | .0 |
| | 13 years | .7 | 6.4 | 1.4 | .5 | .9 | .7 |
| | 14 years | .3 | 3.4 | 5.4 | 3.2 | .9 | 1.4 |
| | 15 years | .0 | .0 | 2.7 | 8.8 | 4.6 | 2.7 |
| | 16 years | .0 | .0 | .7 | 4.2 | 9.3 | 4.1 |
| | 17 years or older | .0 | .0 | .0 | .5 | 4.2 | 27.2 |
| Q9 Alcohol | Never used | 87.7 | 77.0 | 76.4 | 69.2 | 60.5 | 50.3 |
| | 10 years or younger | 4.8 | 6.1 | 4.4 | 1.4 | 2.8 | 2.0 |
| | 11 years | 3.1 | 3.4 | 2.4 | 1.9 | .9 | 1.4 |
| | 12 years | 3.1 | 4.4 | 3.4 | 2.4 | 3.7 | 2.7 |
| | 13 years | 1.0 | 6.8 | 4.0 | 5.2 | 3.7 | 8.2 |
| | 14 years | .3 | 2.0 | 6.1 | 8.5 | 7.4 | 8.2 |
| | 15 years | .0 | .3 | 3.0 | 8.1 | 7.9 | 6.8 |
| | 16 years | .0 | .0 | .3 | 2.8 | 10.7 | 10.9 |
| | 17 years or older | .0 | .0 | .0 | .5 | 2.3 | 9.5 |
| Q9 Marijuana | Never used | 95.3 | 90.3 | 89.2 | 87.0 | 77.6 | 73.3 |
| | 10 years or younger | .7 | 1.7 | .7 | .5 | .5 | .7 |
| | 11 years | .3 | .3 | 1.0 | .9 | .0 | 2.0 |
| | 12 years | 2.0 | 2.3 | 2.4 | 1.9 | 1.8 | .7 |
| | 13 years | 1.7 | 4.0 | 2.4 | 3.3 | 3.2 | 8.0 |
| | 14 years | .0 | 1.0 | 2.0 | 2.8 | 2.7 | 4.0 |
| | 15 years | .0 | .3 | 2.0 | 2.3 | 5.0 | 4.0 |
| | 16 years | .0 | .0 | .3 | 1.4 | 7.3 | 2.7 |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.8 | 4.7 |
| Q9 Synthetic marijuana | Never used | 99.3 | 96.6 | 96.0 | 94.4 | 95.4 | 93.9 |
| | 10 years or younger | .0 | 1.0 | .0 | .5 | .0 | .0 |
| | 11 years | .0 | .3 | .3 | .0 | .0 | .0 |
| | 12 years | .7 | .7 | 1.0 | .0 | .0 | .0 |
| | 13 years | .0 | 1.3 | 1.3 | 1.4 | .5 | 1.4 |
| | 14 years | .0 | .0 | 1.0 | .9 | .5 | 2.0 |
| | 15 years | .0 | .0 | .3 | 2.3 | .0 | .7 |
| | 16 years | .0 | .0 | .0 | .5 | 2.7 | 2.0 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|---|---------------------|-------|------|------|------|-------|-------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Cocaine/Crack | Never used | 99.7 | 98.0 | 99.0 | 99.5 | 99.5 | 97.3 |
| | 10 years or younger | .3 | .3 | .0 | .0 | .0 | .0 |
| | 11 years | .0 | .0 | .7 | .0 | .0 | .0 |
| | 12 years | .0 | .7 | .0 | .0 | .0 | .0 |
| | 13 years | .0 | .3 | .3 | .0 | .0 | .0 |
| | 14 years | .0 | .7 | .0 | .0 | .0 | .7 |
| | 15 years | .0 | .0 | .0 | .0 | .0 | .7 |
| | 16 years | .0 | .0 | .0 | .5 | .0 | .7 |
| | 17 years or older | .0 | .0 | .0 | .0 | .5 | .7 |
| Q9 Inhalants | Never used | 99.7 | 97.7 | 98.0 | 99.1 | 96.3 | 95.9 |
| | 11 years | .3 | .0 | .0 | .0 | .0 | .0 |
| | 12 years | .0 | .7 | .3 | .0 | .0 | 1.4 |
| | 13 years | .0 | 1.0 | 1.0 | .5 | .9 | 1.4 |
| | 14 years | .0 | .7 | .7 | .0 | .9 | .0 |
| | 15 years | .0 | .0 | .0 | .5 | 1.4 | .7 |
| | 16 years | .0 | .0 | .0 | .0 | .0 | .7 |
| | 17 years or older | .0 | .0 | .0 | .0 | .5 | .0 |
| Q9 Methamphetamines | Never used | 100.0 | 98.7 | 99.7 | 99.5 | 99.5 | 100.0 |
| | 12 years | .0 | .3 | .0 | .0 | .0 | .0 |
| | 13 years | .0 | 1.0 | .0 | .0 | .0 | .0 |
| | 14 years | .0 | .0 | .3 | .5 | .0 | .0 |
| | 17 years or older | .0 | .0 | .0 | .0 | .5 | .0 |
| Q9 Heroin | Never used | 100.0 | 98.7 | 99.7 | 99.5 | 100.0 | 100.0 |
| | 12 years | .0 | .3 | .0 | .0 | .0 | .0 |
| | 13 years | .0 | 1.0 | .0 | .0 | .0 | .0 |
| | 14 years | .0 | .0 | .3 | .0 | .0 | .0 |
| | 16 years | .0 | .0 | .0 | .5 | .0 | .0 |
| Q9 Hallucinogens/Ecstasy | Never used | 99.7 | 98.0 | 98.0 | 97.2 | 97.7 | 94.7 |
| | 11 years | .0 | .3 | .0 | .0 | .0 | .0 |
| | 12 years | .3 | .0 | .3 | .0 | .0 | .0 |
| | 13 years | .0 | 1.3 | .3 | .0 | .0 | .0 |
| | 14 years | .0 | .3 | 1.0 | .5 | .0 | .0 |
| | 15 years | .0 | .0 | .3 | 1.4 | .5 | .7 |
| | 16 years | .0 | .0 | .0 | .9 | .9 | 2.7 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | 2.0 |
| Q9 Prescription drugs not prescribed to you | Never used | 99.0 | 97.6 | 95.9 | 93.9 | 95.0 | 93.3 |
| | 10 years or younger | .7 | .7 | .7 | .0 | .9 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| | 11 years | .0 | .3 | .7 | .0 | .0 | .0 |
| | 12 years | .3 | .3 | .7 | .0 | .0 | .0 |
| | 13 years | .0 | .7 | .3 | .5 | .5 | .0 |
| | 14 years | .0 | .3 | 1.4 | 1.9 | 1.8 | 2.0 |
| | 15 years | .0 | .0 | .3 | 1.4 | .9 | .7 |
| | 16 years | .0 | .0 | .0 | 1.9 | .5 | 2.0 |
| | 17 years or older | .0 | .0 | .0 | .5 | .5 | 2.0 |
| Q9 Over the counter drugs to get high | Never used | 98.0 | 96.3 | 94.9 | 95.3 | 97.7 | 95.9 |
| | 10 years or younger | 1.7 | 1.7 | 1.3 | .5 | .5 | .7 |
| | 12 years | .3 | .7 | 1.3 | .5 | .0 | .0 |
| | 13 years | .0 | 1.0 | .7 | .0 | .5 | .0 |
| | 14 years | .0 | .3 | 1.3 | 1.4 | .9 | .0 |
| | 15 years | .0 | .0 | .3 | .9 | .0 | .7 |
| | 16 years | .0 | .0 | .0 | 1.4 | .0 | 1.4 |
| | 17 years or older | .0 | .0 | .0 | .0 | .5 | 1.4 |

**Binge Drinking in the Last Two Weeks
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| Think back over the last 2 weeks... | | Grade | | | | | |
|-------------------------------------|-----------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q10 Binge drinking | None | 98.0 | 95.9 | 92.9 | 95.2 | 88.9 | 84.0 |
| | Once | .7 | 1.0 | 2.7 | 3.3 | 3.2 | 5.3 |
| | Twice | .0 | 1.4 | 1.4 | .5 | 3.2 | 4.0 |
| | 3-5 times | .7 | 1.4 | 1.7 | .5 | 3.7 | 5.3 |
| | 6-9 times | .0 | .3 | 1.0 | .0 | .5 | .7 |
| | 10+ times | .7 | .0 | .3 | .5 | .5 | .7 |

Perceived Availability of Drugs
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| How easy would it be for you to get...? | | Grade | | | | | |
|--|--------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q11 Cigarettes | Very hard | 62.8 | 52.6 | 46.0 | 41.8 | 25.8 | 13.3 |
| | Sort of hard | 10.5 | 16.0 | 13.7 | 14.6 | 9.0 | 6.0 |
| | Sort of easy | 12.3 | 13.7 | 14.4 | 18.8 | 25.3 | 11.3 |
| | Very easy | 14.4 | 17.7 | 25.8 | 24.9 | 39.8 | 69.3 |
| Q11 Alcohol | Very hard | 60.1 | 44.9 | 37.0 | 35.5 | 26.7 | 20.0 |
| | Sort of hard | 11.9 | 19.7 | 17.0 | 15.4 | 10.0 | 16.7 |
| | Sort of easy | 14.7 | 17.7 | 18.7 | 23.8 | 26.7 | 23.3 |
| | Very easy | 13.3 | 17.7 | 27.3 | 25.2 | 36.7 | 40.0 |
| Q11 Marijuana | Very hard | 82.5 | 72.6 | 61.1 | 59.9 | 39.1 | 32.7 |
| | Sort of hard | 5.5 | 10.3 | 11.9 | 14.2 | 11.4 | 17.3 |
| | Sort of easy | 4.4 | 6.5 | 10.6 | 9.9 | 19.5 | 15.3 |
| | Very easy | 7.7 | 10.6 | 16.4 | 16.0 | 30.0 | 34.7 |
| Q11 Drugs like cocaine, LSD or amphetamines | Very hard | 90.9 | 88.0 | 80.5 | 81.1 | 65.9 | 61.3 |
| | Sort of hard | 2.2 | 7.6 | 10.6 | 5.7 | 18.2 | 16.7 |
| | Sort of easy | 2.6 | 1.4 | 4.1 | 5.2 | 10.0 | 8.0 |
| | Very easy | 4.4 | 3.1 | 4.8 | 8.0 | 5.9 | 14.0 |

Usual Sources of Alcoholic Beverages in the Past Year
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| During the past year, how did you get your alcohol? | | Grade | | | | | |
|---|--|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Source | Q12 I did not drink alcohol | 90.0 | 81.3 | 82.0 | 76.4 | 66.2 | 56.3 |
| | Q12 I bought it at a restaurant, bar, or club | .0 | .0 | .7 | .5 | 1.4 | 1.3 |
| | Q12 I bought it at a public event | .0 | .0 | 1.4 | .5 | 1.4 | 1.3 |
| | Q12 I gave someone else money to buy it for me | 1.5 | 2.8 | 6.1 | 7.5 | 15.7 | 23.2 |
| | Q12 I bought it at a store | .0 | .4 | 1.4 | .5 | 1.9 | .0 |
| | Q12 A person 21 years old or older gave it to me | 4.1 | 6.7 | 9.0 | 11.3 | 18.1 | 22.5 |
| | Q12 I took it from a store | .4 | .4 | 1.8 | 1.4 | .9 | 2.6 |
| | Q12 I got it from a parent/guardian | 4.4 | 6.7 | 5.0 | 5.7 | 6.9 | 6.0 |
| | Q12 I got it from some other family member | 5.2 | 6.4 | 4.3 | 5.7 | 8.8 | 6.6 |
| | Q12 I got it some other way | 4.1 | 10.6 | 7.2 | 13.2 | 16.7 | 16.6 |

Note: Multiple responses allowed; percentages do not add to 100%.

**Usual Sources of Prescription Drugs in the Past Year
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| During the past year, how did you get your prescription drugs that were used to get high? | | Grade | | | | | |
|---|---|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Source | Q13 I did not use prescription drugs to get high | 98.5 | 95.3 | 95.3 | 92.5 | 95.8 | 90.6 |
| | Q13 They were prescribed to me | 1.1 | 1.8 | 2.5 | 2.8 | 2.3 | 2.0 |
| | Q13 My parents gave them to me | .4 | .0 | .7 | .0 | .5 | .7 |
| | Q13 Someone other than my parents gave them to me | .4 | 1.1 | 1.8 | 3.8 | 1.9 | 6.0 |
| | Q13 I took them from home | .0 | 1.4 | 1.5 | 4.2 | .9 | 1.3 |
| | Q13 I bought them from someone | .4 | 2.5 | 2.9 | 3.8 | 1.4 | 5.4 |
| | Q13 I bought them on the internet | .0 | .4 | .7 | .0 | .5 | .0 |
| | Q13 I took them from someone else | .4 | .4 | .7 | 2.4 | .5 | 1.3 |
| | Q13 I got them some other way | .4 | 1.4 | 3.3 | .9 | 3.3 | .7 |

Note: Multiple responses allowed; percentages do not add to 100%.

**CRAFFT Substance Abuse Screening
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| | | Age | | | | |
|---|------------|----------|----------|----------|----------|-------------------|
| | | 14 years | 15 years | 16 years | 17 years | 18 years or older |
| Q34 Have you ever ridden in a car driven by someone (including yourself) who was high or had been using alcohol or drugs? | No | 72.8 | 78.2 | 73.9 | 60.5 | 52.1 |
| | Yes | 27.2 | 21.8 | 26.1 | 39.5 | 47.9 |
| Q14 Do you ever use alcohol or drugs to relax, feel better about yourself, or fit in? | Never used | 77.2 | 75.2 | 65.9 | 61.0 | 41.6 |
| | No | 16.2 | 16.1 | 19.4 | 23.8 | 38.9 |
| | Yes | 6.6 | 8.8 | 14.7 | 15.2 | 19.5 |
| Q14 Do you ever use alcohol or drugs while you are by yourself, or alone? | Never used | 77.2 | 74.5 | 67.3 | 61.4 | 41.6 |
| | No | 14.9 | 16.1 | 15.7 | 24.3 | 41.6 |
| | Yes | 7.9 | 9.5 | 17.1 | 14.3 | 16.8 |
| Q14 Do you ever forget things you did while using alcohol or drugs? | Never used | 78.3 | 75.5 | 67.0 | 60.1 | 41.6 |
| | No | 18.8 | 19.4 | 26.0 | 26.9 | 46.0 |
| | Yes | 3.0 | 5.1 | 7.0 | 13.0 | 12.4 |
| Q14 Do your family or friends ever tell you that you should cut down on your drinking or drug use? | Never used | 78.3 | 75.1 | 67.0 | 60.8 | 41.6 |
| | No | 19.7 | 21.6 | 29.8 | 34.0 | 53.1 |
| | Yes | 2.0 | 3.3 | 3.3 | 5.3 | 5.3 |
| Q14 Have you ever gotten into trouble while you were using alcohol or drugs? | Never used | 77.8 | 74.7 | 66.0 | 59.9 | 39.8 |
| | No | 19.2 | 20.5 | 26.5 | 31.9 | 50.4 |
| | Yes | 3.0 | 4.8 | 7.4 | 8.2 | 9.7 |

**Consequences of Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How many times have you experienced the following due to your drinking or drug use...? | | Grade | | | | | |
|--|------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q15 Performed poorly on test or project | Never | 94.5 | 95.3 | 95.5 | 96.3 | 95.9 | 96.1 |
| | Once | .7 | 1.4 | 2.4 | .5 | 1.8 | .7 |
| | Twice | .7 | .0 | .3 | .9 | .9 | 1.3 |
| | 3-5 times | 2.8 | 1.1 | .7 | 1.9 | .9 | .7 |
| | 6-10 times | .3 | 1.4 | 1.0 | .0 | .5 | .7 |
| | 11+ times | 1.0 | .7 | .0 | .5 | .0 | .7 |
| Q15 Missed class | Never | 95.8 | 97.1 | 96.2 | 97.7 | 96.8 | 97.4 |
| | Once | 1.0 | .0 | 1.0 | .5 | 1.4 | .0 |
| | Twice | 1.0 | 1.1 | 1.4 | .5 | .9 | .0 |
| | 3-5 times | .3 | 1.8 | .7 | .5 | .5 | 2.6 |
| | 6-10 times | .3 | .0 | .3 | .0 | .0 | .0 |
| | 11+ times | 1.4 | .0 | .3 | .9 | .5 | .0 |

**Perceived Risks of Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How much do you think people risk harming themselves if they...? | | Grade | | | | | |
|--|---------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q16 Smoke 1+ pack cigarettes per day | No risk | 11.6 | 4.7 | 8.5 | 8.5 | 6.9 | 8.2 |
| | Slight risk | 11.6 | 10.2 | 9.6 | 9.9 | 6.9 | 7.5 |
| | Moderate risk | 26.4 | 27.8 | 27.3 | 24.1 | 32.7 | 26.5 |
| | Great risk | 50.3 | 57.3 | 54.6 | 57.5 | 53.5 | 57.8 |
| Q16 Try marijuana once or twice | No risk | 24.0 | 21.8 | 27.6 | 39.6 | 42.4 | 49.7 |
| | Slight risk | 26.0 | 34.0 | 32.1 | 27.4 | 29.5 | 25.2 |
| | Moderate risk | 22.3 | 19.4 | 18.3 | 13.7 | 13.4 | 12.2 |
| | Great risk | 27.7 | 24.8 | 22.1 | 19.3 | 14.7 | 12.9 |
| Q16 Smoke marijuana once or twice per week | No risk | 18.3 | 13.6 | 20.8 | 25.4 | 28.8 | 34.0 |
| | Slight risk | 19.4 | 20.1 | 18.1 | 21.5 | 20.8 | 20.1 |
| | Moderate risk | 23.9 | 33.3 | 28.8 | 25.8 | 28.3 | 25.7 |
| | Great risk | 38.4 | 33.0 | 32.3 | 27.3 | 22.2 | 20.1 |
| Q16 Have 1-2 alcoholic drinks every day | No risk | 16.4 | 13.1 | 14.1 | 14.8 | 13.0 | 16.7 |
| | Slight risk | 27.1 | 29.8 | 27.8 | 30.6 | 33.3 | 31.3 |
| | Moderate risk | 25.3 | 26.3 | 32.0 | 31.1 | 25.0 | 31.9 |
| | Great risk | 31.2 | 30.8 | 26.1 | 23.4 | 28.7 | 20.1 |
| Q16 Binge drink once or twice a week | No risk | 11.7 | 5.5 | 9.7 | 8.0 | 8.4 | 10.3 |
| | Slight risk | 11.7 | 14.7 | 15.2 | 15.6 | 20.1 | 13.1 |

Perceived Risks of Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| How much do you think people risk harming themselves if they...? | | Grade | | | | | |
|--|---------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q16 Misuse prescription drugs | Moderate risk | 30.9 | 32.4 | 31.0 | 37.3 | 31.8 | 37.2 |
| | Great risk | 45.7 | 47.4 | 44.1 | 39.2 | 39.7 | 39.3 |
| | No risk | 10.1 | 5.1 | 6.6 | 6.6 | 6.0 | 7.6 |
| | Slight risk | 4.2 | 5.8 | 7.3 | 3.3 | 6.5 | 4.9 |
| | Moderate risk | 20.8 | 24.1 | 19.4 | 24.1 | 23.6 | 24.3 |
| | Great risk | 64.9 | 65.0 | 66.7 | 66.0 | 63.9 | 63.2 |

Favorable Attitudes Toward Antisocial Behavior
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| How wrong do you think it is for someone your age to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q17 Take a gun to school | Very wrong | 91.1 | 90.9 | 87.8 | 89.6 | 90.9 | 86.5 |
| | Wrong | 5.6 | 6.0 | 8.5 | 8.0 | 6.8 | 7.4 |
| | A little bit wrong | 2.6 | 1.3 | 2.0 | 1.4 | 1.8 | 1.4 |
| | Not at all wrong | .7 | 1.7 | 1.7 | .9 | .5 | 4.7 |
| Q17 Steal something more than \$5 | Very wrong | 55.3 | 46.1 | 49.8 | 57.1 | 50.2 | 66.2 |
| | Wrong | 30.0 | 40.1 | 36.9 | 32.4 | 39.7 | 27.0 |
| | A little bit wrong | 13.3 | 11.1 | 12.6 | 9.5 | 8.7 | 6.1 |
| | Not at all wrong | 1.3 | 2.7 | .7 | 1.0 | 1.4 | .7 |
| Q17 Attack someone | Very wrong | 81.6 | 73.2 | 71.4 | 79.8 | 75.3 | 78.1 |
| | Wrong | 13.0 | 18.1 | 22.1 | 13.0 | 16.9 | 17.8 |
| | A little bit wrong | 4.3 | 6.4 | 4.4 | 6.7 | 5.9 | 2.7 |
| | Not at all wrong | 1.0 | 2.3 | 2.0 | .5 | 1.8 | 1.4 |
| Q17 Pick a fight | Very wrong | 43.7 | 40.3 | 43.3 | 47.6 | 43.8 | 52.4 |
| | Wrong | 38.3 | 35.3 | 38.8 | 33.8 | 38.2 | 34.7 |
| | A little bit wrong | 14.3 | 19.3 | 14.4 | 15.7 | 14.7 | 10.9 |
| | Not at all wrong | 3.7 | 5.1 | 3.4 | 2.9 | 3.2 | 2.0 |
| Q17 Skip school | Very wrong | 69.0 | 57.2 | 53.4 | 59.0 | 53.2 | 54.1 |
| | Wrong | 21.7 | 30.0 | 36.0 | 31.0 | 33.5 | 31.1 |
| | A little bit wrong | 7.0 | 11.4 | 8.9 | 9.5 | 10.6 | 12.2 |
| | Not at all wrong | 2.3 | 1.3 | 1.7 | .5 | 2.8 | 2.7 |

Favorable Attitudes Toward Drug Use
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| How wrong do you think it is for someone your age to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q17 Drink alcohol regularly | Very wrong | 78.4 | 63.4 | 58.4 | 50.5 | 45.7 | 41.8 |
| | Wrong | 11.0 | 19.8 | 23.9 | 25.7 | 20.5 | 29.5 |
| | A little bit wrong | 6.6 | 12.1 | 13.7 | 16.2 | 24.7 | 15.8 |
| | Not at all wrong | 4.0 | 4.7 | 4.1 | 7.6 | 9.1 | 13.0 |
| Q17 Smoke cigarettes | Very wrong | 78.0 | 69.8 | 66.7 | 54.3 | 46.8 | 42.6 |
| | Wrong | 14.3 | 18.1 | 20.4 | 28.1 | 25.7 | 29.1 |
| | A little bit wrong | 6.0 | 8.7 | 9.5 | 13.3 | 21.6 | 15.5 |
| | Not at all wrong | 1.7 | 3.4 | 3.4 | 4.3 | 6.0 | 12.8 |
| Q17 Smoke marijuana | Very wrong | 80.3 | 70.5 | 66.7 | 57.6 | 42.9 | 49.7 |
| | Wrong | 8.3 | 12.8 | 13.6 | 19.5 | 23.5 | 19.0 |
| | A little bit wrong | 6.7 | 9.7 | 10.9 | 9.5 | 17.5 | 12.9 |
| | Not at all wrong | 4.7 | 7.0 | 8.8 | 13.3 | 16.1 | 18.4 |
| Q17 Use illegal drugs | Very wrong | 92.0 | 88.6 | 88.0 | 88.1 | 82.2 | 87.7 |
| | Wrong | 6.4 | 7.4 | 9.9 | 8.6 | 12.8 | 9.6 |
| | A little bit wrong | 1.0 | 2.7 | 1.4 | 1.9 | 3.7 | 2.7 |
| | Not at all wrong | .7 | 1.3 | .7 | 1.4 | 1.4 | .0 |

**Perceived Peer Approval of Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your friends feel it would be for you to...? | | Grade | | | | | |
|---|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q18 Smoke tobacco | Very wrong | 79.1 | 65.6 | 62.5 | 55.9 | 46.1 | 31.5 |
| | Wrong | 13.9 | 17.7 | 19.8 | 23.5 | 24.0 | 23.3 |
| | A little bit wrong | 3.4 | 8.5 | 8.9 | 9.4 | 14.3 | 15.1 |
| | Not at all wrong | 3.7 | 8.2 | 8.9 | 11.3 | 15.7 | 30.1 |
| Q18 Smoke marijuana | Very wrong | 78.2 | 63.1 | 61.1 | 57.7 | 40.6 | 37.9 |
| | Wrong | 9.9 | 15.0 | 15.4 | 15.0 | 18.3 | 17.9 |
| | A little bit wrong | 6.5 | 10.9 | 10.9 | 9.9 | 15.5 | 19.3 |
| | Not at all wrong | 5.4 | 10.9 | 12.6 | 17.4 | 25.6 | 24.8 |
| Q18 Have 1-2 alcoholic drinks every day | Very wrong | 76.4 | 62.8 | 57.9 | 54.9 | 45.7 | 34.2 |
| | Wrong | 12.5 | 20.8 | 21.9 | 20.7 | 22.8 | 20.5 |
| | A little bit wrong | 7.4 | 8.9 | 8.9 | 13.1 | 15.1 | 17.1 |
| | Not at all wrong | 3.7 | 7.5 | 11.3 | 11.3 | 16.4 | 28.1 |
| Q18 Misuse prescription drugs | Very wrong | 89.4 | 79.1 | 75.0 | 78.4 | 65.8 | 64.8 |
| | Wrong | 6.8 | 12.7 | 17.8 | 15.5 | 17.8 | 21.4 |
| | A little bit wrong | 2.7 | 4.8 | 3.1 | 4.7 | 11.9 | 6.2 |
| | Not at all wrong | 1.0 | 3.4 | 4.1 | 1.4 | 4.6 | 7.6 |

Rewards for Antisocial Involvement
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| What are the chances you would be seen as cool if you...? | | Grade | | | | | |
|---|--------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q19 Smoked cigarettes | Very good chance | 4.2 | 5.8 | 5.5 | 6.1 | 2.8 | 4.8 |
| | Pretty good chance | 3.9 | 3.4 | 4.2 | 2.8 | 2.8 | 4.8 |
| | Some chance | 9.2 | 10.9 | 12.8 | 12.3 | 12.1 | 13.7 |
| | Little chance | 14.1 | 14.7 | 15.6 | 14.2 | 20.0 | 21.9 |
| | No or very little chance | 68.7 | 65.2 | 61.9 | 64.6 | 62.3 | 54.8 |
| Q19 Drank alcohol regularly | Very good chance | 5.0 | 6.1 | 6.2 | 9.0 | 3.8 | 9.0 |
| | Pretty good chance | 5.0 | 6.5 | 6.9 | 3.3 | 5.2 | 10.3 |
| | Some chance | 7.1 | 11.2 | 15.6 | 17.5 | 17.8 | 12.4 |
| | Little chance | 16.0 | 13.6 | 16.3 | 13.2 | 17.4 | 22.8 |
| | No or very little chance | 66.9 | 62.6 | 55.0 | 57.1 | 55.9 | 45.5 |
| Q19 Smoked marijuana | Very good chance | 9.3 | 10.9 | 10.7 | 10.8 | 6.5 | 9.0 |
| | Pretty good chance | 4.3 | 9.5 | 8.3 | 9.4 | 7.9 | 11.1 |
| | Some chance | 10.7 | 8.2 | 17.0 | 12.3 | 12.1 | 13.2 |
| | Little chance | 9.3 | 12.2 | 11.1 | 12.7 | 18.1 | 16.0 |
| | No or very little chance | 66.4 | 59.2 | 52.9 | 54.7 | 55.3 | 50.7 |
| Q19 Carried a gun | Very good chance | 7.1 | 6.8 | 6.3 | 6.6 | 3.7 | 6.2 |
| | Pretty good chance | 4.3 | 3.4 | 4.5 | 1.9 | 2.3 | 3.4 |
| | Some chance | 4.3 | 11.0 | 5.9 | 6.6 | 8.4 | 9.7 |
| | Little chance | 11.1 | 9.2 | 12.2 | 10.8 | 9.3 | 11.0 |
| | No or very little chance | 73.2 | 69.5 | 71.1 | 74.1 | 76.2 | 69.7 |

**Parental Attitudes Favorable Toward Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your parents feel it would be for you to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q20 Have 1-2 alcoholic drinks every day | Very wrong | 92.0 | 91.5 | 89.7 | 87.1 | 86.6 | 80.1 |
| | Wrong | 4.7 | 5.8 | 7.2 | 9.0 | 8.8 | 10.3 |
| | A little bit wrong | 1.3 | 1.7 | 2.1 | 1.4 | 3.7 | 6.2 |
| | Not at all wrong | 2.0 | 1.0 | 1.0 | 2.4 | .9 | 3.4 |
| Q20 Drink alcohol regularly (at least once or twice a month) | Very wrong | 89.6 | 89.5 | 86.6 | 83.9 | 77.8 | 72.6 |
| | Wrong | 5.4 | 7.1 | 9.0 | 9.0 | 13.4 | 14.4 |
| | A little bit wrong | 3.4 | 2.0 | 3.1 | 4.3 | 6.5 | 8.2 |
| | Not at all wrong | 1.7 | 1.4 | 1.4 | 2.8 | 2.3 | 4.8 |
| Q20 Smoke cigarettes | Very wrong | 93.6 | 91.5 | 88.3 | 87.7 | 79.7 | 74.7 |
| | Wrong | 4.0 | 5.1 | 8.6 | 7.1 | 12.9 | 12.3 |
| | A little bit wrong | 1.0 | 2.0 | 2.1 | 3.3 | 6.0 | 8.2 |
| | Not at all wrong | 1.3 | 1.4 | 1.0 | 1.9 | 1.4 | 4.8 |
| Q20 Smoke marijuana | Very wrong | 92.6 | 90.2 | 87.6 | 84.8 | 82.0 | 75.2 |
| | Wrong | 4.7 | 6.4 | 5.2 | 9.0 | 8.8 | 11.0 |
| | A little bit wrong | .3 | 1.0 | 5.5 | 2.4 | 7.4 | 6.9 |
| | Not at all wrong | 2.4 | 2.4 | 1.7 | 3.8 | 1.8 | 6.9 |
| Q20 Use prescription drugs not prescribed to you | Very wrong | 96.0 | 94.6 | 91.7 | 93.8 | 89.9 | 88.4 |
| | Wrong | 2.7 | 2.4 | 6.9 | 4.3 | 8.3 | 8.2 |
| | A little bit wrong | .3 | 1.7 | 1.0 | .0 | .9 | 2.1 |
| | Not at all wrong | 1.0 | 1.4 | .3 | 1.9 | .9 | 1.4 |

**Parental Attitudes Favorable Toward Antisocial Behavior
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your parents feel it would be for you to...? | | Grade | | | | | |
|---|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q20 Steal something worth more than \$5 | Very wrong | 85.1 | 82.7 | 85.5 | 85.3 | 83.4 | 82.9 |
| | Wrong | 10.5 | 11.2 | 11.0 | 10.4 | 13.4 | 13.0 |
| | A little bit wrong | 2.0 | 4.7 | 2.8 | 2.4 | 2.8 | 1.4 |
| | Not at all wrong | 2.4 | 1.4 | .7 | 1.9 | .5 | 2.7 |
| Q20 Draw graffiti | Very wrong | 89.2 | 82.9 | 84.1 | 83.8 | 83.9 | 84.2 |
| | Wrong | 5.4 | 9.9 | 11.4 | 10.5 | 12.0 | 13.7 |
| | A little bit wrong | 3.4 | 5.5 | 3.1 | 3.3 | 3.2 | .0 |
| | Not at all wrong | 2.0 | 1.7 | 1.4 | 2.4 | .9 | 2.1 |
| Q20 Pick a fight with someone | Very wrong | 69.0 | 66.0 | 69.3 | 68.8 | 67.1 | 66.2 |
| | Wrong | 19.2 | 20.4 | 23.1 | 23.1 | 19.4 | 21.4 |
| | A little bit wrong | 8.4 | 11.2 | 5.5 | 5.3 | 9.3 | 9.0 |
| | Not at all wrong | 3.4 | 2.4 | 2.1 | 2.9 | 4.2 | 3.4 |

**Mental Health in the Past Twelve Months
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| During the past 12 months, did you...? | | Grade | | | | | |
|--|-----|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q21 Feel sad or hopeless | No | 72.8 | 66.0 | 67.9 | 72.2 | 64.4 | 69.9 |
| | Yes | 27.2 | 34.0 | 32.1 | 27.8 | 35.6 | 30.1 |
| Q21 Consider attempting suicide | No | 85.7 | 79.5 | 83.4 | 83.3 | 82.8 | 87.3 |
| | Yes | 14.3 | 20.5 | 16.6 | 16.7 | 17.2 | 12.7 |
| Q21 Make a plan about attempting suicide | No | 88.4 | 87.4 | 86.1 | 84.7 | 88.0 | 91.6 |
| | Yes | 11.6 | 12.6 | 13.9 | 15.3 | 12.0 | 8.4 |

Gambling during the Last Twelve Months
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| How often have you bet/gambled for money or valuables in the following ways? | | Grade | | | | | |
|--|------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q22 Card games | Never | 89.8 | 87.4 | 87.2 | 86.7 | 87.9 | 84.9 |
| | Less than once a month | 7.1 | 9.5 | 7.6 | 9.5 | 9.8 | 11.6 |
| | 1-3 times per month | 2.4 | 2.4 | 3.4 | 2.8 | 2.3 | 2.1 |
| | Once a week or more | .7 | .7 | 1.7 | .9 | .0 | 1.4 |
| Q22 Personal games of skill | Never | 83.0 | 79.0 | 80.8 | 81.4 | 81.9 | 81.5 |
| | Less than once a month | 8.2 | 10.8 | 8.7 | 10.5 | 11.6 | 13.0 |
| | 1-3 times per month | 5.4 | 6.4 | 4.9 | 3.3 | 3.7 | 4.1 |
| | Once a week or more | 3.4 | 3.7 | 5.6 | 4.8 | 2.8 | 1.4 |
| Q22 Sports | Never | 84.6 | 82.0 | 83.7 | 91.5 | 82.9 | 91.0 |
| | Less than once a month | 9.2 | 9.2 | 9.7 | 3.8 | 9.3 | 6.9 |
| | 1-3 times per month | 3.1 | 6.1 | 3.8 | 3.3 | 4.2 | .7 |
| | Once a week or more | 3.1 | 2.7 | 2.8 | 1.4 | 3.7 | 1.4 |
| Q22 Lottery | Never | 94.2 | 88.4 | 88.2 | 89.5 | 92.1 | 81.5 |
| | Less than once a month | 2.7 | 9.6 | 10.0 | 9.0 | 4.7 | 11.0 |
| | 1-3 times per month | 1.4 | 2.1 | 1.4 | 1.0 | 2.8 | 5.5 |
| | Once a week or more | 1.7 | .0 | .3 | .5 | .5 | 2.1 |
| Q22 Bingo | Never | 89.8 | 92.9 | 93.4 | 95.3 | 95.4 | 94.5 |
| | Less than once a month | 7.5 | 5.4 | 4.2 | 4.3 | 4.2 | 3.4 |
| | 1-3 times per month | 1.4 | 1.0 | 2.1 | .0 | .5 | 1.4 |
| | Once a week or more | 1.4 | .7 | .3 | .5 | .0 | .7 |
| Q22 Online gambling | Never | 96.2 | 93.5 | 94.8 | 95.7 | 96.3 | 98.6 |
| | Less than once a month | 2.7 | 3.4 | 3.4 | 1.0 | .9 | .0 |
| | 1-3 times per month | .7 | 1.7 | .7 | 1.9 | 2.3 | .7 |
| | Once a week or more | .3 | 1.4 | 1.0 | 1.4 | .5 | .7 |
| Q22 Personal challenges | Never | 80.9 | 72.9 | 74.5 | 79.1 | 76.4 | 81.4 |
| | Less than once a month | 9.6 | 15.3 | 14.5 | 12.8 | 11.6 | 8.3 |
| | 1-3 times per month | 6.5 | 6.8 | 7.6 | 6.2 | 8.3 | 6.9 |
| | Once a week or more | 3.1 | 5.1 | 3.4 | 1.9 | 3.7 | 3.4 |
| Q22 Gambled in other ways | Never | 93.2 | 84.6 | 87.5 | 88.6 | 84.7 | 85.5 |
| | Less than once a month | 5.4 | 9.6 | 8.3 | 6.6 | 7.9 | 11.0 |
| | 1-3 times per month | 1.0 | 2.0 | 1.7 | 2.4 | 6.0 | 1.4 |
| | Once a week or more | .3 | 3.8 | 2.4 | 2.4 | 1.4 | 2.1 |

Consequences of Gambling
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| How often have you experienced the following consequences due to your gambling? | | Grade | | | | | |
|---|-----------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q23 Academic problems | I do not gamble | 79.7 | 75.9 | 79.0 | 78.5 | 76.4 | 74.7 |
| | Never | 18.6 | 23.1 | 18.3 | 20.6 | 23.1 | 24.7 |
| | Occasionally | 1.7 | 1.0 | 1.7 | 1.0 | .5 | .7 |
| | Frequently | .0 | .0 | 1.0 | .0 | .0 | .0 |
| Q23 Issues with the legal system | I do not gamble | 80.7 | 75.2 | 78.9 | 78.6 | 76.4 | 74.7 |
| | Never | 19.3 | 23.5 | 20.1 | 21.0 | 23.1 | 24.7 |
| | Occasionally | .0 | 1.4 | 1.0 | .5 | .5 | .7 |
| Q23 Lost possessions or money | I do not gamble | 80.1 | 74.8 | 78.5 | 78.5 | 76.4 | 74.0 |
| | Never | 13.7 | 17.0 | 14.2 | 13.9 | 16.7 | 20.5 |
| | Occasionally | 5.8 | 7.5 | 7.3 | 7.2 | 6.9 | 4.8 |
| | Frequently | .3 | .7 | .0 | .5 | .0 | .7 |
| Q23 Felt bad about gambling | I do not gamble | 80.4 | 75.2 | 78.2 | 78.1 | 76.9 | 74.7 |
| | Never | 15.8 | 22.4 | 19.7 | 21.4 | 21.8 | 24.0 |
| | Occasionally | 2.4 | 2.0 | 1.4 | .0 | 1.4 | 1.4 |
| | Frequently | 1.4 | .3 | .7 | .5 | .0 | .0 |
| Q23 Poor health | I do not gamble | 80.4 | 74.7 | 78.2 | 78.1 | 76.4 | 74.7 |
| | Never | 18.9 | 22.9 | 18.7 | 21.0 | 23.1 | 25.3 |
| | Occasionally | .7 | 2.4 | 2.1 | .5 | .5 | .0 |
| | Frequently | .0 | .0 | 1.0 | .5 | .0 | .0 |
| Q23 Issues with friends and family | I do not gamble | 79.9 | 74.0 | 77.7 | 78.1 | 76.4 | 74.7 |
| | Never | 15.6 | 19.5 | 18.5 | 19.0 | 21.8 | 24.7 |
| | Occasionally | 2.8 | 5.5 | 2.4 | 1.9 | 1.9 | .7 |
| | Frequently | 1.7 | 1.0 | 1.4 | 1.0 | .0 | .0 |

School Opportunities for Prosocial Involvement
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q24 Students have chances to help decide class activities and rules | YES! | 19.0 | 19.0 | 23.2 | 19.9 | 24.1 | 25.3 |
| | yes | 40.1 | 43.7 | 43.2 | 37.0 | 44.8 | 38.4 |
| | no | 27.8 | 27.8 | 23.2 | 28.0 | 21.2 | 24.0 |
| | NO! | 13.0 | 9.5 | 10.5 | 15.2 | 9.9 | 12.3 |
| Q24 Teachers ask me to work on special class projects | YES! | 18.5 | 14.6 | 14.3 | 14.2 | 13.6 | 17.8 |
| | yes | 35.5 | 40.5 | 37.1 | 37.0 | 44.9 | 40.4 |
| | no | 31.4 | 33.7 | 37.4 | 36.5 | 36.0 | 29.5 |
| | NO! | 14.6 | 11.2 | 11.2 | 12.3 | 5.6 | 12.3 |
| Q24 Students have chances to get involved in activities outside of class | YES! | 64.1 | 59.3 | 56.3 | 55.0 | 56.3 | 54.1 |
| | yes | 27.1 | 30.2 | 33.6 | 34.0 | 35.7 | 35.6 |
| | no | 6.0 | 8.8 | 7.7 | 6.2 | 7.0 | 7.5 |
| | NO! | 2.8 | 1.7 | 2.4 | 4.8 | .9 | 2.7 |
| Q24 Students have chances to talk with teacher one-on-one | YES! | 46.7 | 40.7 | 31.5 | 35.9 | 40.1 | 37.7 |
| | yes | 27.7 | 34.2 | 47.6 | 41.7 | 42.0 | 41.8 |
| | no | 18.2 | 15.6 | 15.7 | 14.1 | 13.2 | 14.4 |
| | NO! | 7.4 | 9.5 | 5.2 | 8.3 | 4.7 | 6.2 |
| Q24 Students have chances to be a part of class discussions or activities | YES! | 42.7 | 29.3 | 27.8 | 32.2 | 36.3 | 31.0 |
| | yes | 37.4 | 49.7 | 54.9 | 48.6 | 46.2 | 47.6 |
| | no | 13.5 | 15.2 | 12.7 | 12.5 | 15.1 | 15.2 |
| | NO! | 6.4 | 5.9 | 4.6 | 6.7 | 2.4 | 6.2 |

**School Rewards for Prosocial Involvement
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q24 Teachers notice when doing a good job and let me know | YES! | 33.6 | 28.3 | 23.2 | 28.2 | 25.5 | 26.2 |
| | yes | 35.0 | 38.6 | 42.9 | 42.2 | 43.4 | 40.7 |
| | no | 20.1 | 22.1 | 27.1 | 17.5 | 23.6 | 24.1 |
| | NO! | 11.3 | 11.0 | 6.8 | 12.1 | 7.5 | 9.0 |
| Q24 I feel safe at school | YES! | 44.1 | 40.1 | 29.8 | 38.6 | 37.9 | 37.0 |
| | yes | 39.2 | 40.5 | 50.9 | 43.8 | 49.1 | 46.6 |
| | no | 11.5 | 12.2 | 13.0 | 9.5 | 8.9 | 12.3 |
| | NO! | 5.2 | 7.1 | 6.3 | 8.1 | 4.2 | 4.1 |
| Q24 School lets parents know when I do well | YES! | 17.9 | 14.8 | 13.0 | 16.2 | 19.2 | 13.7 |
| | yes | 24.2 | 26.1 | 27.5 | 31.9 | 27.6 | 28.8 |
| | no | 33.7 | 34.0 | 38.7 | 28.6 | 35.0 | 30.1 |
| | NO! | 24.2 | 25.1 | 20.8 | 23.3 | 18.2 | 27.4 |
| Q24 Teachers praise me when I work hard in school | YES! | 21.4 | 14.1 | 14.8 | 19.1 | 20.2 | 20.7 |
| | yes | 36.8 | 39.3 | 38.0 | 39.2 | 39.0 | 33.8 |
| | no | 26.1 | 30.0 | 32.4 | 26.8 | 29.6 | 30.3 |
| | NO! | 15.7 | 16.6 | 14.8 | 14.8 | 11.3 | 15.2 |

**Academic Failure
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---|------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q28 What were your grades like last year? | Mostly A's | 33.9 | 27.9 | 33.0 | 29.3 | 28.2 | 25.2 |
| | Mostly B's | 40.0 | 40.6 | 40.0 | 41.8 | 46.0 | 40.8 |
| | Mostly C's | 18.6 | 24.0 | 20.0 | 23.1 | 22.5 | 26.5 |
| | Mostly D's | 5.0 | 3.9 | 5.3 | 5.3 | 2.8 | 5.4 |
| | Mostly F's | 2.5 | 3.5 | 1.8 | .5 | .5 | 2.0 |
| Q24 My grades are better than most students | YES! | 20.3 | 21.7 | 21.6 | 28.2 | 29.9 | 24.8 |
| | yes | 42.0 | 38.6 | 46.8 | 45.5 | 43.5 | 42.8 |
| | no | 26.0 | 29.0 | 24.1 | 19.6 | 22.4 | 24.8 |
| | NO! | 11.7 | 10.7 | 7.4 | 6.7 | 4.2 | 7.6 |

Low Commitment to School
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|----------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q26 Days of school skipped during last month | None | 86.7 | 83.4 | 83.6 | 83.8 | 79.7 | 69.6 |
| | 1 day | 5.2 | 8.6 | 6.3 | 10.0 | 9.7 | 12.2 |
| | 2 days | 2.1 | 2.8 | 3.8 | 2.4 | 5.5 | 9.5 |
| | 3 days | 2.8 | 1.7 | 2.1 | 1.9 | 3.2 | 4.7 |
| | 4-5 days | 1.4 | 1.7 | 3.1 | 1.4 | .9 | 2.7 |
| | 6-10 days | 1.0 | 1.7 | .7 | .5 | .5 | .7 |
| | 11 or more days | .7 | .0 | .3 | .0 | .5 | .7 |
| Q27 How interesting are courses | Very interesting | 11.7 | 7.0 | 7.7 | 9.5 | 11.1 | 10.9 |
| | Quite interesting | 24.8 | 16.2 | 23.4 | 25.7 | 22.2 | 18.4 |
| | Fairly interesting | 25.2 | 38.7 | 35.7 | 32.9 | 35.6 | 42.2 |
| | Slightly boring | 23.4 | 23.9 | 17.5 | 21.0 | 18.5 | 15.0 |
| | Very boring | 15.0 | 14.1 | 15.7 | 11.0 | 12.5 | 13.6 |
| Q29 Feel schoolwork is meaningful | Almost always | 24.1 | 20.3 | 10.2 | 13.4 | 9.0 | 7.2 |
| | Often | 30.7 | 24.9 | 27.4 | 25.7 | 21.3 | 23.2 |
| | Sometimes | 22.6 | 32.7 | 39.8 | 28.2 | 37.4 | 34.8 |
| | Seldom | 13.3 | 13.9 | 15.7 | 22.8 | 23.2 | 17.4 |
| | Never | 9.3 | 8.2 | 6.9 | 9.9 | 9.0 | 17.4 |
| Q30 Importance of school to later life | Very important | 39.1 | 37.2 | 20.0 | 20.2 | 13.2 | 13.6 |
| | Quite important | 24.4 | 15.6 | 25.1 | 19.7 | 18.4 | 13.6 |
| | Fairly important | 21.4 | 22.0 | 28.7 | 24.6 | 25.9 | 32.9 |
| | Slightly important | 8.5 | 17.0 | 19.6 | 21.7 | 31.1 | 27.1 |
| | Not at all important | 6.6 | 8.2 | 6.5 | 13.8 | 11.3 | 12.9 |
| Q25 Enjoy being in school | Never | 13.2 | 13.4 | 15.8 | 11.0 | 9.7 | 18.4 |
| | Seldom | 11.1 | 15.8 | 16.8 | 17.7 | 21.8 | 18.4 |
| | Sometimes | 32.1 | 36.3 | 31.9 | 33.0 | 28.7 | 30.6 |
| | Often | 25.8 | 21.6 | 26.3 | 29.2 | 28.2 | 25.2 |
| | A lot | 17.8 | 13.0 | 9.1 | 9.1 | 11.6 | 7.5 |
| Q25 Hate being in school | Never | 14.0 | 7.2 | 7.7 | 7.7 | 8.4 | 10.9 |
| | Seldom | 17.2 | 19.6 | 18.5 | 24.9 | 22.8 | 16.3 |
| | Sometimes | 34.0 | 34.4 | 31.5 | 30.6 | 32.1 | 31.3 |
| | Often | 14.7 | 16.2 | 21.7 | 21.1 | 20.9 | 19.7 |
| | A lot | 20.0 | 22.7 | 20.6 | 15.8 | 15.8 | 21.8 |
| Q25 Try to do your best work in school | Never | 1.4 | 1.4 | 1.7 | 1.9 | .9 | 5.4 |
| | Seldom | 1.4 | 4.1 | 2.8 | 1.9 | 6.9 | 2.7 |
| | Sometimes | 11.8 | 21.9 | 21.0 | 22.0 | 23.6 | 24.5 |
| | Often | 28.1 | 29.1 | 32.9 | 31.6 | 34.7 | 36.1 |
| | A lot | 57.3 | 43.5 | 41.6 | 42.6 | 33.8 | 31.3 |

Poor Family Management
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Rules in my family are clear | YES! | 67.5 | 58.4 | 55.4 | 63.9 | 56.1 | 55.5 |
| | yes | 26.8 | 35.7 | 35.8 | 31.7 | 37.7 | 38.4 |
| | no | 4.6 | 4.2 | 7.4 | 3.9 | 5.2 | 4.1 |
| | NO! | 1.1 | 1.7 | 1.4 | .5 | .9 | 2.1 |
| Q31 Parents ask about homework | YES! | 63.3 | 51.4 | 49.3 | 51.7 | 40.8 | 37.0 |
| | yes | 26.3 | 34.2 | 35.2 | 28.1 | 30.5 | 29.5 |
| | no | 8.5 | 10.6 | 12.7 | 15.3 | 24.4 | 27.4 |
| | NO! | 1.8 | 3.9 | 2.8 | 4.9 | 4.2 | 6.2 |
| Q31 Parents know where I am and who I am with | YES! | 72.4 | 67.7 | 68.0 | 69.1 | 61.5 | 56.2 |
| | yes | 22.6 | 23.5 | 28.2 | 26.0 | 31.0 | 33.6 |
| | no | 2.9 | 6.0 | 2.5 | 2.9 | 5.6 | 8.2 |
| | NO! | 2.2 | 2.8 | 1.4 | 2.0 | 1.9 | 2.1 |
| Q31 Family has clear rules about alcohol and drug use | YES! | 80.4 | 68.9 | 71.6 | 73.4 | 66.2 | 59.9 |
| | yes | 13.8 | 22.3 | 21.4 | 18.7 | 23.9 | 29.3 |
| | no | 5.1 | 7.4 | 4.9 | 6.4 | 8.0 | 8.8 |
| | NO! | .7 | 1.4 | 2.1 | 1.5 | 1.9 | 2.0 |
| Q32 Parents know if you come home late | YES! | 63.9 | 60.0 | 53.0 | 60.7 | 52.6 | 51.4 |
| | yes | 23.7 | 26.1 | 35.2 | 30.8 | 36.2 | 38.4 |
| | no | 8.6 | 10.0 | 8.9 | 7.0 | 8.0 | 8.2 |
| | NO! | 3.8 | 3.9 | 2.8 | 1.5 | 3.3 | 2.1 |
| Q32 Parents would catch you drinking | YES! | 64.3 | 54.7 | 42.8 | 43.6 | 36.2 | 29.0 |
| | yes | 19.4 | 25.9 | 29.5 | 24.8 | 24.9 | 24.8 |
| | no | 11.0 | 14.0 | 21.2 | 25.7 | 25.8 | 37.9 |
| | NO! | 5.3 | 5.4 | 6.5 | 5.9 | 13.1 | 8.3 |
| Q32 Parents would catch you if you carried a gun | YES! | 78.1 | 70.8 | 66.5 | 65.0 | 65.3 | 49.7 |
| | yes | 12.8 | 17.7 | 22.7 | 25.1 | 22.5 | 28.3 |
| | no | 4.9 | 8.3 | 8.3 | 6.9 | 8.0 | 18.6 |
| | NO! | 4.2 | 3.2 | 2.5 | 3.0 | 4.2 | 3.4 |
| Q32 Parents would catch you if you skipped school | YES! | 75.2 | 66.9 | 62.3 | 64.7 | 61.0 | 47.9 |
| | yes | 17.3 | 21.9 | 29.5 | 27.0 | 24.9 | 34.0 |
| | no | 4.1 | 7.9 | 4.6 | 5.9 | 11.7 | 13.9 |
| | NO! | 3.4 | 3.2 | 3.6 | 2.5 | 2.3 | 4.2 |

Family Conflict
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Family argues over and over about same thing | YES! | 19.0 | 21.4 | 22.4 | 25.5 | 27.5 | 22.4 |
| | yes | 19.0 | 24.6 | 32.4 | 25.5 | 27.5 | 23.8 |
| | no | 37.7 | 34.4 | 33.1 | 38.2 | 32.7 | 38.8 |
| | NO! | 24.2 | 19.6 | 12.1 | 10.8 | 12.3 | 15.0 |
| Q31 Family has serious arguments | YES! | 19.7 | 15.8 | 18.7 | 18.7 | 16.6 | 19.2 |
| | yes | 12.4 | 19.0 | 20.1 | 17.2 | 21.8 | 18.5 |
| | no | 35.0 | 37.7 | 40.3 | 40.9 | 38.9 | 39.7 |
| | NO! | 32.8 | 27.5 | 20.8 | 23.2 | 22.7 | 22.6 |
| Q31 Family members often insult each other | YES! | 19.3 | 15.7 | 17.4 | 16.2 | 17.6 | 16.3 |
| | yes | 12.6 | 22.9 | 26.2 | 21.6 | 22.9 | 19.0 |
| | no | 31.1 | 31.1 | 34.4 | 34.3 | 32.4 | 32.7 |
| | NO! | 37.0 | 30.4 | 22.0 | 27.9 | 27.1 | 32.0 |

Family Opportunities for Prosocial Involvement
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Parents ask me before most family decisions made | YES! | 33.2 | 25.9 | 24.0 | 22.1 | 24.1 | 29.5 |
| | yes | 32.8 | 35.1 | 37.1 | 38.7 | 38.2 | 32.9 |
| | no | 20.7 | 19.9 | 24.0 | 27.0 | 25.9 | 25.3 |
| | NO! | 13.3 | 19.1 | 14.8 | 12.3 | 11.8 | 12.3 |
| Q32 I can ask parents for help if I have problem | YES! | 58.8 | 50.7 | 45.0 | 49.0 | 44.9 | 49.3 |
| | yes | 23.2 | 30.9 | 32.1 | 32.8 | 35.0 | 33.6 |
| | no | 10.7 | 11.3 | 16.1 | 11.8 | 13.1 | 11.6 |
| | NO! | 7.4 | 7.1 | 6.8 | 6.4 | 7.0 | 5.5 |
| Q32 Parents give me chances for fun with them | YES! | 44.9 | 38.9 | 35.3 | 38.6 | 32.5 | 33.6 |
| | yes | 31.8 | 34.6 | 38.5 | 33.7 | 34.0 | 40.4 |
| | no | 17.2 | 18.2 | 19.4 | 21.8 | 25.5 | 21.2 |
| | NO! | 6.2 | 8.2 | 6.8 | 5.9 | 8.0 | 4.8 |

**Family Rewards for Prosocial Involvement
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---|--------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q32 I enjoy spending time with mom | YES! | 69.6 | 58.1 | 56.5 | 59.1 | 54.7 | 53.8 |
| | yes | 22.2 | 30.1 | 30.6 | 27.1 | 32.1 | 31.7 |
| | no | 3.7 | 8.6 | 7.9 | 10.3 | 8.0 | 8.3 |
| | NO! | 4.4 | 3.2 | 5.0 | 3.4 | 5.2 | 6.2 |
| Q32 I Enjoy spending time with dad | YES! | 63.4 | 51.6 | 54.5 | 52.0 | 48.3 | 41.0 |
| | yes | 19.6 | 31.3 | 28.7 | 25.0 | 32.7 | 37.5 |
| | no | 8.7 | 7.6 | 6.9 | 12.5 | 9.5 | 9.0 |
| | NO! | 8.3 | 9.5 | 9.8 | 10.5 | 9.5 | 12.5 |
| Q33 Parents notice when I am doing a good job | All the time | 44.0 | 28.2 | 37.1 | 26.5 | 29.2 | 37.4 |
| | Often | 29.5 | 35.0 | 27.3 | 40.2 | 30.6 | 23.8 |
| | Sometimes | 16.4 | 23.6 | 25.5 | 23.0 | 28.2 | 25.9 |
| | Never | 10.1 | 13.2 | 10.1 | 10.3 | 12.0 | 12.9 |
| Q33 Parents tell me they are proud of me | All the time | 42.6 | 37.5 | 33.2 | 36.3 | 28.7 | 33.8 |
| | Often | 28.1 | 26.7 | 28.9 | 29.9 | 31.9 | 27.6 |
| | Sometimes | 19.3 | 22.4 | 27.5 | 22.9 | 27.3 | 22.8 |
| | Never | 10.0 | 13.4 | 10.4 | 10.9 | 12.0 | 15.9 |

Interaction with Antisocial Peers
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| In the past year (12 months), how many of your best friends have...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q35 Been suspended | None of my friends | 75.7 | 77.6 | 83.6 | 86.6 | 82.9 | 84.6 |
| | 1 of my friends | 18.0 | 14.0 | 10.0 | 7.5 | 13.0 | 9.1 |
| | 2 of my friends | 4.5 | 5.9 | 3.2 | 3.5 | 3.7 | 2.8 |
| | 3 of my friends | .7 | 1.1 | 1.8 | .5 | .5 | .7 |
| | 4 of my friends | 1.1 | 1.5 | 1.4 | 2.0 | .0 | 2.8 |
| Q35 Carried a gun | None of my friends | 96.6 | 95.2 | 95.4 | 98.0 | 95.8 | 89.0 |
| | 1 of my friends | 2.6 | 3.3 | 1.8 | 1.5 | 3.7 | 5.5 |
| | 2 of my friends | .8 | 1.1 | 1.4 | .0 | .0 | 2.1 |
| | 3 of my friends | .0 | .0 | .4 | .0 | .0 | .0 |
| | 4 of my friends | .0 | .4 | 1.1 | .5 | .5 | 3.4 |
| Q35 Sold drugs | None of my friends | 95.5 | 89.2 | 87.0 | 90.6 | 81.8 | 83.4 |
| | 1 of my friends | 3.0 | 5.9 | 6.7 | 3.9 | 10.3 | 6.9 |
| | 2 of my friends | .4 | 1.5 | 2.1 | 3.9 | 6.5 | 5.5 |
| | 3 of my friends | .4 | 1.5 | 1.1 | .5 | 1.4 | .7 |
| | 4 of my friends | .8 | 1.9 | 3.2 | 1.0 | .0 | 3.4 |
| Q35 Stolen a vehicle | None of my friends | 98.1 | 94.4 | 96.1 | 97.5 | 98.1 | 95.9 |
| | 1 of my friends | 1.1 | 3.0 | 1.4 | 1.5 | .9 | 2.1 |
| | 2 of my friends | .4 | 1.5 | 1.4 | .0 | .0 | .7 |
| | 3 of my friends | .4 | .4 | .0 | 1.0 | .9 | .0 |
| | 4 of my friends | .0 | .7 | 1.1 | .0 | .0 | 1.4 |
| Q35 Been arrested | None of my friends | 91.3 | 87.8 | 89.7 | 93.1 | 88.4 | 83.4 |
| | 1 of my friends | 4.9 | 8.1 | 5.7 | 3.5 | 6.5 | 10.3 |
| | 2 of my friends | 2.6 | 1.5 | 2.1 | 2.0 | 3.7 | 2.8 |
| | 3 of my friends | .0 | 1.1 | .4 | .0 | 1.4 | .7 |
| | 4 of my friends | 1.1 | 1.5 | 2.1 | 1.5 | .0 | 2.8 |
| Q35 Dropped out of school | None of my friends | 95.5 | 94.4 | 96.4 | 95.6 | 94.9 | 88.1 |
| | 1 of my friends | 3.4 | 3.0 | 1.8 | 3.0 | 3.3 | 8.4 |
| | 2 of my friends | .4 | 1.5 | 1.1 | 1.5 | .5 | .7 |
| | 3 of my friends | .8 | .0 | .0 | .0 | .0 | 1.4 |
| | 4 of my friends | .0 | 1.1 | .7 | .0 | 1.4 | 1.4 |

Interaction with Prosocial Peers
ABC School Corporation Students, 2015
 (Values are percentages, valid cases only)

| In the past year (12 months), how many of your best friends have...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q35 Participated in school activities | None of my friends | 28.8 | 25.5 | 30.0 | 24.4 | 20.9 | 32.2 |
| | 1 of my friends | 10.8 | 14.2 | 7.5 | 10.9 | 9.0 | 8.4 |
| | 2 of my friends | 11.5 | 12.0 | 17.1 | 9.0 | 12.8 | 14.0 |
| | 3 of my friends | 9.6 | 11.6 | 10.7 | 16.9 | 14.7 | 11.2 |
| | 4 of my friends | 39.2 | 36.7 | 34.6 | 38.8 | 42.7 | 34.3 |
| Q35 Made a commitment to stay drug-free | None of my friends | 34.5 | 33.5 | 37.9 | 40.6 | 41.0 | 43.0 |
| | 1 of my friends | 5.9 | 10.5 | 6.4 | 5.0 | 14.8 | 11.3 |
| | 2 of my friends | 5.1 | 5.3 | 9.2 | 8.4 | 8.6 | 13.4 |
| | 3 of my friends | 4.7 | 8.3 | 9.2 | 10.4 | 10.0 | 9.9 |
| | 4 of my friends | 49.8 | 42.5 | 37.2 | 35.6 | 25.7 | 22.5 |
| Q35 Liked school | None of my friends | 32.7 | 39.5 | 40.2 | 36.7 | 36.5 | 42.7 |
| | 1 of my friends | 14.8 | 10.9 | 12.1 | 13.1 | 15.6 | 16.1 |
| | 2 of my friends | 17.5 | 19.2 | 17.4 | 17.1 | 15.6 | 11.9 |
| | 3 of my friends | 8.0 | 12.4 | 11.7 | 14.6 | 14.2 | 13.3 |
| | 4 of my friends | 27.0 | 18.0 | 18.5 | 18.6 | 18.0 | 16.1 |
| Q35 Regularly attended religious activities | None of my friends | 31.6 | 34.4 | 42.7 | 31.7 | 38.9 | 45.8 |
| | 1 of my friends | 18.4 | 19.1 | 20.1 | 19.6 | 23.7 | 16.7 |
| | 2 of my friends | 16.4 | 21.8 | 19.7 | 24.6 | 19.4 | 16.0 |
| | 3 of my friends | 10.9 | 11.1 | 9.0 | 9.0 | 7.6 | 8.3 |
| | 4 of my friends | 22.7 | 13.7 | 8.6 | 15.1 | 10.4 | 13.2 |
| Q35 Tried to do well in school | None of my friends | 12.3 | 12.6 | 13.9 | 15.2 | 15.9 | 17.4 |
| | 1 of my friends | 6.9 | 8.1 | 7.1 | 4.4 | 4.7 | 9.7 |
| | 2 of my friends | 9.2 | 8.5 | 13.9 | 12.3 | 16.8 | 11.1 |
| | 3 of my friends | 11.5 | 18.1 | 15.0 | 18.1 | 17.3 | 20.8 |
| | 4 of my friends | 60.0 | 52.6 | 50.0 | 50.0 | 45.3 | 41.0 |

**Community Laws and Norms Favorable to Drug Use
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q36 If a kid drank alcohol in your neighborhood, would he or she be caught by police? | YES! | 30.6 | 20.6 | 19.5 | 16.7 | 12.6 | 11.9 |
| | yes | 24.8 | 29.0 | 16.3 | 16.7 | 19.1 | 19.6 |
| | no | 31.4 | 34.0 | 42.6 | 46.8 | 43.7 | 39.9 |
| | NO! | 13.2 | 16.4 | 21.6 | 19.7 | 24.7 | 28.7 |
| Q36 If a kid smoked marijuana in your neighborhood, would he or she be caught by police? | YES! | 36.9 | 28.5 | 21.0 | 17.2 | 14.0 | 14.0 |
| | yes | 23.5 | 26.9 | 22.4 | 20.2 | 18.7 | 16.8 |
| | no | 27.5 | 29.2 | 39.1 | 42.4 | 41.6 | 43.4 |
| | NO! | 12.2 | 15.4 | 17.4 | 20.2 | 25.7 | 25.9 |
| Q36 If a kid carried a handgun in your neighborhood, would he or she be caught by police? | YES! | 40.6 | 33.1 | 29.2 | 22.4 | 20.9 | 18.2 |
| | yes | 27.7 | 30.0 | 31.0 | 29.4 | 33.5 | 29.4 |
| | no | 21.9 | 24.2 | 24.2 | 34.8 | 30.2 | 30.8 |
| | NO! | 9.8 | 12.7 | 15.7 | 13.4 | 15.3 | 21.7 |
| Q36 If a kid smoked a cigarette in your neighborhood, would he or she be caught by police? | YES! | 28.1 | 17.8 | 18.8 | 15.3 | 12.2 | 10.5 |
| | yes | 21.1 | 23.9 | 15.2 | 14.3 | 15.0 | 16.1 |
| | no | 30.9 | 34.4 | 40.8 | 43.8 | 38.5 | 35.0 |
| | NO! | 19.9 | 23.9 | 25.2 | 26.6 | 34.3 | 38.5 |
| Q38 Adults in your neighborhood think about youth marijuana use | Very wrong | 74.0 | 67.7 | 62.1 | 57.4 | 47.7 | 50.3 |
| | Wrong | 15.5 | 19.5 | 21.3 | 28.4 | 29.6 | 23.1 |
| | A little bit wrong | 7.0 | 7.0 | 10.6 | 8.8 | 16.7 | 16.8 |
| | Not at all wrong | 3.5 | 5.8 | 6.0 | 5.4 | 6.0 | 9.8 |
| Q38 Adults in your neighborhood think about youth alcohol use | Very wrong | 69.5 | 62.8 | 52.8 | 49.8 | 35.5 | 38.5 |
| | Wrong | 14.1 | 19.4 | 24.5 | 31.2 | 37.4 | 28.0 |
| | A little bit wrong | 12.5 | 10.5 | 14.2 | 13.2 | 19.6 | 23.1 |
| | Not at all wrong | 3.9 | 7.4 | 8.5 | 5.9 | 7.5 | 10.5 |
| Q38 Adults in your neighborhood think about youth cigarettes use | Very wrong | 68.4 | 62.5 | 57.0 | 50.0 | 41.2 | 39.0 |
| | Wrong | 17.8 | 20.7 | 20.8 | 29.9 | 32.4 | 25.5 |
| | A little bit wrong | 10.7 | 11.7 | 15.1 | 12.7 | 17.6 | 18.4 |
| | Not at all wrong | 3.2 | 5.1 | 7.2 | 7.4 | 8.8 | 17.0 |

Community Rewards for Prosocial Involvement
ABC School Corporation Students, 2015
(Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q37 Neighbors notice good job and let me know | YES! | 11.4 | 8.9 | 8.5 | 6.9 | 8.8 | 8.3 |
| | yes | 17.3 | 15.4 | 15.2 | 12.8 | 14.4 | 20.1 |
| | no | 25.6 | 25.1 | 36.2 | 39.9 | 33.0 | 27.8 |
| | NO! | 45.7 | 50.6 | 40.1 | 40.4 | 43.7 | 43.8 |
| Q37 There are people in my neighborhood who are proud of me | YES! | 16.6 | 12.3 | 11.3 | 10.8 | 11.1 | 11.8 |
| | yes | 19.4 | 23.0 | 22.3 | 23.2 | 19.4 | 28.5 |
| | no | 24.1 | 19.2 | 30.1 | 29.1 | 27.8 | 24.3 |
| | NO! | 39.9 | 45.6 | 36.2 | 36.9 | 41.7 | 35.4 |
| Q37 There are people in my neighborhood who encourage me to do my best | YES! | 21.4 | 16.5 | 16.1 | 14.8 | 11.2 | 13.2 |
| | yes | 24.2 | 23.1 | 21.9 | 22.7 | 24.2 | 28.5 |
| | no | 18.3 | 17.7 | 26.9 | 27.6 | 22.3 | 25.0 |
| | NO! | 36.1 | 42.7 | 35.1 | 35.0 | 42.3 | 33.3 |

**Personal and Family Information
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---------------------------------|----------------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q2 Hispanic/Latino | Non-Hispanic | 79.9 | 71.5 | 78.2 | 72.9 | 81.4 | 79.2 |
| | Hispanic | 20.1 | 28.5 | 21.8 | 27.1 | 18.6 | 20.8 |
| Q3 Race | White | 74.1 | 71.9 | 83.6 | 75.6 | 82.6 | 84.7 |
| | Black/African American | .0 | 3.0 | .0 | 3.3 | 1.8 | 2.8 |
| | Asian | 2.2 | .7 | .7 | .0 | 1.8 | 5.6 |
| | Native Hawaiian/Pacific Islander | .0 | .7 | .0 | .0 | .0 | .0 |
| | American Indian/Alaskan Native | 2.2 | .7 | .7 | 1.1 | .9 | .0 |
| | Race not known or other | 10.4 | 8.9 | 8.6 | 11.1 | 7.3 | 2.8 |
| | More than one race | 11.1 | 14.1 | 6.6 | 8.9 | 5.5 | 4.2 |
| Q5 Age | 12 years | 21.1 | .0 | .0 | .0 | .0 | .0 |
| | 13 years | 65.4 | 24.7 | .6 | .0 | .0 | .0 |
| | 14 years | 13.5 | 68.0 | 21.4 | .0 | .0 | .0 |
| | 15 years | .0 | 7.3 | 73.4 | 20.2 | .9 | .0 |
| | 16 years | .0 | .0 | 4.5 | 65.4 | 22.8 | .0 |
| | 17 years | .0 | .0 | .0 | 14.4 | 66.7 | 36.5 |
| | 18 years or older | .0 | .0 | .0 | .0 | 9.6 | 63.5 |
| Q6 Parents served in a war zone | No | 72.4 | 77.0 | 84.1 | 78.6 | 81.3 | 75.7 |
| | Yes | 17.2 | 14.2 | 7.3 | 11.7 | 13.4 | 17.6 |
| | Not sure | 10.4 | 8.8 | 8.6 | 9.7 | 5.4 | 6.8 |
| Q7 Parents served time in jail | No | 58.3 | 56.8 | 70.7 | 76.5 | 68.8 | 81.1 |
| | Yes | 26.5 | 33.8 | 21.8 | 14.7 | 26.8 | 17.6 |
| | Not sure | 15.2 | 9.5 | 7.5 | 8.8 | 4.5 | 1.4 |

Past Month Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| How many times in the last month (30 days) have you used...? | | Grade | | | | | |
|--|-------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q8 Cigarettes | Never | 97.1 | 94.0 | 91.7 | 86.9 | 90.0 | 71.4 |
| | 1-5 times | 2.2 | 5.3 | 4.5 | 6.5 | 1.8 | 10.4 |
| | 6-19 times | .7 | .7 | 1.3 | 2.8 | 2.7 | 3.9 |
| | 20-39 times | .0 | .0 | .6 | 1.9 | 2.7 | 3.9 |
| | 40+ times | .0 | .0 | 1.9 | 1.9 | 2.7 | 10.4 |
| Q8 Smokeless tobacco | Never | 98.5 | 95.9 | 90.4 | 88.7 | 91.9 | 76.0 |
| | 1-5 times | .7 | 3.4 | 3.2 | 4.7 | 2.7 | 5.3 |
| | 6-19 times | .0 | .7 | 1.3 | 1.9 | 1.8 | 2.7 |
| | 20-39 times | .0 | .0 | 1.3 | .9 | .0 | .0 |
| | 40+ times | .7 | .0 | 3.8 | 3.8 | 3.6 | 16.0 |
| Q8 Cigars | Never | 98.5 | 96.7 | 94.2 | 91.6 | 92.8 | 76.7 |
| | 1-5 times | .7 | 2.7 | 3.2 | 5.6 | 2.7 | 19.2 |
| | 6-19 times | .7 | .7 | 1.3 | 2.8 | 3.6 | 2.7 |
| | 20-39 times | .0 | .0 | .6 | .0 | .9 | 1.4 |
| | 40+ times | .0 | .0 | .6 | .0 | .0 | .0 |
| Q8 Pipe | Never | 97.8 | 97.3 | 93.6 | 92.5 | 95.5 | 90.3 |
| | 1-5 times | .7 | 1.3 | 3.8 | 4.7 | 1.8 | 5.6 |
| | 6-19 times | 1.5 | 1.3 | 1.9 | 1.9 | .9 | 2.8 |
| | 20-39 times | .0 | .0 | .6 | .9 | 1.8 | 1.4 |
| | 40+ times | .0 | .0 | .6 | .9 | 1.8 | 1.4 |
| Q8 Electronic vapor products | Never | 96.4 | 91.9 | 90.3 | 86.0 | 87.3 | 68.0 |
| | 1-5 times | 2.2 | 6.1 | 4.5 | 9.3 | 6.4 | 12.0 |
| | 6-19 times | .7 | 1.4 | 1.9 | 2.8 | 2.7 | 6.7 |
| | 20-39 times | .0 | .0 | 1.9 | .9 | 1.8 | 6.7 |
| | 40+ times | .7 | .7 | 1.3 | .9 | 1.8 | 6.7 |
| Q8 Alcohol | Never | 94.7 | 85.8 | 87.7 | 82.1 | 81.5 | 68.9 |
| | 1-5 times | 3.8 | 12.8 | 6.5 | 12.3 | 12.0 | 16.2 |
| | 6-19 times | .8 | 1.4 | 3.2 | 2.8 | 2.8 | 5.4 |
| | 20-39 times | .8 | .0 | 2.6 | 2.8 | 1.9 | 1.4 |
| | 40+ times | .0 | .0 | .0 | .0 | 1.9 | 8.1 |
| Q8 Marijuana | Never | 96.4 | 93.4 | 92.3 | 89.7 | 87.4 | 84.2 |
| | 1-5 times | 2.9 | 3.3 | 3.2 | 2.8 | 5.4 | 7.9 |
| | 6-19 times | .7 | .7 | .6 | .9 | 1.8 | 2.6 |
| | 20-39 times | .0 | 2.0 | .0 | .9 | 2.7 | 2.6 |
| | 40+ times | .0 | .7 | 3.8 | 5.6 | 2.7 | 2.6 |
| Q8 Synthetic marijuana | Never | 99.3 | 98.0 | 97.5 | 96.3 | 99.1 | 98.7 |
| | 1-5 times | .7 | 2.0 | 1.9 | 1.9 | .9 | 1.3 |

**Past Month Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How many times in the last month (30 days) have you used...? | | Grade | | | | | |
|--|-------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q8 Cocaine/Crack | 6-19 times | .0 | .0 | .6 | .9 | .0 | .0 |
| | 40+ times | .0 | .0 | .0 | .9 | .0 | .0 |
| | Never | 100 | 99.3 | 98.7 | 100 | 99.1 | 100 |
| Q8 Inhalants | 1-5 times | .0 | .0 | .6 | .0 | .9 | .0 |
| | 6-19 times | .0 | .7 | .6 | .0 | .0 | .0 |
| | Never | 100 | 98.7 | 98.7 | 100 | 99.1 | 98.7 |
| Q8 Methamphetamines | 1-5 times | .0 | 1.3 | 1.3 | .0 | .0 | 1.3 |
| | 6-19 times | .0 | .0 | .0 | .0 | .9 | .0 |
| | Never | 100 | 99.3 | 100 | 100 | 99.1 | 100 |
| Q8 Heroin | 1-5 times | .0 | .0 | .0 | .0 | .9 | .0 |
| | 6-19 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never | 100 | 99.3 | 100 | 100 | 100 | 100 |
| Q8 Hallucinogens/Ecstasy | 6-19 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never | 100 | 99.3 | 97.5 | 99.1 | 97.3 | 97.4 |
| | 1-5 times | .0 | .0 | 2.5 | .9 | 2.7 | 2.6 |
| Q8 Prescription drugs not prescribed to you | 6-19 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never | 99.3 | 99.3 | 96.8 | 97.2 | 96.4 | 97.3 |
| | 1-5 times | .0 | .0 | 1.9 | 2.8 | 2.7 | 1.3 |
| Q8 Over the counter drugs to get high | 6-19 times | .7 | .0 | .0 | .0 | .0 | .0 |
| | 20-39 times | .0 | .7 | .6 | .0 | .0 | .0 |
| | 40+ times | .0 | .0 | .6 | .0 | .9 | 1.3 |
| | Never | 100 | 98.0 | 96.1 | 98.1 | 98.2 | 97.4 |
| | 1-5 times | .0 | 1.3 | 3.2 | 1.0 | .9 | 1.3 |
| | 6-19 times | .0 | .7 | .0 | 1.0 | .0 | 1.3 |
| | 40+ times | .0 | .0 | .6 | .0 | .9 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Cigarettes | Never used | 92.1 | 85.4 | 86.5 | 74.8 | 75.5 | 55.8 |
| | 10 years or younger | 2.1 | 6.0 | 3.9 | 5.6 | 4.5 | 3.9 |
| | 11 years | .0 | 2.6 | 1.3 | 4.7 | 2.7 | 3.9 |
| | 12 years | 4.3 | 2.0 | 3.2 | 5.6 | 2.7 | 5.2 |
| | 13 years | 1.4 | 2.6 | .0 | .9 | .9 | 2.6 |
| | 14 years | .0 | 1.3 | 3.2 | 2.8 | 2.7 | 3.9 |
| | 15 years | .0 | .0 | 1.9 | 3.7 | 7.3 | 5.2 |
| | 16 years | .0 | .0 | .0 | .9 | 2.7 | 7.8 |
| | 17 years or older | .0 | .0 | .0 | .9 | .9 | 11.7 |
| Q9 Smokeless tobacco | Never used | 97.1 | 91.9 | 86.5 | 79.0 | 83.5 | 63.5 |
| | 10 years or younger | .7 | 2.0 | 3.8 | 4.8 | .0 | 4.1 |
| | 11 years | .0 | 2.0 | 1.3 | 3.8 | 1.8 | 2.7 |
| | 12 years | 1.4 | .0 | 1.3 | .0 | .9 | 5.4 |
| | 13 years | .7 | 2.0 | 2.6 | 3.8 | 5.5 | 6.8 |
| | 14 years | .0 | 1.4 | 3.2 | 2.9 | .0 | 4.1 |
| | 15 years | .0 | .7 | 1.3 | 4.8 | 3.7 | 2.7 |
| | 16 years | .0 | .0 | .0 | 1.0 | 2.8 | 2.7 |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.8 | 8.1 |
| Q9 Cigars | Never used | 97.1 | 92.6 | 92.8 | 85.8 | 80.6 | 65.8 |
| | 10 years or younger | .0 | .7 | .7 | 2.8 | .9 | .0 |
| | 11 years | .0 | 1.3 | .0 | .0 | 1.9 | 2.7 |
| | 12 years | 2.2 | 2.7 | 2.0 | .0 | .9 | 1.4 |
| | 13 years | .7 | 2.0 | 1.3 | .9 | 2.8 | 1.4 |
| | 14 years | .0 | .7 | 2.6 | 2.8 | .9 | 6.8 |
| | 15 years | .0 | .0 | .7 | 7.5 | 7.4 | 1.4 |
| | 16 years | .0 | .0 | .0 | .0 | 2.8 | 4.1 |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.9 | 16.4 |
| Q9 Pipe | Never used | 97.1 | 94.7 | 92.9 | 89.5 | 91.7 | 81.9 |
| | 10 years or younger | .0 | .0 | .6 | 1.9 | .0 | .0 |
| | 11 years | .0 | .7 | .6 | .0 | .0 | 1.4 |
| | 12 years | 1.4 | .7 | .6 | .0 | .0 | .0 |
| | 13 years | .7 | 2.0 | 1.3 | 1.0 | .0 | 1.4 |
| | 14 years | .7 | 1.3 | 1.9 | 1.9 | .9 | 2.8 |
| | 15 years | .0 | .7 | 1.9 | 3.8 | 3.7 | .0 |
| | 16 years | .0 | .0 | .0 | 1.9 | 1.9 | 5.6 |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.9 | 6.9 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|-------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Electronic vapor products | Never used | 94.2 | 86.6 | 88.3 | 82.2 | 81.5 | 52.7 |
| | 10 years or younger | .0 | .0 | 1.3 | .0 | .0 | 1.4 |
| | 11 years | .7 | 2.0 | .0 | 1.9 | .0 | .0 |
| | 12 years | 3.6 | 1.3 | 1.3 | .0 | .0 | .0 |
| | 13 years | .7 | 8.1 | .6 | .0 | 1.9 | 1.4 |
| | 14 years | .7 | 2.0 | 4.5 | 3.7 | .9 | 2.7 |
| | 15 years | .0 | .0 | 3.9 | 8.4 | 6.5 | 5.4 |
| | 16 years | .0 | .0 | .0 | 2.8 | 4.6 | 6.8 |
| | 17 years or older | .0 | .0 | .0 | .9 | 4.6 | 29.7 |
| Q9 Alcohol | Never used | 88.0 | 76.5 | 77.3 | 72.4 | 66.4 | 50.0 |
| | 10 years or younger | 5.3 | 9.4 | 4.5 | 1.9 | 4.7 | 4.1 |
| | 11 years | 1.5 | 3.4 | 3.9 | 1.0 | .0 | 2.7 |
| | 12 years | 4.5 | 4.0 | 3.9 | 3.8 | 2.8 | 2.7 |
| | 13 years | .8 | 4.0 | 3.9 | 3.8 | 3.7 | 4.1 |
| | 14 years | .0 | 2.0 | 5.2 | 5.7 | 8.4 | 10.8 |
| | 15 years | .0 | .7 | 1.3 | 6.7 | 6.5 | 5.4 |
| | 16 years | .0 | .0 | .0 | 3.8 | 4.7 | 12.2 |
| | 17 years or older | .0 | .0 | .0 | 1.0 | 2.8 | 8.1 |
| Q9 Marijuana | Never used | 95.7 | 91.4 | 88.2 | 84.1 | 77.1 | 71.1 |
| | 10 years or younger | .0 | 1.3 | 1.3 | .9 | .9 | 1.3 |
| | 11 years | .7 | .0 | .7 | 1.9 | .0 | 3.9 |
| | 12 years | 2.2 | 3.3 | 3.3 | .9 | 1.8 | .0 |
| | 13 years | 1.4 | 2.6 | 2.0 | 4.7 | 4.6 | 5.3 |
| | 14 years | .0 | 1.3 | 1.3 | 4.7 | 2.8 | 3.9 |
| | 15 years | .0 | .0 | 3.3 | .9 | 5.5 | 3.9 |
| | 16 years | .0 | .0 | .0 | 1.9 | 6.4 | 5.3 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | 5.3 |
| Q9 Synthetic marijuana | Never used | 99.3 | 96.7 | 95.5 | 94.4 | 97.2 | 97.3 |
| | 10 years or younger | .0 | .7 | .0 | .9 | .0 | .0 |
| | 12 years | .7 | 1.3 | 1.3 | .0 | .0 | .0 |
| | 13 years | .0 | 1.3 | 1.3 | .9 | .0 | .0 |
| | 14 years | .0 | .0 | 1.9 | .9 | .9 | 1.4 |
| | 15 years | .0 | .0 | .0 | 1.9 | .0 | 1.4 |
| | 16 years | .0 | .0 | .0 | .9 | 1.8 | .0 |
| | 17 years or older | .0 | .0 | .0 | .0 | .0 | .0 |
| Q9 Cocaine/Crack | Never used | 100.0 | 99.3 | 98.7 | 100.0 | 99.1 | 97.3 |
| | 11 years | .0 | .0 | 1.3 | .0 | .0 | .0 |
| | 14 years | .0 | .7 | .0 | .0 | .0 | 1.4 |

Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| How old were you when you first used...? | | Grade | | | | | |
|---|---------------------|-------|------|-------|-------|-------|-------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Inhalants | 15 years | .0 | .0 | .0 | .0 | .0 | 1.4 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | .0 |
| | Never used | 100.0 | 98.0 | 97.5 | 99.1 | 99.1 | 94.6 |
| | 12 years | .0 | 1.3 | .6 | .0 | .0 | 2.7 |
| | 13 years | .0 | .0 | 1.3 | .0 | .9 | 1.4 |
| | 14 years | .0 | .7 | .6 | .0 | .0 | .0 |
| | 15 years | .0 | .0 | .0 | .9 | .0 | .0 |
| Q9 Methamphetamines | 16 years | .0 | .0 | .0 | .0 | .0 | 1.4 |
| | Never used | 100.0 | 99.3 | 100.0 | 100.0 | 99.1 | 100.0 |
| | 13 years | .0 | .7 | .0 | .0 | .0 | .0 |
| Q9 Heroin | 17 years or older | .0 | .0 | .0 | .0 | .9 | .0 |
| | Never used | 100.0 | 99.3 | 100.0 | 100.0 | 100.0 | 100.0 |
| Q9 Hallucinogens/Ecstasy | 13 years | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never used | 100.0 | 99.3 | 97.5 | 98.1 | 97.2 | 96.0 |
| | 12 years | .0 | .0 | .6 | .0 | .0 | .0 |
| | 13 years | .0 | .7 | .6 | .0 | .0 | .0 |
| | 14 years | .0 | .0 | .6 | .0 | .0 | .0 |
| | 15 years | .0 | .0 | .6 | .9 | .0 | .0 |
| | 16 years | .0 | .0 | .0 | .9 | .9 | 4.0 |
| Q9 Prescription drugs not prescribed to you | 17 years or older | .0 | .0 | .0 | .0 | 1.8 | .0 |
| | Never used | 99.3 | 98.0 | 96.8 | 95.2 | 95.4 | 94.6 |
| | 10 years or younger | .7 | 1.3 | .6 | .0 | .9 | .0 |
| | 11 years | .0 | .0 | .6 | .0 | .0 | .0 |
| | 12 years | .0 | .0 | .6 | .0 | .0 | .0 |
| | 13 years | .0 | .7 | .0 | .0 | .0 | .0 |
| | 14 years | .0 | .0 | .6 | 1.0 | 1.8 | 1.4 |
| | 15 years | .0 | .0 | .6 | .0 | .9 | .0 |
| | 16 years | .0 | .0 | .0 | 2.9 | .9 | 1.4 |
| | 17 years or older | .0 | .0 | .0 | 1.0 | .0 | 2.7 |
| Q9 Over the counter drugs to get high | Never used | 99.3 | 96.0 | 94.2 | 96.2 | 98.2 | 95.9 |
| | 10 years or younger | .7 | 2.7 | 1.9 | .0 | .9 | .0 |
| | 12 years | .0 | .7 | 1.3 | .0 | .0 | .0 |
| | 13 years | .0 | .7 | .6 | .0 | .0 | .0 |
| | 14 years | .0 | .0 | 1.3 | .0 | .9 | .0 |
| | 15 years | .0 | .0 | .6 | 1.0 | .0 | 1.4 |
| | 16 years | .0 | .0 | .0 | 2.9 | .0 | 1.4 |
| | 17 years or older | .0 | .0 | .0 | .0 | .0 | 1.4 |

Binge Drinking in the Last Two Weeks
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| Think back over the last 2 weeks... | | Grade | | | | | |
|-------------------------------------|-----------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q10 Binge drinking | None | 97.8 | 95.3 | 92.3 | 94.2 | 89.8 | 78.7 |
| | Once | .0 | .7 | 2.6 | 2.9 | 3.7 | 6.7 |
| | Twice | .0 | 2.0 | 1.3 | 1.0 | 2.8 | 4.0 |
| | 3-5 times | .7 | 1.4 | 2.6 | 1.0 | 3.7 | 8.0 |
| | 6-9 times | .0 | .7 | 1.3 | .0 | .0 | 1.3 |
| | 10+ times | 1.5 | .0 | .0 | 1.0 | .0 | 1.3 |

Perceived Availability of Drugs
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| How easy would it be for you to get...? | | Grade | | | | | |
|--|--------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q11 Cigarettes | Very hard | 68.5 | 54.1 | 48.0 | 41.3 | 31.5 | 7.9 |
| | Sort of hard | 12.6 | 17.6 | 14.5 | 16.3 | 7.2 | 3.9 |
| | Sort of easy | 6.3 | 13.5 | 11.8 | 19.2 | 24.3 | 11.8 |
| | Very easy | 12.6 | 14.9 | 25.7 | 23.1 | 36.9 | 76.3 |
| Q11 Alcohol | Very hard | 65.6 | 43.2 | 45.0 | 39.0 | 34.2 | 18.4 |
| | Sort of hard | 10.9 | 22.3 | 13.2 | 17.1 | 12.6 | 17.1 |
| | Sort of easy | 12.5 | 18.2 | 17.2 | 19.0 | 22.5 | 27.6 |
| | Very easy | 10.9 | 16.2 | 24.5 | 24.8 | 30.6 | 36.8 |
| Q11 Marijuana | Very hard | 86.5 | 71.9 | 59.7 | 57.3 | 40.0 | 28.9 |
| | Sort of hard | 4.0 | 11.6 | 11.7 | 13.6 | 13.6 | 14.5 |
| | Sort of easy | 2.4 | 8.2 | 9.1 | 10.7 | 17.3 | 19.7 |
| | Very easy | 7.1 | 8.2 | 19.5 | 18.4 | 29.1 | 36.8 |
| Q11 Drugs like cocaine, LSD or amphetamines | Very hard | 92.9 | 88.4 | 78.6 | 76.9 | 70.9 | 61.8 |
| | Sort of hard | 1.6 | 6.1 | 9.7 | 8.7 | 17.3 | 18.4 |
| | Sort of easy | .8 | 1.4 | 3.9 | 5.8 | 6.4 | 6.6 |
| | Very easy | 4.8 | 4.1 | 7.8 | 8.7 | 5.5 | 13.2 |

Usual Sources of Alcoholic Beverages in the Past Year
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| During the past year, how did you get your alcohol? | | Grade | | | | | |
|---|--|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Source | Q12 I did not drink alcohol | 91.8 | 83.5 | 83.2 | 80.8 | 73.6 | 55.8 |
| | Q12 I bought it at a restaurant, bar, or club | .0 | .0 | 1.4 | 1.0 | 2.8 | 2.6 |
| | Q12 I bought it at a public event | .0 | .0 | 2.8 | 1.0 | 1.9 | 2.6 |
| | Q12 I gave someone else money to buy it for me | .8 | 2.2 | 8.4 | 6.7 | 12.3 | 22.1 |
| | Q12 I bought it at a store | .0 | .0 | 2.8 | 1.0 | 3.8 | .0 |
| | Q12 A person 21 years old or older gave it to me | 1.6 | 3.6 | 9.8 | 6.7 | 14.2 | 20.8 |
| | Q12 I took it from a store | .0 | .7 | 2.8 | .0 | .9 | 1.3 |
| | Q12 I got it from a parent/guardian | 4.9 | 7.2 | 4.2 | 3.8 | 3.8 | 5.2 |
| | Q12 I got it from some other family member | 4.9 | 6.5 | 4.2 | 4.8 | 6.6 | 6.5 |
| | Q12 I got it some other way | 3.3 | 9.4 | 7.7 | 13.5 | 12.3 | 16.9 |

Note: Multiple responses allowed; percentages do not add to 100%.

Usual Sources of Prescription Drugs in the Past Year
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| During the past year, how did you get your prescription drugs that were used to get high? | | Grade | | | | | |
|---|---|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Source | Q13 I did not use prescription drugs to get high | 97.5 | 95.6 | 93.6 | 96.2 | 95.2 | 88.3 |
| | Q13 They were prescribed to me | 1.7 | .7 | 3.5 | 1.0 | 2.9 | 1.3 |
| | Q13 My parents gave them to me | .8 | .0 | 1.4 | .0 | 1.0 | .0 |
| | Q13 Someone other than my parents gave them to me | .0 | .7 | 2.1 | 1.9 | 2.9 | 7.8 |
| | Q13 I took them from home | .0 | .7 | 1.4 | 2.9 | 1.0 | 1.3 |
| | Q13 I bought them from someone | .0 | 2.2 | 4.3 | 3.8 | 1.9 | 5.2 |
| | Q13 I bought them on the internet | .0 | .7 | 1.4 | .0 | 1.0 | .0 |
| | Q13 I took them from someone else | .8 | .0 | 1.4 | .0 | 1.0 | 1.3 |
| | Q13 I got them some other way | .0 | .7 | 5.7 | .0 | 2.9 | 1.3 |

Note: Multiple responses allowed; percentages do not add to 100%.

**CRAFFT Substance Abuse Screening
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| | | Age | | | | |
|---|------------|----------|----------|----------|----------|-------------------|
| | | 14 years | 15 years | 16 years | 17 years | 18 years or older |
| Q34 Have you ever ridden in a car driven by someone (including yourself) who was high or had been using alcohol or drugs? | No | 77.4 | 78.3 | 74.2 | 66.3 | 60.9 |
| | Yes | 22.6 | 21.7 | 25.8 | 33.7 | 39.1 |
| Q14 Do you ever use alcohol or drugs to relax, feel better about yourself, or fit in? | Never used | 78.3 | 74.0 | 67.3 | 66.4 | 39.7 |
| | No | 16.4 | 17.8 | 18.4 | 20.7 | 41.4 |
| | Yes | 5.3 | 8.2 | 14.3 | 12.9 | 19.0 |
| Q14 Do you ever use alcohol or drugs while you are by yourself, or alone? | Never used | 78.8 | 72.6 | 68.4 | 68.1 | 39.7 |
| | No | 15.2 | 16.4 | 12.2 | 20.7 | 41.4 |
| | Yes | 6.0 | 11.0 | 19.4 | 11.2 | 19.0 |
| Q14 Do you ever forget things you did while using alcohol or drugs? | Never used | 79.6 | 73.8 | 67.0 | 65.8 | 39.7 |
| | No | 19.7 | 20.0 | 26.8 | 24.6 | 48.3 |
| | Yes | .7 | 6.2 | 6.2 | 9.6 | 12.1 |
| Q14 Do your family or friends ever tell you that you should cut down on your drinking or drug use? | Never used | 79.6 | 73.8 | 67.7 | 67.0 | 39.7 |
| | No | 17.8 | 21.4 | 28.1 | 26.1 | 51.7 |
| | Yes | 2.6 | 4.8 | 4.2 | 7.0 | 8.6 |
| Q14 Have you ever gotten into trouble while you were using alcohol or drugs? | Never used | 78.8 | 73.8 | 68.0 | 65.8 | 37.9 |
| | No | 18.5 | 18.6 | 23.7 | 23.7 | 50.0 |
| | Yes | 2.6 | 7.6 | 8.2 | 10.5 | 12.1 |

**Consequences of Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How many times have you experienced the following due to your drinking or drug use...? | | Grade | | | | | |
|--|------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q15 Performed poorly on test or project | Never | 94.7 | 95.0 | 96.7 | 96.2 | 95.5 | 96.1 |
| | Once | .8 | .7 | 2.0 | .0 | 1.8 | .0 |
| | Twice | .0 | .0 | .0 | 1.0 | 1.8 | 1.3 |
| | 3-5 times | 1.5 | 1.4 | .0 | 1.9 | .0 | .0 |
| | 6-10 times | .8 | 2.1 | 1.3 | .0 | .9 | 1.3 |
| | 11+ times | 2.3 | .7 | .0 | 1.0 | .0 | 1.3 |
| Q15 Missed class | Never | 94.7 | 97.1 | 97.4 | 96.2 | 95.5 | 96.1 |
| | Once | 1.5 | .0 | 2.0 | 1.0 | 1.8 | .0 |
| | Twice | .8 | 1.4 | .7 | 1.0 | 1.8 | .0 |
| | 3-5 times | .8 | 1.4 | .0 | 1.0 | .9 | 3.9 |
| | 6-10 times | .8 | .0 | .0 | .0 | .0 | .0 |
| | 11+ times | 1.5 | .0 | .0 | 1.0 | .0 | .0 |

**Perceived Risks of Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How much do you think people risk harming themselves if they...? | | Grade | | | | | |
|--|---------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q16 Smoke 1+ pack cigarettes per day | No risk | 14.1 | 4.7 | 6.6 | 7.7 | 7.5 | 8.1 |
| | Slight risk | 8.9 | 6.7 | 9.9 | 8.7 | 9.3 | 6.8 |
| | Moderate risk | 26.7 | 26.8 | 26.3 | 28.8 | 26.2 | 33.8 |
| | Great risk | 50.4 | 61.7 | 57.2 | 54.8 | 57.0 | 51.4 |
| Q16 Try marijuana once or twice | No risk | 25.9 | 19.6 | 20.0 | 43.3 | 47.7 | 54.1 |
| | Slight risk | 25.2 | 34.5 | 36.7 | 25.0 | 24.3 | 23.0 |
| | Moderate risk | 20.0 | 18.2 | 20.7 | 14.4 | 14.0 | 10.8 |
| | Great risk | 28.9 | 27.7 | 22.7 | 17.3 | 14.0 | 12.2 |
| Q16 Smoke marijuana once or twice per week | No risk | 22.7 | 14.9 | 17.4 | 30.4 | 38.5 | 37.0 |
| | Slight risk | 18.2 | 14.9 | 17.4 | 20.6 | 19.2 | 19.2 |
| | Moderate risk | 21.2 | 34.5 | 30.9 | 22.5 | 25.0 | 24.7 |
| | Great risk | 37.9 | 35.8 | 34.2 | 26.5 | 17.3 | 19.2 |
| Q16 Have 1-2 alcoholic drinks every day | No risk | 15.7 | 15.5 | 11.7 | 14.6 | 15.1 | 17.8 |
| | Slight risk | 31.3 | 29.7 | 24.8 | 28.2 | 37.7 | 37.0 |
| | Moderate risk | 22.4 | 23.6 | 37.2 | 34.0 | 24.5 | 28.8 |
| | Great risk | 30.6 | 31.1 | 26.2 | 23.3 | 22.6 | 16.4 |
| Q16 Binge drink once or twice a week | No risk | 12.7 | 5.4 | 10.6 | 7.7 | 9.4 | 12.3 |
| | Slight risk | 14.2 | 16.3 | 14.6 | 18.3 | 18.9 | 12.3 |

**Perceived Risks of Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How much do you think people risk harming themselves if they...? | | Grade | | | | | |
|--|---------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q16 Misuse prescription drugs | Moderate risk | 28.4 | 32.0 | 29.8 | 30.8 | 38.7 | 39.7 |
| | Great risk | 44.8 | 46.3 | 45.0 | 43.3 | 33.0 | 35.6 |
| | No risk | 11.3 | 6.1 | 5.4 | 5.8 | 8.4 | 6.9 |
| | Slight risk | 3.0 | 2.0 | 6.0 | 3.8 | 8.4 | 4.2 |
| | Moderate risk | 16.5 | 24.3 | 20.1 | 26.0 | 23.4 | 27.8 |
| | Great risk | 69.2 | 67.6 | 68.5 | 64.4 | 59.8 | 61.1 |

**Favorable Attitudes Toward Antisocial Behavior
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How wrong do you think it is for someone your age to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q17 Take a gun to school | Very wrong | 91.4 | 91.3 | 86.4 | 87.5 | 91.7 | 78.4 |
| | Wrong | 5.0 | 6.7 | 11.0 | 9.6 | 6.4 | 10.8 |
| | A little bit wrong | 2.9 | .0 | .0 | 1.9 | .9 | 2.7 |
| | Not at all wrong | .7 | 2.0 | 2.6 | 1.0 | .9 | 8.1 |
| Q17 Steal something more than \$5 | Very wrong | 56.2 | 46.0 | 51.3 | 53.9 | 43.1 | 64.9 |
| | Wrong | 30.7 | 38.7 | 32.5 | 33.3 | 41.3 | 29.7 |
| | A little bit wrong | 10.9 | 13.3 | 14.9 | 11.8 | 12.8 | 5.4 |
| | Not at all wrong | 2.2 | 2.0 | 1.3 | 1.0 | 2.8 | .0 |
| Q17 Attack someone | Very wrong | 84.7 | 68.7 | 65.6 | 73.5 | 64.2 | 69.9 |
| | Wrong | 11.7 | 20.0 | 24.7 | 15.7 | 24.8 | 21.9 |
| | A little bit wrong | 3.6 | 8.7 | 7.8 | 10.8 | 7.3 | 5.5 |
| | Not at all wrong | .0 | 2.7 | 1.9 | .0 | 3.7 | 2.7 |
| Q17 Pick a fight | Very wrong | 47.1 | 38.1 | 40.1 | 51.0 | 39.8 | 47.3 |
| | Wrong | 35.5 | 36.7 | 37.5 | 26.5 | 36.1 | 37.8 |
| | A little bit wrong | 14.5 | 18.4 | 19.1 | 19.6 | 19.4 | 10.8 |
| | Not at all wrong | 2.9 | 6.8 | 3.3 | 2.9 | 4.6 | 4.1 |
| Q17 Skip school | Very wrong | 71.9 | 60.7 | 53.9 | 61.2 | 56.9 | 54.1 |
| | Wrong | 19.4 | 27.3 | 38.3 | 27.2 | 31.2 | 31.1 |
| | A little bit wrong | 5.8 | 10.7 | 6.5 | 11.7 | 9.2 | 12.2 |
| | Not at all wrong | 2.9 | 1.3 | 1.3 | .0 | 2.8 | 2.7 |

Favorable Attitudes Toward Drug Use
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| How wrong do you think it is for someone your age to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q17 Drink alcohol regularly | Very wrong | 79.9 | 63.3 | 63.0 | 52.4 | 42.2 | 34.2 |
| | Wrong | 9.4 | 20.0 | 20.8 | 23.3 | 23.9 | 32.9 |
| | A little bit wrong | 7.2 | 12.7 | 11.7 | 19.4 | 22.0 | 16.4 |
| | Not at all wrong | 3.6 | 4.0 | 4.5 | 4.9 | 11.9 | 16.4 |
| Q17 Smoke cigarettes | Very wrong | 80.4 | 72.0 | 66.9 | 53.4 | 50.0 | 41.9 |
| | Wrong | 13.0 | 20.7 | 21.4 | 30.1 | 24.1 | 20.3 |
| | A little bit wrong | 6.5 | 6.7 | 9.1 | 14.6 | 18.5 | 20.3 |
| | Not at all wrong | .0 | .7 | 2.6 | 1.9 | 7.4 | 17.6 |
| Q17 Smoke marijuana | Very wrong | 79.1 | 70.7 | 67.5 | 50.5 | 38.9 | 50.0 |
| | Wrong | 10.1 | 14.7 | 14.9 | 22.3 | 25.0 | 17.6 |
| | A little bit wrong | 5.0 | 9.3 | 7.8 | 12.6 | 16.7 | 10.8 |
| | Not at all wrong | 5.8 | 5.3 | 9.7 | 14.6 | 19.4 | 21.6 |
| Q17 Use illegal drugs | Very wrong | 93.4 | 90.7 | 87.5 | 89.3 | 79.8 | 88.9 |
| | Wrong | 4.4 | 6.7 | 10.5 | 9.7 | 15.6 | 9.7 |
| | A little bit wrong | 1.5 | 1.3 | 1.3 | .0 | 2.8 | 1.4 |
| | Not at all wrong | .7 | 1.3 | .7 | 1.0 | 1.8 | .0 |

**Perceived Peer Approval of Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your friends feel it would be for you to...? | | Grade | | | | | |
|---|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q18 Smoke tobacco | Very wrong | 77.8 | 65.3 | 57.8 | 55.2 | 43.0 | 20.8 |
| | Wrong | 14.8 | 18.0 | 22.7 | 22.9 | 23.4 | 20.8 |
| | A little bit wrong | 2.2 | 9.3 | 8.4 | 9.5 | 16.8 | 16.7 |
| | Not at all wrong | 5.2 | 7.3 | 11.0 | 12.4 | 16.8 | 41.7 |
| Q18 Smoke marijuana | Very wrong | 78.5 | 61.7 | 57.1 | 53.3 | 34.9 | 31.9 |
| | Wrong | 7.4 | 17.4 | 18.2 | 16.2 | 19.3 | 18.1 |
| | A little bit wrong | 6.7 | 10.1 | 9.7 | 9.5 | 18.3 | 23.6 |
| | Not at all wrong | 7.4 | 10.7 | 14.9 | 21.0 | 27.5 | 26.4 |
| Q18 Have 1-2 alcoholic drinks every day | Very wrong | 72.8 | 61.1 | 56.2 | 49.5 | 40.4 | 22.2 |
| | Wrong | 14.7 | 22.1 | 20.9 | 23.8 | 24.8 | 29.2 |
| | A little bit wrong | 8.1 | 9.4 | 7.2 | 13.3 | 19.3 | 19.4 |
| | Not at all wrong | 4.4 | 7.4 | 15.7 | 13.3 | 15.6 | 29.2 |
| Q18 Misuse prescription drugs | Very wrong | 88.8 | 78.5 | 69.9 | 74.3 | 62.4 | 64.8 |
| | Wrong | 7.5 | 14.8 | 20.9 | 21.0 | 20.2 | 21.1 |
| | A little bit wrong | 2.2 | 3.4 | 3.3 | 3.8 | 13.8 | 5.6 |
| | Not at all wrong | 1.5 | 3.4 | 5.9 | 1.0 | 3.7 | 8.5 |

Rewards for Antisocial Involvement
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| What are the chances you would be seen as cool if you...? | | Grade | | | | | |
|---|--------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q19 Smoked cigarettes | Very good chance | 5.3 | 6.8 | 6.0 | 6.7 | 1.9 | 4.2 |
| | Pretty good chance | 2.3 | 2.7 | 6.0 | 3.8 | 3.8 | 5.6 |
| | Some chance | 8.3 | 10.1 | 9.9 | 10.5 | 10.5 | 15.3 |
| | Little chance | 12.0 | 14.2 | 14.6 | 18.1 | 23.8 | 25.0 |
| | No or very little chance | 72.2 | 66.2 | 63.6 | 61.0 | 60.0 | 50.0 |
| Q19 Drank alcohol regularly | Very good chance | 6.1 | 6.0 | 7.9 | 7.6 | 1.9 | 6.9 |
| | Pretty good chance | 3.1 | 5.4 | 7.2 | 5.7 | 3.9 | 11.1 |
| | Some chance | 6.1 | 7.4 | 12.5 | 15.2 | 18.4 | 12.5 |
| | Little chance | 14.5 | 14.1 | 18.4 | 15.2 | 18.4 | 26.4 |
| | No or very little chance | 70.2 | 67.1 | 53.9 | 56.2 | 57.3 | 43.1 |
| Q19 Smoked marijuana | Very good chance | 10.8 | 12.1 | 9.2 | 12.4 | 6.7 | 8.3 |
| | Pretty good chance | 1.5 | 6.7 | 7.9 | 9.5 | 8.6 | 9.7 |
| | Some chance | 10.0 | 3.4 | 14.5 | 10.5 | 12.4 | 19.4 |
| | Little chance | 6.9 | 13.4 | 11.8 | 16.2 | 17.1 | 15.3 |
| | No or very little chance | 70.8 | 64.4 | 56.6 | 51.4 | 55.2 | 47.2 |
| Q19 Carried a gun | Very good chance | 7.7 | 8.8 | 7.9 | 9.5 | 3.8 | 8.3 |
| | Pretty good chance | 3.8 | 2.0 | 4.6 | 3.8 | 1.9 | 4.2 |
| | Some chance | 3.8 | 10.9 | 7.3 | 5.7 | 9.5 | 12.5 |
| | Little chance | 7.7 | 8.8 | 14.6 | 14.3 | 9.5 | 9.7 |
| | No or very little chance | 76.9 | 69.4 | 65.6 | 66.7 | 75.2 | 65.3 |

**Parental Attitudes Favorable Toward Drug Use
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your parents feel it would be for you to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q20 Have 1-2 alcoholic drinks every day | Very wrong | 92.1 | 91.9 | 88.7 | 86.4 | 84.1 | 76.4 |
| | Wrong | 3.6 | 5.4 | 5.3 | 9.7 | 11.2 | 15.3 |
| | A little bit wrong | 1.4 | 1.3 | 4.0 | 2.9 | 2.8 | 5.6 |
| | Not at all wrong | 2.9 | 1.3 | 2.0 | 1.0 | 1.9 | 2.8 |
| Q20 Drink alcohol regularly (at least once or twice a month) | Very wrong | 90.5 | 89.9 | 88.1 | 81.6 | 72.6 | 73.6 |
| | Wrong | 3.6 | 6.0 | 6.0 | 10.7 | 17.0 | 16.7 |
| | A little bit wrong | 2.9 | 2.0 | 4.0 | 5.8 | 5.7 | 6.9 |
| | Not at all wrong | 2.9 | 2.0 | 2.0 | 1.9 | 4.7 | 2.8 |
| Q20 Smoke cigarettes | Very wrong | 92.0 | 93.3 | 89.3 | 86.4 | 78.5 | 70.8 |
| | Wrong | 4.3 | 2.7 | 7.3 | 7.8 | 12.1 | 18.1 |
| | A little bit wrong | 1.4 | 2.0 | 2.7 | 3.9 | 6.5 | 8.3 |
| | Not at all wrong | 2.2 | 2.0 | .7 | 1.9 | 2.8 | 2.8 |
| Q20 Smoke marijuana | Very wrong | 90.6 | 90.6 | 88.1 | 79.6 | 78.5 | 80.3 |
| | Wrong | 5.8 | 6.0 | 4.6 | 13.6 | 9.3 | 9.9 |
| | A little bit wrong | .7 | .7 | 4.6 | 2.9 | 9.3 | 4.2 |
| | Not at all wrong | 2.9 | 2.7 | 2.6 | 3.9 | 2.8 | 5.6 |
| Q20 Use prescription drugs not prescribed to you | Very wrong | 95.7 | 96.0 | 92.0 | 93.1 | 89.7 | 88.9 |
| | Wrong | 2.9 | .7 | 6.0 | 4.9 | 8.4 | 8.3 |
| | A little bit wrong | .0 | 1.3 | 1.3 | .0 | .9 | 1.4 |
| | Not at all wrong | 1.4 | 2.0 | .7 | 2.0 | .9 | 1.4 |

**Parental Attitudes Favorable Toward Antisocial Behavior
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your parents feel it would be for you to...? | | Grade | | | | | |
|---|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q20 Steal something worth more than \$5 | Very wrong | 86.1 | 83.2 | 84.7 | 82.5 | 79.4 | 84.7 |
| | Wrong | 7.3 | 11.4 | 10.0 | 12.6 | 15.9 | 11.1 |
| | A little bit wrong | 2.9 | 3.4 | 4.7 | 2.9 | 3.7 | 2.8 |
| | Not at all wrong | 3.6 | 2.0 | .7 | 1.9 | .9 | 1.4 |
| Q20 Draw graffiti | Very wrong | 90.6 | 85.1 | 82.7 | 84.3 | 82.2 | 86.1 |
| | Wrong | 4.3 | 8.8 | 11.3 | 9.8 | 13.1 | 11.1 |
| | A little bit wrong | 2.2 | 4.7 | 3.3 | 2.9 | 2.8 | .0 |
| | Not at all wrong | 2.9 | 1.4 | 2.7 | 2.9 | 1.9 | 2.8 |
| Q20 Pick a fight with someone | Very wrong | 71.7 | 67.8 | 70.2 | 67.6 | 64.5 | 63.9 |
| | Wrong | 15.2 | 18.8 | 19.9 | 22.5 | 19.6 | 22.2 |
| | A little bit wrong | 8.7 | 10.7 | 6.6 | 6.9 | 9.3 | 9.7 |
| | Not at all wrong | 4.3 | 2.7 | 3.3 | 2.9 | 6.5 | 4.2 |

**Mental Health in the Past Twelve Months
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| During the past 12 months, did you...? | | Grade | | | | | |
|--|-----|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q21 Feel sad or hopeless | No | 79.6 | 79.1 | 84.1 | 81.4 | 72.9 | 76.1 |
| | Yes | 20.4 | 20.9 | 15.9 | 18.6 | 27.1 | 23.9 |
| Q21 Consider attempting suicide | No | 92.7 | 86.5 | 92.8 | 92.2 | 87.7 | 91.5 |
| | Yes | 7.3 | 13.5 | 7.2 | 7.8 | 12.3 | 8.5 |
| Q21 Make a plan about attempting suicide | No | 94.1 | 92.6 | 94.7 | 92.2 | 90.7 | 93.0 |
| | Yes | 5.9 | 7.4 | 5.3 | 7.8 | 9.3 | 7.0 |

Gambling during the Last Twelve Months
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| How often have you bet/gambled for money or valuables in the following ways? | | Grade | | | | | |
|--|------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q22 Card games | Never | 86.9 | 83.8 | 82.8 | 82.5 | 79.2 | 76.4 |
| | Less than once a month | 9.5 | 12.2 | 9.3 | 12.6 | 16.0 | 18.1 |
| | 1-3 times per month | 2.9 | 3.4 | 6.0 | 2.9 | 4.7 | 2.8 |
| | Once a week or more | .7 | .7 | 2.0 | 1.9 | .0 | 2.8 |
| Q22 Personal games of skill | Never | 76.6 | 71.8 | 73.0 | 76.5 | 71.7 | 72.2 |
| | Less than once a month | 10.2 | 15.4 | 11.5 | 10.8 | 15.1 | 19.4 |
| | 1-3 times per month | 8.8 | 8.7 | 8.1 | 3.9 | 7.5 | 5.6 |
| | Once a week or more | 4.4 | 4.0 | 7.4 | 8.8 | 5.7 | 2.8 |
| Q22 Sports | Never | 80.0 | 77.2 | 76.0 | 87.4 | 72.9 | 85.7 |
| | Less than once a month | 11.1 | 10.7 | 12.7 | 3.9 | 14.0 | 11.4 |
| | 1-3 times per month | 4.4 | 9.4 | 6.7 | 6.8 | 6.5 | .0 |
| | Once a week or more | 4.4 | 2.7 | 4.7 | 1.9 | 6.5 | 2.9 |
| Q22 Lottery | Never | 93.4 | 85.8 | 88.1 | 88.2 | 92.5 | 70.8 |
| | Less than once a month | 2.2 | 10.1 | 9.3 | 9.8 | 2.8 | 15.3 |
| | 1-3 times per month | 2.2 | 4.1 | 2.0 | 1.0 | 3.8 | 9.7 |
| | Once a week or more | 2.2 | .0 | .7 | 1.0 | .9 | 4.2 |
| Q22 Bingo | Never | 89.1 | 91.9 | 92.0 | 94.2 | 94.4 | 93.0 |
| | Less than once a month | 8.0 | 6.7 | 4.7 | 4.9 | 4.7 | 7.0 |
| | 1-3 times per month | .7 | 1.3 | 3.3 | .0 | .9 | .0 |
| | Once a week or more | 2.2 | .0 | .0 | 1.0 | .0 | .0 |
| Q22 Online gambling | Never | 96.3 | 91.3 | 92.1 | 92.2 | 92.5 | 97.2 |
| | Less than once a month | 2.9 | 4.7 | 5.3 | 1.9 | 1.9 | .0 |
| | 1-3 times per month | .7 | 3.4 | .7 | 3.9 | 4.7 | 1.4 |
| | Once a week or more | .0 | .7 | 2.0 | 1.9 | .9 | 1.4 |
| Q22 Personal challenges | Never | 81.6 | 72.0 | 70.9 | 74.8 | 65.4 | 73.6 |
| | Less than once a month | 7.4 | 18.0 | 14.6 | 15.5 | 16.8 | 11.1 |
| | 1-3 times per month | 8.8 | 5.3 | 9.9 | 6.8 | 12.1 | 8.3 |
| | Once a week or more | 2.2 | 4.7 | 4.6 | 2.9 | 5.6 | 6.9 |
| Q22 Gambled in other ways | Never | 91.9 | 81.6 | 81.9 | 81.6 | 78.5 | 78.9 |
| | Less than once a month | 6.6 | 12.2 | 12.1 | 11.7 | 9.3 | 16.9 |
| | 1-3 times per month | .7 | 2.7 | 2.7 | 2.9 | 9.3 | .0 |
| | Once a week or more | .7 | 3.4 | 3.4 | 3.9 | 2.8 | 4.2 |

Consequences of Gambling
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| How often have you experienced the following consequences due to your gambling? | | Grade | | | | | |
|---|-----------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q23 Academic problems | I do not gamble | 71.9 | 68.5 | 70.9 | 73.3 | 67.3 | 61.1 |
| | Never | 25.9 | 30.9 | 26.5 | 26.7 | 31.8 | 37.5 |
| | Occasionally | 2.2 | .7 | 1.3 | .0 | .9 | 1.4 |
| | Frequently | .0 | .0 | 1.3 | .0 | .0 | .0 |
| Q23 Issues with the legal system | I do not gamble | 73.1 | 67.1 | 70.7 | 72.5 | 67.3 | 61.1 |
| | Never | 26.9 | 30.9 | 27.3 | 27.5 | 31.8 | 37.5 |
| | Occasionally | .0 | 2.0 | 2.0 | .0 | .9 | 1.4 |
| | Frequently | .0 | .0 | 1.3 | .0 | .0 | .0 |
| Q23 Lost possessions or money | I do not gamble | 72.6 | 67.1 | 69.8 | 72.3 | 67.3 | 61.1 |
| | Never | 17.8 | 23.5 | 19.5 | 18.8 | 20.6 | 31.9 |
| | Occasionally | 8.9 | 8.7 | 10.7 | 8.9 | 12.1 | 5.6 |
| | Frequently | .7 | .7 | .0 | .0 | .0 | 1.4 |
| Q23 Felt bad about gambling | I do not gamble | 72.6 | 67.1 | 70.0 | 71.6 | 68.2 | 61.1 |
| | Never | 21.5 | 29.5 | 27.3 | 27.5 | 29.9 | 36.1 |
| | Occasionally | 3.7 | 2.7 | 2.0 | .0 | 1.9 | 2.8 |
| | Frequently | 2.2 | .7 | .7 | 1.0 | .0 | .0 |
| Q23 Poor health | I do not gamble | 73.3 | 65.8 | 70.7 | 71.6 | 67.3 | 61.1 |
| | Never | 25.9 | 30.9 | 27.3 | 27.5 | 31.8 | 38.9 |
| | Occasionally | .7 | 3.4 | 1.3 | 1.0 | .9 | .0 |
| | Frequently | .0 | .0 | .7 | .0 | .0 | .0 |
| Q23 Issues with friends and family | I do not gamble | 72.7 | 66.9 | 70.0 | 71.6 | 67.3 | 61.1 |
| | Never | 22.7 | 27.7 | 26.7 | 26.5 | 29.0 | 37.5 |
| | Occasionally | 3.8 | 4.7 | 2.7 | 1.0 | 3.7 | 1.4 |
| | Frequently | .8 | .7 | .7 | 1.0 | .0 | .0 |

School Opportunities for Prosocial Involvement
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q24 Students have chances to help decide class activities and rules | YES! | 21.7 | 24.8 | 24.3 | 26.9 | 31.4 | 28.8 |
| | yes | 39.5 | 45.6 | 46.6 | 38.5 | 41.9 | 38.4 |
| | no | 24.8 | 25.5 | 18.2 | 20.2 | 18.1 | 20.5 |
| | NO! | 14.0 | 4.0 | 10.8 | 14.4 | 8.6 | 12.3 |
| Q24 Teachers ask me to work on special class projects | YES! | 21.5 | 15.5 | 14.9 | 18.3 | 15.9 | 21.9 |
| | yes | 35.4 | 46.6 | 40.5 | 44.2 | 43.9 | 42.5 |
| | no | 30.0 | 31.1 | 38.5 | 26.0 | 35.5 | 21.9 |
| | NO! | 13.1 | 6.8 | 6.1 | 11.5 | 4.7 | 13.7 |
| Q24 Students have chances to get involved in activities outside of class | YES! | 64.8 | 62.4 | 60.1 | 50.0 | 54.7 | 57.5 |
| | yes | 29.7 | 26.2 | 33.1 | 39.2 | 37.7 | 27.4 |
| | no | 3.1 | 9.4 | 6.1 | 3.9 | 6.6 | 11.0 |
| | NO! | 2.3 | 2.0 | .7 | 6.9 | .9 | 4.1 |
| Q24 Students have chances to talk with teacher one-on-one | YES! | 51.6 | 44.6 | 35.1 | 36.3 | 42.9 | 41.1 |
| | yes | 25.8 | 35.8 | 51.4 | 45.1 | 46.7 | 39.7 |
| | no | 14.8 | 14.9 | 10.8 | 8.8 | 7.6 | 15.1 |
| | NO! | 7.8 | 4.7 | 2.7 | 9.8 | 2.9 | 4.1 |
| Q24 Students have chances to be a part of class discussions or activities | YES! | 47.7 | 29.7 | 27.2 | 32.4 | 35.8 | 30.6 |
| | yes | 39.1 | 56.6 | 58.5 | 49.0 | 47.2 | 47.2 |
| | no | 8.6 | 11.7 | 9.5 | 10.8 | 13.2 | 15.3 |
| | NO! | 4.7 | 2.1 | 4.8 | 7.8 | 3.8 | 6.9 |

**School Rewards for Prosocial Involvement
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q24 Teachers notice when doing a good job and let me know | YES! | 35.7 | 31.3 | 30.6 | 30.7 | 27.6 | 30.6 |
| | yes | 35.7 | 45.6 | 43.1 | 39.6 | 50.5 | 38.9 |
| | no | 16.7 | 17.7 | 21.5 | 15.8 | 16.2 | 19.4 |
| | NO! | 11.9 | 5.4 | 4.9 | 13.9 | 5.7 | 11.1 |
| Q24 I feel safe at school | YES! | 48.5 | 44.9 | 34.5 | 40.8 | 43.9 | 42.5 |
| | yes | 36.2 | 36.1 | 46.6 | 40.8 | 45.8 | 42.5 |
| | no | 11.5 | 12.9 | 13.5 | 6.8 | 5.6 | 9.6 |
| | NO! | 3.8 | 6.1 | 5.4 | 11.7 | 4.7 | 5.5 |
| Q24 School lets parents know when I do well | YES! | 23.3 | 17.2 | 14.3 | 19.4 | 21.5 | 19.2 |
| | yes | 24.0 | 27.6 | 34.0 | 36.9 | 30.8 | 26.0 |
| | no | 30.2 | 32.4 | 34.0 | 24.3 | 33.6 | 27.4 |
| | NO! | 22.5 | 22.8 | 17.7 | 19.4 | 14.0 | 27.4 |
| Q24 Teachers praise me when I work hard in school | YES! | 23.4 | 17.8 | 20.5 | 21.4 | 25.2 | 25.0 |
| | yes | 41.4 | 41.1 | 42.5 | 41.7 | 37.4 | 31.9 |
| | no | 18.0 | 28.1 | 26.0 | 17.5 | 30.8 | 27.8 |
| | NO! | 17.2 | 13.0 | 11.0 | 19.4 | 6.5 | 15.3 |

**Academic Failure
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---|------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q28 What were your grades like last year? | Mostly A's | 34.6 | 27.3 | 28.4 | 15.7 | 21.7 | 20.5 |
| | Mostly B's | 36.9 | 36.7 | 44.6 | 44.1 | 44.3 | 35.6 |
| | Mostly C's | 19.2 | 28.1 | 19.6 | 32.4 | 30.2 | 30.1 |
| | Mostly D's | 6.2 | 5.0 | 6.1 | 6.9 | 2.8 | 11.0 |
| | Mostly F's | 3.1 | 2.9 | 1.4 | 1.0 | .9 | 2.7 |
| Q24 My grades are better than most students | YES! | 20.6 | 21.9 | 21.5 | 23.5 | 22.4 | 27.8 |
| | yes | 40.5 | 38.4 | 47.9 | 49.0 | 48.6 | 34.7 |
| | no | 29.4 | 32.2 | 23.6 | 17.6 | 22.4 | 26.4 |
| | NO! | 9.5 | 7.5 | 6.9 | 9.8 | 6.5 | 11.1 |

Low Commitment to School
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|----------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q26 Days of school skipped during last month | None | 90.8 | 84.7 | 83.9 | 82.5 | 78.0 | 63.5 |
| | 1 day | 4.6 | 9.7 | 6.0 | 10.7 | 8.3 | 17.6 |
| | 2 days | .8 | 1.4 | 3.4 | 1.9 | 5.5 | 8.1 |
| | 3 days | 2.3 | 1.4 | 1.3 | 2.9 | 4.6 | 5.4 |
| | 4-5 days | .8 | .7 | 4.0 | 1.9 | 1.8 | 4.1 |
| | 6-10 days | .8 | 2.1 | .7 | .0 | .9 | .0 |
| | 11 or more days | .0 | .0 | .7 | .0 | .9 | 1.4 |
| Q27 How interesting are courses | Very interesting | 12.6 | 10.6 | 8.1 | 11.8 | 12.0 | 8.2 |
| | Quite interesting | 22.8 | 17.6 | 26.2 | 25.5 | 22.2 | 17.8 |
| | Fairly interesting | 24.4 | 35.2 | 34.2 | 32.4 | 35.2 | 41.1 |
| | Slightly boring | 25.2 | 21.8 | 16.8 | 18.6 | 18.5 | 11.0 |
| | Very boring | 15.0 | 14.8 | 14.8 | 11.8 | 12.0 | 21.9 |
| Q29 Feel schoolwork is meaningful | Almost always | 24.2 | 16.9 | 7.2 | 16.5 | 9.6 | 7.5 |
| | Often | 29.0 | 28.7 | 31.7 | 30.9 | 24.0 | 25.4 |
| | Sometimes | 22.6 | 33.1 | 38.8 | 22.7 | 35.6 | 29.9 |
| | Seldom | 13.7 | 13.2 | 15.8 | 17.5 | 23.1 | 13.4 |
| | Never | 10.5 | 8.1 | 6.5 | 12.4 | 7.7 | 23.9 |
| Q30 Importance of school to later life | Very important | 36.8 | 33.6 | 20.7 | 21.6 | 15.2 | 14.5 |
| | Quite important | 28.0 | 16.1 | 24.3 | 24.7 | 20.0 | 15.9 |
| | Fairly important | 22.4 | 24.1 | 29.3 | 22.7 | 22.9 | 30.4 |
| | Slightly important | 8.8 | 16.8 | 18.6 | 17.5 | 29.5 | 24.6 |
| | Not at all important | 4.0 | 9.5 | 7.1 | 13.4 | 12.4 | 14.5 |
| Q25 Enjoy being in school | Never | 16.0 | 13.7 | 14.9 | 10.8 | 9.3 | 24.3 |
| | Seldom | 12.2 | 16.4 | 13.5 | 16.7 | 15.9 | 13.5 |
| | Sometimes | 28.2 | 36.3 | 29.7 | 33.3 | 36.4 | 27.0 |
| | Often | 24.4 | 19.9 | 30.4 | 31.4 | 24.3 | 24.3 |
| | A lot | 19.1 | 13.7 | 11.5 | 7.8 | 14.0 | 10.8 |
| Q25 Hate being in school | Never | 14.6 | 6.2 | 10.8 | 5.9 | 7.5 | 13.5 |
| | Seldom | 20.8 | 20.7 | 20.3 | 28.4 | 22.6 | 21.6 |
| | Sometimes | 26.2 | 40.0 | 33.8 | 32.4 | 34.9 | 24.3 |
| | Often | 15.4 | 13.1 | 14.9 | 20.6 | 22.6 | 17.6 |
| | A lot | 23.1 | 20.0 | 20.3 | 12.7 | 12.3 | 23.0 |
| Q25 Try to do your best work in school | Never | .8 | .7 | 1.4 | 2.9 | .9 | 8.1 |
| | Seldom | 2.3 | 6.2 | 3.4 | 2.9 | 9.3 | 1.4 |
| | Sometimes | 15.3 | 25.3 | 21.6 | 26.5 | 25.2 | 28.4 |
| | Often | 27.5 | 30.1 | 35.8 | 32.4 | 39.3 | 35.1 |
| | A lot | 54.2 | 37.7 | 37.8 | 35.3 | 25.2 | 27.0 |

Poor Family Management
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Rules in my family are clear | YES! | 72.3 | 60.1 | 60.1 | 62.2 | 56.1 | 61.6 |
| | yes | 23.1 | 35.7 | 34.5 | 33.7 | 36.4 | 32.9 |
| | no | 3.8 | 2.1 | 4.7 | 3.1 | 5.6 | 5.5 |
| | NO! | .8 | 2.1 | .7 | 1.0 | 1.9 | .0 |
| Q31 Parents ask about homework | YES! | 68.2 | 50.7 | 52.7 | 53.6 | 41.7 | 45.2 |
| | yes | 25.0 | 35.9 | 36.5 | 30.9 | 32.4 | 31.5 |
| | no | 5.3 | 9.2 | 9.5 | 10.3 | 21.3 | 19.2 |
| | NO! | 1.5 | 4.2 | 1.4 | 5.2 | 4.6 | 4.1 |
| Q31 Parents know where I am and who I am with | YES! | 70.0 | 61.5 | 66.7 | 71.1 | 56.5 | 63.0 |
| | yes | 25.4 | 28.7 | 32.0 | 24.7 | 35.2 | 31.5 |
| | no | 3.1 | 6.3 | 1.4 | 3.1 | 5.6 | 5.5 |
| | NO! | 1.5 | 3.5 | .0 | 1.0 | 2.8 | .0 |
| Q31 Family has clear rules about alcohol and drug use | YES! | 83.3 | 71.8 | 75.7 | 73.2 | 63.0 | 68.9 |
| | yes | 12.7 | 21.1 | 22.3 | 20.6 | 27.8 | 24.3 |
| | no | 3.2 | 5.6 | 1.4 | 4.1 | 6.5 | 6.8 |
| | NO! | .8 | 1.4 | .7 | 2.1 | 2.8 | .0 |
| Q32 Parents know if you come home late | YES! | 64.6 | 59.2 | 59.0 | 60.0 | 47.2 | 53.4 |
| | yes | 24.4 | 29.6 | 31.3 | 31.6 | 42.5 | 39.7 |
| | no | 9.4 | 7.0 | 7.6 | 6.3 | 7.5 | 6.8 |
| | NO! | 1.6 | 4.2 | 2.1 | 2.1 | 2.8 | .0 |
| Q32 Parents would catch you drinking | YES! | 65.6 | 50.4 | 47.5 | 46.3 | 37.7 | 27.8 |
| | yes | 17.6 | 32.4 | 28.4 | 30.5 | 26.4 | 23.6 |
| | no | 10.4 | 13.7 | 19.9 | 20.0 | 25.5 | 44.4 |
| | NO! | 6.4 | 3.6 | 4.3 | 3.2 | 10.4 | 4.2 |
| Q32 Parents would catch you if you carried a gun | YES! | 82.5 | 65.9 | 66.2 | 62.5 | 63.2 | 47.2 |
| | yes | 8.7 | 21.0 | 24.6 | 22.9 | 21.7 | 25.0 |
| | no | 4.0 | 8.7 | 6.3 | 11.5 | 9.4 | 23.6 |
| | NO! | 4.8 | 4.3 | 2.8 | 3.1 | 5.7 | 4.2 |
| Q32 Parents would catch you if you skipped school | YES! | 76.2 | 66.2 | 62.5 | 62.9 | 60.4 | 47.9 |
| | yes | 15.9 | 22.3 | 32.6 | 26.8 | 28.3 | 33.8 |
| | no | 4.0 | 7.9 | 2.8 | 8.2 | 9.4 | 15.5 |
| | NO! | 4.0 | 3.6 | 2.1 | 2.1 | 1.9 | 2.8 |

Family Conflict
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Family argues over and over about same thing | YES! | 22.7 | 15.4 | 15.8 | 23.7 | 29.2 | 24.3 |
| | yes | 17.2 | 25.2 | 30.1 | 26.8 | 26.4 | 21.6 |
| | no | 34.4 | 39.9 | 38.4 | 38.1 | 34.9 | 41.9 |
| | NO! | 25.8 | 19.6 | 15.8 | 11.3 | 9.4 | 12.2 |
| Q31 Family has serious arguments | YES! | 21.7 | 10.6 | 13.6 | 18.8 | 24.3 | 23.0 |
| | yes | 10.9 | 18.3 | 21.1 | 20.8 | 20.6 | 18.9 |
| | no | 31.0 | 43.7 | 42.9 | 37.5 | 35.5 | 36.5 |
| | NO! | 36.4 | 27.5 | 22.4 | 22.9 | 19.6 | 21.6 |
| Q31 Family members often insult each other | YES! | 19.0 | 11.3 | 15.1 | 14.4 | 21.7 | 17.6 |
| | yes | 11.1 | 19.1 | 26.7 | 22.7 | 25.5 | 23.0 |
| | no | 30.2 | 39.7 | 33.6 | 35.1 | 34.0 | 27.0 |
| | NO! | 39.7 | 29.8 | 24.7 | 27.8 | 18.9 | 32.4 |

Family Opportunities for Prosocial Involvement
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Parents ask me before most family decisions made | YES! | 40.5 | 29.1 | 25.2 | 25.8 | 33.6 | 34.2 |
| | yes | 31.0 | 41.1 | 42.9 | 39.2 | 37.4 | 34.2 |
| | no | 17.5 | 17.0 | 23.1 | 24.7 | 20.6 | 20.5 |
| | NO! | 11.1 | 12.8 | 8.8 | 10.3 | 8.4 | 11.0 |
| Q32 I can ask parents for help if I have problem | YES! | 63.3 | 55.6 | 54.9 | 58.8 | 48.6 | 56.2 |
| | yes | 21.1 | 30.3 | 34.0 | 28.9 | 40.2 | 31.5 |
| | no | 8.6 | 10.6 | 9.0 | 8.2 | 7.5 | 8.2 |
| | NO! | 7.0 | 3.5 | 2.1 | 4.1 | 3.7 | 4.1 |
| Q32 Parents give me chances for fun with them | YES! | 45.4 | 41.8 | 41.5 | 43.3 | 38.1 | 41.1 |
| | yes | 32.3 | 39.7 | 37.3 | 36.1 | 34.3 | 37.0 |
| | no | 16.2 | 12.1 | 19.7 | 16.5 | 21.0 | 20.5 |
| | NO! | 6.2 | 6.4 | 1.4 | 4.1 | 6.7 | 1.4 |

**Family Rewards for Prosocial Involvement
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|---|--------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q32 I enjoy spending time with mom | YES! | 73.4 | 61.9 | 60.6 | 67.7 | 52.4 | 58.9 |
| | yes | 18.0 | 28.8 | 30.3 | 21.9 | 36.2 | 28.8 |
| | no | 3.9 | 6.5 | 7.0 | 8.3 | 5.7 | 6.8 |
| | NO! | 4.7 | 2.9 | 2.1 | 2.1 | 5.7 | 5.5 |
| Q32 I Enjoy spending time with dad | YES! | 69.0 | 56.8 | 64.8 | 60.6 | 50.5 | 52.1 |
| | yes | 15.1 | 30.2 | 26.1 | 21.3 | 37.1 | 32.9 |
| | no | 7.1 | 5.0 | 3.5 | 9.6 | 5.7 | 4.1 |
| | NO! | 8.7 | 7.9 | 5.6 | 8.5 | 6.7 | 11.0 |
| Q33 Parents notice when I am doing a good job | All the time | 46.8 | 33.3 | 44.4 | 34.0 | 35.2 | 44.6 |
| | Often | 31.7 | 39.7 | 27.8 | 39.2 | 32.4 | 23.0 |
| | Sometimes | 17.5 | 18.4 | 23.6 | 19.6 | 23.1 | 24.3 |
| | Never | 4.0 | 8.5 | 4.2 | 7.2 | 9.3 | 8.1 |
| Q33 Parents tell me they are proud of me | All the time | 45.6 | 38.8 | 38.6 | 39.2 | 33.3 | 41.7 |
| | Often | 33.6 | 28.8 | 33.1 | 33.0 | 34.3 | 27.8 |
| | Sometimes | 15.2 | 23.0 | 22.1 | 22.7 | 25.0 | 20.8 |
| | Never | 5.6 | 9.4 | 6.2 | 5.2 | 7.4 | 9.7 |

Interaction with Antisocial Peers
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)

| In the past year (12 months), how many of your best friends have...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q35 Been suspended | None of my friends | 68.5 | 73.7 | 83.2 | 86.5 | 75.0 | 86.1 |
| | 1 of my friends | 25.0 | 17.5 | 10.5 | 7.3 | 20.4 | 6.9 |
| | 2 of my friends | 4.0 | 5.8 | 2.8 | 3.1 | 3.7 | 1.4 |
| | 3 of my friends | .8 | 1.5 | 1.4 | .0 | .9 | .0 |
| | 4 of my friends | 1.6 | 1.5 | 2.1 | 3.1 | .0 | 5.6 |
| Q35 Carried a gun | None of my friends | 95.9 | 93.4 | 91.1 | 99.0 | 96.3 | 85.1 |
| | 1 of my friends | 3.3 | 4.4 | 3.4 | 1.0 | 3.7 | 6.8 |
| | 2 of my friends | .8 | 1.5 | 2.7 | .0 | .0 | 2.7 |
| | 3 of my friends | .0 | .0 | .7 | .0 | .0 | .0 |
| | 4 of my friends | .0 | .7 | 2.1 | .0 | .0 | 5.4 |
| Q35 Sold drugs | None of my friends | 97.6 | 90.4 | 86.3 | 91.8 | 84.1 | 83.8 |
| | 1 of my friends | 1.6 | 4.4 | 6.8 | 4.1 | 10.3 | 8.1 |
| | 2 of my friends | .0 | 1.5 | 1.4 | 2.1 | 4.7 | 2.7 |
| | 3 of my friends | .0 | 1.5 | .7 | 1.0 | .9 | 1.4 |
| | 4 of my friends | .8 | 2.2 | 4.8 | 1.0 | .0 | 4.1 |
| Q35 Stolen a vehicle | None of my friends | 97.6 | 94.1 | 93.1 | 99.0 | 97.2 | 93.2 |
| | 1 of my friends | 1.6 | 2.2 | 2.1 | .0 | 1.9 | 4.1 |
| | 2 of my friends | .0 | 1.5 | 2.8 | .0 | .0 | .0 |
| | 3 of my friends | .8 | .7 | .0 | 1.0 | .9 | .0 |
| | 4 of my friends | .0 | 1.5 | 2.1 | .0 | .0 | 2.7 |
| Q35 Been arrested | None of my friends | 93.5 | 89.0 | 88.2 | 95.9 | 88.8 | 77.0 |
| | 1 of my friends | 4.1 | 7.4 | 5.6 | 2.1 | 7.5 | 16.2 |
| | 2 of my friends | .8 | .0 | 2.8 | 1.0 | 3.7 | 4.1 |
| | 3 of my friends | .0 | 2.2 | .0 | .0 | .0 | .0 |
| | 4 of my friends | 1.6 | 1.5 | 3.5 | 1.0 | .0 | 2.7 |
| Q35 Dropped out of school | None of my friends | 95.1 | 94.1 | 95.9 | 99.0 | 95.3 | 90.4 |
| | 1 of my friends | 3.3 | 3.0 | 2.8 | .0 | 2.8 | 6.8 |
| | 2 of my friends | .8 | 1.5 | .7 | 1.0 | .0 | .0 |
| | 3 of my friends | .8 | .0 | .0 | .0 | .0 | 1.4 |
| | 4 of my friends | .0 | 1.5 | .7 | .0 | 1.9 | 1.4 |

Interaction with Prosocial Peers
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)

| In the past year (12 months), how many of your best friends have...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q35 Participated in school activities | None of my friends | 32.0 | 33.6 | 29.7 | 30.9 | 26.9 | 36.1 |
| | 1 of my friends | 11.5 | 14.9 | 10.3 | 12.4 | 9.6 | 5.6 |
| | 2 of my friends | 12.3 | 6.7 | 17.9 | 9.3 | 10.6 | 13.9 |
| | 3 of my friends | 6.6 | 6.7 | 9.0 | 15.5 | 11.5 | 9.7 |
| | 4 of my friends | 37.7 | 38.1 | 33.1 | 32.0 | 41.3 | 34.7 |
| Q35 Made a commitment to stay drug-free | None of my friends | 38.7 | 36.8 | 37.9 | 40.0 | 45.7 | 50.0 |
| | 1 of my friends | 5.9 | 12.0 | 5.5 | 6.3 | 13.3 | 8.3 |
| | 2 of my friends | 3.4 | 3.8 | 7.6 | 10.5 | 11.4 | 9.7 |
| | 3 of my friends | 3.4 | 9.0 | 8.3 | 13.7 | 8.6 | 6.9 |
| | 4 of my friends | 48.7 | 38.3 | 40.7 | 29.5 | 21.0 | 25.0 |
| Q35 Liked school | None of my friends | 36.1 | 41.8 | 40.0 | 39.6 | 37.7 | 44.4 |
| | 1 of my friends | 18.0 | 11.9 | 9.7 | 11.5 | 15.1 | 16.7 |
| | 2 of my friends | 18.0 | 18.7 | 17.9 | 17.7 | 18.9 | 11.1 |
| | 3 of my friends | 6.6 | 10.4 | 9.7 | 14.6 | 13.2 | 13.9 |
| | 4 of my friends | 21.3 | 17.2 | 22.8 | 16.7 | 15.1 | 13.9 |
| Q35 Regularly attended religious activities | None of my friends | 34.2 | 40.5 | 46.2 | 37.2 | 41.1 | 47.9 |
| | 1 of my friends | 16.7 | 19.1 | 20.3 | 14.9 | 24.3 | 17.8 |
| | 2 of my friends | 15.0 | 18.3 | 14.7 | 21.3 | 18.7 | 13.7 |
| | 3 of my friends | 10.0 | 11.5 | 9.1 | 10.6 | 4.7 | 9.6 |
| | 4 of my friends | 24.2 | 10.7 | 9.8 | 16.0 | 11.2 | 11.0 |
| Q35 Tried to do well in school | None of my friends | 15.6 | 15.4 | 17.9 | 19.6 | 16.8 | 21.9 |
| | 1 of my friends | 6.6 | 9.6 | 6.9 | 7.2 | 3.7 | 6.8 |
| | 2 of my friends | 11.5 | 8.8 | 15.2 | 13.4 | 18.7 | 9.6 |
| | 3 of my friends | 13.9 | 19.1 | 13.1 | 18.6 | 15.9 | 24.7 |
| | 4 of my friends | 52.5 | 47.1 | 46.9 | 41.2 | 44.9 | 37.0 |

Community Laws and Norms Favorable to Drug Use
ABC School Corporation Male Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q36 If a kid drank alcohol in your neighborhood, would he or she be caught by police? | YES! | 39.5 | 22.2 | 21.8 | 19.6 | 13.1 | 9.6 |
| | yes | 21.0 | 31.9 | 19.0 | 16.5 | 20.6 | 21.9 |
| | no | 28.6 | 27.4 | 38.1 | 42.3 | 43.9 | 37.0 |
| | NO! | 10.9 | 18.5 | 21.1 | 21.6 | 22.4 | 31.5 |
| Q36 If a kid smoked marijuana in your neighborhood, would he or she be caught by police? | YES! | 45.8 | 32.1 | 22.4 | 20.6 | 15.0 | 12.3 |
| | yes | 17.8 | 29.1 | 23.8 | 17.5 | 19.6 | 16.4 |
| | no | 24.6 | 23.9 | 35.4 | 41.2 | 43.0 | 43.8 |
| | NO! | 11.9 | 14.9 | 18.4 | 20.6 | 22.4 | 27.4 |
| Q36 If a kid carried a handgun in your neighborhood, would he or she be caught by police? | YES! | 48.3 | 36.6 | 26.0 | 23.7 | 21.5 | 12.3 |
| | yes | 24.6 | 27.6 | 32.9 | 30.9 | 32.7 | 32.9 |
| | no | 16.1 | 23.1 | 24.7 | 28.9 | 30.8 | 27.4 |
| | NO! | 11.0 | 12.7 | 16.4 | 16.5 | 15.0 | 27.4 |
| Q36 If a kid smoked a cigarette in your neighborhood, would he or she be caught by police? | YES! | 36.4 | 20.1 | 20.4 | 16.5 | 12.1 | 8.2 |
| | yes | 22.0 | 27.6 | 19.0 | 15.5 | 16.8 | 16.4 |
| | no | 26.3 | 32.8 | 39.5 | 41.2 | 38.3 | 34.2 |
| | NO! | 15.3 | 19.4 | 21.1 | 26.8 | 32.7 | 41.1 |
| Q38 Adults in your neighborhood think about youth marijuana use | Very wrong | 74.2 | 68.2 | 63.3 | 63.3 | 46.3 | 50.7 |
| | Wrong | 15.0 | 20.5 | 21.8 | 20.4 | 28.7 | 24.7 |
| | A little bit wrong | 5.8 | 6.1 | 9.5 | 9.2 | 17.6 | 15.1 |
| | Not at all wrong | 5.0 | 5.3 | 5.4 | 7.1 | 7.4 | 9.6 |
| Q38 Adults in your neighborhood think about youth alcohol use | Very wrong | 67.2 | 64.7 | 56.5 | 56.1 | 36.4 | 39.7 |
| | Wrong | 14.3 | 16.5 | 23.1 | 27.6 | 36.4 | 24.7 |
| | A little bit wrong | 13.4 | 12.0 | 12.2 | 7.1 | 16.8 | 24.7 |
| | Not at all wrong | 5.0 | 6.8 | 8.2 | 9.2 | 10.3 | 11.0 |
| Q38 Adults in your neighborhood think about youth cigarettes use | Very wrong | 67.2 | 65.2 | 58.6 | 52.0 | 45.4 | 36.6 |
| | Wrong | 19.8 | 17.4 | 21.4 | 26.5 | 29.6 | 26.8 |
| | A little bit wrong | 9.5 | 12.9 | 14.5 | 12.2 | 16.7 | 18.3 |
| | Not at all wrong | 3.4 | 4.5 | 5.5 | 9.2 | 8.3 | 18.3 |

**Community Rewards for Prosocial Involvement
ABC School Corporation Male Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q37 Neighbors notice good job and let me know | YES! | 15.8 | 12.1 | 8.8 | 9.3 | 12.0 | 12.3 |
| | yes | 13.3 | 18.2 | 21.1 | 16.5 | 13.0 | 19.2 |
| | no | 27.5 | 21.2 | 40.8 | 50.5 | 36.1 | 26.0 |
| | NO! | 43.3 | 48.5 | 29.3 | 23.7 | 38.9 | 42.5 |
| Q37 There are people in my neighborhood who are proud of me | YES! | 19.3 | 14.2 | 11.6 | 13.4 | 13.0 | 16.4 |
| | yes | 16.8 | 25.4 | 28.6 | 33.0 | 19.4 | 27.4 |
| | no | 26.1 | 17.2 | 33.3 | 32.0 | 30.6 | 23.3 |
| | NO! | 37.8 | 43.3 | 26.5 | 21.6 | 37.0 | 32.9 |
| Q37 There are people in my neighborhood who encourage me to do my best | YES! | 24.6 | 17.3 | 18.5 | 17.5 | 13.0 | 19.2 |
| | yes | 22.9 | 25.6 | 27.4 | 29.9 | 24.1 | 27.4 |
| | no | 18.6 | 15.8 | 26.0 | 33.0 | 25.0 | 23.3 |
| | NO! | 33.9 | 41.4 | 28.1 | 19.6 | 38.0 | 30.1 |

Personal and Family Information
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---------------------------------|----------------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q2 Hispanic/Latino | Non-Hispanic | 70.3 | 76.0 | 81.8 | 88.0 | 81.1 | 86.7 |
| | Hispanic | 29.7 | 24.0 | 18.2 | 12.0 | 18.9 | 13.3 |
| Q3 Race | White | 77.6 | 74.6 | 83.0 | 86.8 | 87.3 | 89.0 |
| | Black/African American | .7 | 1.4 | 1.5 | 1.9 | .0 | 2.7 |
| | Asian | 1.4 | 2.2 | 2.2 | .0 | 1.0 | 1.4 |
| | Native Hawaiian/Pacific Islander | .0 | .7 | .0 | .0 | .0 | .0 |
| | American Indian/Alaskan Native | .0 | 3.6 | 1.5 | .0 | 1.0 | .0 |
| | Race not known or other | 7.5 | 8.7 | 5.9 | 2.8 | 4.9 | 4.1 |
| | More than one race | 12.9 | 8.7 | 5.9 | 8.5 | 5.9 | 2.7 |
| | | | | | | | |
| Q5 Age | 12 years | 27.2 | .0 | .0 | .0 | .0 | .0 |
| | 13 years | 61.7 | 33.6 | .7 | .0 | .0 | .0 |
| | 14 years | 11.1 | 59.7 | 32.2 | .0 | .0 | .0 |
| | 15 years | .0 | 5.4 | 59.4 | 33.3 | .9 | .0 |
| | 16 years | .0 | 1.3 | 6.3 | 63.9 | 36.0 | .0 |
| | 17 years | .0 | .0 | 1.4 | 2.8 | 59.5 | 31.6 |
| | 18 years or older | .0 | .0 | .0 | .0 | 3.6 | 68.4 |
| Q6 Parents served in a war zone | No | 74.1 | 77.2 | 81.7 | 87.2 | 85.6 | 86.5 |
| | Yes | 14.2 | 14.1 | 10.6 | 8.3 | 11.7 | 6.8 |
| | Not sure | 11.7 | 8.7 | 7.7 | 4.6 | 2.7 | 6.8 |
| Q7 Parents served time in jail | No | 60.4 | 58.3 | 57.7 | 66.0 | 71.3 | 57.3 |
| | Yes | 26.4 | 29.2 | 29.6 | 25.5 | 18.5 | 32.0 |
| | Not sure | 13.2 | 12.5 | 12.7 | 8.5 | 10.2 | 10.7 |

**Past Month Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How many times in the last month (30 days) have you used...? | | Grade | | | | | |
|--|-------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q8 Cigarettes | Never | 97.6 | 92.5 | 90.2 | 89.9 | 85.5 | 88.0 |
| | 1-5 times | .6 | 5.4 | 4.2 | 6.4 | 7.3 | 8.0 |
| | 6-19 times | .6 | 1.4 | 1.4 | .0 | 2.7 | 2.7 |
| | 20-39 times | .0 | .7 | 2.1 | 1.8 | 4.5 | .0 |
| | 40+ times | 1.2 | .0 | 2.1 | 1.8 | .0 | 1.3 |
| Q8 Smokeless tobacco | Never | 100 | 98.0 | 97.9 | 99.1 | 96.4 | 97.3 |
| | 1-5 times | .0 | 1.4 | 1.4 | .9 | 3.6 | 1.3 |
| | 6-19 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | .0 | .7 | .0 | .0 | 1.3 |
| Q8 Cigars | Never | 98.8 | 98.0 | 95.7 | 96.3 | 96.3 | 96.0 |
| | 1-5 times | .6 | 1.4 | 2.1 | 3.7 | 3.7 | 1.3 |
| | 6-19 times | .6 | .7 | 1.4 | .0 | .0 | 1.3 |
| | 20-39 times | .0 | .0 | .0 | .0 | .0 | 1.3 |
| | 40+ times | .0 | .0 | .7 | .0 | .0 | .0 |
| Q8 Pipe | Never | 98.2 | 96.6 | 95.1 | 95.3 | 97.3 | 97.3 |
| | 1-5 times | 1.8 | .0 | 2.1 | 1.9 | 2.7 | 1.3 |
| | 6-19 times | .0 | .7 | 1.4 | 1.9 | .0 | 1.3 |
| | 20-39 times | .0 | 1.4 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | 1.4 | 1.4 | .9 | .0 | .0 |
| Q8 Electronic vapor products | Never | 95.1 | 90.5 | 89.4 | 88.1 | 84.5 | 82.7 |
| | 1-5 times | 2.5 | 6.1 | 5.7 | 7.3 | 10.9 | 13.3 |
| | 6-19 times | 1.8 | .0 | 2.1 | 1.8 | 4.5 | 1.3 |
| | 20-39 times | .0 | 1.4 | .7 | 1.8 | .0 | 1.3 |
| | 40+ times | .6 | 2.0 | 2.1 | .9 | .0 | 1.3 |
| Q8 Alcohol | Never | 91.9 | 82.9 | 83.2 | 81.0 | 68.5 | 71.2 |
| | 1-5 times | 6.2 | 14.4 | 13.3 | 15.2 | 24.1 | 23.3 |
| | 6-19 times | 1.2 | 1.4 | 2.1 | 1.9 | 6.5 | 1.4 |
| | 20-39 times | .6 | .7 | .0 | 1.0 | .9 | 4.1 |
| | 40+ times | .0 | .7 | 1.4 | 1.0 | .0 | .0 |
| Q8 Marijuana | Never | 95.7 | 92.6 | 94.4 | 93.6 | 90.0 | 94.6 |
| | 1-5 times | 1.9 | 2.7 | 2.1 | 1.8 | 8.2 | .0 |
| | 6-19 times | 1.2 | 2.0 | 2.1 | 1.8 | .9 | 2.7 |
| | 20-39 times | .6 | .7 | .0 | .9 | .0 | .0 |
| | 40+ times | .6 | 2.0 | 1.4 | 1.8 | .9 | 2.7 |
| Q8 Synthetic marijuana | Never | 99.4 | 97.3 | 96.5 | 96.3 | 96.4 | 100 |
| | 1-5 times | .6 | .7 | 2.1 | .9 | 2.7 | .0 |

**Past Month Use of Alcohol, Tobacco, and Other Drugs
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How many times in the last month (30 days) have you used...? | | Grade | | | | | |
|--|-------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q8 Cocaine/Crack | 6-19 times | .0 | .7 | .0 | .9 | .0 | .0 |
| | 40+ times | .0 | 1.4 | 1.4 | 1.9 | .9 | .0 |
| | Never | 100 | 98.6 | 99.3 | 100 | 100 | 98.7 |
| Q8 Inhalants | 1-5 times | .0 | .7 | .7 | .0 | .0 | .0 |
| | 6-19 times | .0 | .0 | .0 | .0 | .0 | 1.3 |
| | 20-39 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never | 100 | 97.3 | 98.6 | 100 | 100 | 98.7 |
| | 1-5 times | .0 | .7 | .7 | .0 | .0 | 1.3 |
| Q8 Methamphetamines | 6-19 times | .0 | .7 | .7 | .0 | .0 | .0 |
| | 20-39 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never | 100 | 99.3 | 99.3 | 99.1 | 100 | 100 |
| | 1-5 times | .0 | .7 | .7 | .0 | .0 | .0 |
| Q8 Heroin | 6-19 times | .0 | .0 | .0 | .9 | .0 | .0 |
| | Never | 100 | 100 | 99.3 | 99.1 | 100 | 100 |
| Q8 Hallucinogens/Ecstasy | 1-5 times | .0 | .0 | .7 | .9 | .0 | .0 |
| | Never | 100 | 97.3 | 98.6 | 97.2 | 99.1 | 97.3 |
| | 1-5 times | .0 | 2.0 | 1.4 | 2.8 | .9 | 2.7 |
| Q8 Prescription drugs not prescribed to you | 6-19 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | Never | 100 | 96.6 | 96.5 | 95.4 | 100 | 97.3 |
| | 1-5 times | .0 | 2.0 | 2.8 | 2.8 | .0 | 1.3 |
| | 6-19 times | .0 | .0 | .0 | .9 | .0 | 1.3 |
| Q8 Over the counter drugs to get high | 20-39 times | .0 | 1.4 | .7 | .9 | .0 | .0 |
| | Never | 98.1 | 97.3 | 96.5 | 95.4 | 99.1 | 98.7 |
| | 1-5 times | 1.2 | .7 | 2.8 | 4.6 | .9 | .0 |
| | 6-19 times | .6 | .7 | .0 | .0 | .0 | 1.3 |
| | 20-39 times | .0 | .7 | .0 | .0 | .0 | .0 |
| | 40+ times | .0 | .7 | .7 | .0 | .0 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Cigarettes | Never used | 93.2 | 85.2 | 86.6 | 80.7 | 71.8 | 74.7 |
| | 10 years or younger | 1.9 | 4.0 | 4.9 | 1.8 | 1.8 | 1.3 |
| | 11 years | 1.9 | 2.0 | 2.8 | 2.8 | .9 | .0 |
| | 12 years | 2.5 | 4.0 | 2.1 | 2.8 | 6.4 | 1.3 |
| | 13 years | .6 | 2.7 | 2.1 | 3.7 | 4.5 | 6.7 |
| | 14 years | .0 | 2.0 | .7 | 3.7 | .9 | 5.3 |
| | 15 years | .0 | .0 | .7 | 2.8 | 4.5 | 1.3 |
| | 16 years | .0 | .0 | .0 | 1.8 | 8.2 | 4.0 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | 5.3 |
| Q9 Smokeless tobacco | Never used | 100.0 | 98.0 | 97.2 | 95.4 | 92.7 | 90.7 |
| | 10 years or younger | .0 | .0 | .0 | .0 | 1.8 | .0 |
| | 11 years | .0 | .0 | .7 | .0 | .0 | .0 |
| | 13 years | .0 | 1.3 | 2.1 | 1.9 | 1.8 | .0 |
| | 14 years | .0 | .7 | .0 | 1.9 | .0 | 2.7 |
| | 15 years | .0 | .0 | .0 | .0 | 2.7 | 2.7 |
| | 16 years | .0 | .0 | .0 | .9 | .9 | 1.3 |
| | 17 years or older | .0 | .0 | .0 | .0 | .0 | 2.7 |
| Q9 Cigars | Never used | 98.8 | 98.0 | 95.1 | 91.7 | 91.7 | 89.3 |
| | 10 years or younger | .0 | .7 | .0 | .0 | .0 | .0 |
| | 11 years | .6 | .0 | .0 | .0 | .0 | .0 |
| | 12 years | .6 | .0 | .0 | .9 | .9 | .0 |
| | 13 years | .0 | .7 | 2.1 | 2.8 | .9 | .0 |
| | 14 years | .0 | .7 | .7 | .9 | 1.8 | .0 |
| | 15 years | .0 | .0 | 2.1 | 2.8 | .9 | .0 |
| | 16 years | .0 | .0 | .0 | .9 | 2.8 | 1.3 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | 9.3 |
| Q9 Pipe | Never used | 97.5 | 95.9 | 93.6 | 95.3 | 89.8 | 90.5 |
| | 10 years or younger | .0 | .0 | .7 | .0 | .0 | .0 |
| | 11 years | .6 | .7 | .0 | .0 | .0 | .0 |
| | 12 years | 1.2 | .7 | .0 | .0 | .0 | .0 |
| | 13 years | .6 | 2.0 | 2.1 | .9 | .0 | 1.4 |
| | 14 years | .0 | .7 | 2.1 | .9 | 1.9 | 1.4 |
| | 15 years | .0 | .0 | .0 | 1.9 | .0 | 1.4 |
| | 16 years | .0 | .0 | 1.4 | .9 | 4.6 | .0 |
| | 17 years or older | .0 | .0 | .0 | .0 | 3.7 | 5.4 |
| Q9 Electronic vapor products | Never used | 95.1 | 87.7 | 88.6 | 81.7 | 78.7 | 74.0 |
| | 10 years or younger | .6 | 1.4 | .0 | .0 | .0 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | | |
|--|---------------------|---------------------|------|------|------|------|-------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th | |
| Q9 Alcohol | 11 years | 3.1 | .7 | .0 | .0 | .0 | .0 | |
| | 12 years | .6 | .7 | .0 | .0 | .0 | .0 | |
| | 13 years | .6 | 4.8 | 2.1 | .9 | .0 | .0 | |
| | 14 years | .0 | 4.8 | 6.4 | 2.8 | .9 | .0 | |
| | 15 years | .0 | .0 | 1.4 | 9.2 | 2.8 | .0 | |
| | 16 years | .0 | .0 | 1.4 | 5.5 | 13.9 | 1.4 | |
| | 17 years or older | .0 | .0 | .0 | .0 | 3.7 | 24.7 | |
| | Never used | 87.5 | 77.6 | 75.5 | 66.0 | 54.6 | 50.7 | |
| | 10 years or younger | 4.4 | 2.7 | 4.2 | .9 | .9 | .0 | |
| | 11 years | 4.4 | 3.4 | .7 | 2.8 | 1.9 | .0 | |
| | 12 years | 1.9 | 4.8 | 2.8 | .9 | 4.6 | 2.7 | |
| | 13 years | 1.3 | 9.5 | 4.2 | 6.6 | 3.7 | 12.3 | |
| | 14 years | .6 | 2.0 | 7.0 | 11.3 | 6.5 | 5.5 | |
| | 15 years | .0 | .0 | 4.9 | 9.4 | 9.3 | 8.2 | |
| | 16 years | .0 | .0 | .7 | 1.9 | 16.7 | 9.6 | |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.9 | 11.0 | |
| | Q9 Marijuana | Never used | 95.0 | 89.3 | 90.2 | 89.8 | 78.2 | 75.7 |
| 10 years or younger | | 1.2 | 2.0 | .0 | .0 | .0 | .0 | |
| 11 years | | .0 | .7 | 1.4 | .0 | .0 | .0 | |
| 12 years | | 1.9 | 1.3 | 1.4 | 2.8 | 1.8 | 1.4 | |
| 13 years | | 1.9 | 5.4 | 2.8 | 1.9 | 1.8 | 10.8 | |
| 14 years | | .0 | .7 | 2.8 | .9 | 2.7 | 4.1 | |
| 15 years | | .0 | .7 | .7 | 3.7 | 4.5 | 4.1 | |
| 16 years | | .0 | .0 | .7 | .9 | 8.2 | .0 | |
| 17 years or older | | .0 | .0 | .0 | .0 | 2.7 | 4.1 | |
| Q9 Synthetic marijuana | | Never used | 99.4 | 96.6 | 96.5 | 94.5 | 93.6 | 90.5 |
| | | 10 years or younger | .0 | 1.4 | .0 | .0 | .0 | .0 |
| | | 11 years | .0 | .7 | .7 | .0 | .0 | .0 |
| | | 12 years | .6 | .0 | .7 | .0 | .0 | .0 |
| | | 13 years | .0 | 1.4 | 1.4 | 1.8 | .9 | 2.7 |
| | | 14 years | .0 | .0 | .0 | .9 | .0 | 2.7 |
| | | 15 years | .0 | .0 | .7 | 2.8 | .0 | .0 |
| | | 16 years | .0 | .0 | .0 | .0 | 3.6 | 4.1 |
| | 17 years or older | .0 | .0 | .0 | .0 | 1.8 | .0 | |
| | Q9 Cocaine/Crack | Never used | 99.4 | 96.6 | 99.3 | 99.1 | 100.0 | 97.3 |
| | | 10 years or younger | .6 | .7 | .0 | .0 | .0 | .0 |
| | | 12 years | .0 | 1.4 | .0 | .0 | .0 | .0 |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | | |
|--|---|---------------------|------|------|------|-------|-------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th | |
| Q9 Inhalants | 13 years | .0 | .7 | .7 | .0 | .0 | .0 | |
| | 14 years | .0 | .7 | .0 | .0 | .0 | .0 | |
| | 16 years | .0 | .0 | .0 | .9 | .0 | 1.3 | |
| | 17 years or older | .0 | .0 | .0 | .0 | .0 | 1.3 | |
| | Never used | 99.4 | 97.3 | 98.6 | 99.1 | 93.6 | 97.3 | |
| Q9 Methamphetamines | 11 years | .6 | .0 | .0 | .0 | .0 | .0 | |
| | 13 years | .0 | 2.0 | .7 | .9 | .9 | 1.4 | |
| | 14 years | .0 | .7 | .7 | .0 | 1.8 | .0 | |
| | 15 years | .0 | .0 | .0 | .0 | 2.7 | 1.4 | |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | .0 | |
| Q9 Heroin | Never used | 100.0 | 98.0 | 99.3 | 99.1 | 100.0 | 100.0 | |
| | 12 years | .0 | .7 | .0 | .0 | .0 | .0 | |
| | 13 years | .0 | 1.4 | .0 | .0 | .0 | .0 | |
| | 14 years | .0 | .0 | .7 | .9 | .0 | .0 | |
| | 16 years | .0 | .0 | .0 | .9 | .0 | .0 | |
| Q9 Hallucinogens/Ecstasy | Never used | 99.4 | 96.6 | 98.6 | 96.3 | 98.2 | 93.3 | |
| | 11 years | .0 | .7 | .0 | .0 | .0 | .0 | |
| | 12 years | .6 | .0 | .0 | .0 | .0 | .0 | |
| | 13 years | .0 | 2.0 | .0 | .0 | .0 | .0 | |
| | 14 years | .0 | .7 | 1.4 | .9 | .0 | .0 | |
| | 15 years | .0 | .0 | .0 | 1.9 | .9 | 1.3 | |
| | 16 years | .0 | .0 | .0 | .9 | .9 | 1.3 | |
| | 17 years or older | .0 | .0 | .0 | .0 | .0 | 4.0 | |
| | Q9 Prescription drugs not prescribed to you | Never used | 98.8 | 97.3 | 95.0 | 92.6 | 94.5 | 92.0 |
| | | 10 years or younger | .6 | .0 | .7 | .0 | .9 | .0 |
| 11 years | | .0 | .7 | .7 | .0 | .0 | .0 | |
| 12 years | | .6 | .7 | .7 | .0 | .0 | .0 | |
| 13 years | | .0 | .7 | .7 | .9 | .9 | .0 | |
| 14 years | | .0 | .7 | 2.1 | 2.8 | 1.8 | 2.7 | |
| 15 years | | .0 | .0 | .0 | 2.8 | .9 | 1.3 | |
| 16 years | | .0 | .0 | .0 | .9 | .0 | 2.7 | |
| 17 years or older | | .0 | .0 | .0 | .0 | .9 | 1.3 | |

**Age Distribution of First Time Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How old were you when you first used...? | | Grade | | | | | |
|--|---------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q9 Over the counter drugs | Never used | 96.9 | 96.6 | 95.7 | 94.4 | 97.3 | 95.9 |
| | to get high | | | | | | |
| | 10 years or younger | 2.5 | .7 | .7 | .9 | .0 | 1.4 |
| | 12 years | .6 | .7 | 1.4 | .9 | .0 | .0 |
| | 13 years | .0 | 1.3 | .7 | .0 | .9 | .0 |
| | 14 years | .0 | .7 | 1.4 | 2.8 | .9 | .0 |
| | 15 years | .0 | .0 | .0 | .9 | .0 | .0 |
| | 16 years | .0 | .0 | .0 | .0 | .0 | 1.4 |
| | 17 years or older | .0 | .0 | .0 | .0 | .9 | 1.4 |

**Binge Drinking in the Last Two Weeks
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| Think back over the last 2 weeks... | | Grade | | | | | |
|-------------------------------------|-----------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q10 Binge drinking | None | 98.1 | 96.6 | 93.6 | 96.2 | 88.1 | 89.3 |
| | Once | 1.3 | 1.4 | 2.8 | 3.8 | 2.8 | 4.0 |
| | Twice | .0 | .7 | 1.4 | .0 | 3.7 | 4.0 |
| | 3-5 times | .6 | 1.4 | .7 | .0 | 3.7 | 2.7 |
| | 6-9 times | .0 | .0 | .7 | .0 | .9 | .0 |
| | 10+ times | .0 | .0 | .7 | .0 | .9 | .0 |

Perceived Availability of Drugs
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| How easy would it be for you to get...? | | Grade | | | | | |
|--|--------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q11 Cigarettes | Very hard | 58.0 | 51.0 | 43.9 | 42.2 | 20.0 | 18.9 |
| | Sort of hard | 8.7 | 14.5 | 12.9 | 12.8 | 10.9 | 8.1 |
| | Sort of easy | 17.3 | 13.8 | 17.3 | 18.3 | 26.4 | 10.8 |
| | Very easy | 16.0 | 20.7 | 25.9 | 26.6 | 42.7 | 62.2 |
| Q11 Alcohol | Very hard | 55.3 | 46.6 | 28.3 | 32.1 | 19.1 | 21.6 |
| | Sort of hard | 12.7 | 17.1 | 21.0 | 13.8 | 7.3 | 16.2 |
| | Sort of easy | 16.7 | 17.1 | 20.3 | 28.4 | 30.9 | 18.9 |
| | Very easy | 15.3 | 19.2 | 30.4 | 25.7 | 42.7 | 43.2 |
| Q11 Marijuana | Very hard | 79.1 | 73.3 | 62.6 | 62.4 | 38.2 | 36.5 |
| | Sort of hard | 6.8 | 8.9 | 12.2 | 14.7 | 9.1 | 20.3 |
| | Sort of easy | 6.1 | 4.8 | 12.2 | 9.2 | 21.8 | 10.8 |
| | Very easy | 8.1 | 13.0 | 12.9 | 13.8 | 30.9 | 32.4 |
| Q11 Drugs like cocaine, LSD or amphetamines | Very hard | 89.2 | 87.5 | 82.7 | 85.2 | 60.9 | 60.8 |
| | Sort of hard | 2.7 | 9.0 | 11.5 | 2.8 | 19.1 | 14.9 |
| | Sort of easy | 4.1 | 1.4 | 4.3 | 4.6 | 13.6 | 9.5 |
| | Very easy | 4.1 | 2.1 | 1.4 | 7.4 | 6.4 | 14.9 |

Usual Sources of Alcoholic Beverages in the Past Year
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| During the past year, how did you get your alcohol? | | Grade | | | | | |
|---|--|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Source | Q12 I did not drink alcohol | 88.5 | 79.2 | 80.7 | 72.2 | 59.1 | 56.8 |
| | Q12 I bought it at a restaurant, bar, or club | .0 | .0 | .0 | .0 | .0 | .0 |
| | Q12 I bought it at a public event | .0 | .0 | .0 | .0 | .9 | .0 |
| | Q12 I gave someone else money to buy it for me | 2.0 | 3.5 | 3.7 | 8.3 | 19.1 | 24.3 |
| | Q12 I bought it at a store | .0 | .7 | .0 | .0 | .0 | .0 |
| | Q12 A person 21 years old or older gave it to me | 6.1 | 9.7 | 8.1 | 15.7 | 21.8 | 24.3 |
| | Q12 I took it from a store | .7 | .0 | .7 | 2.8 | .9 | 4.1 |
| | Q12 I got it from a parent/guardian | 4.1 | 6.3 | 5.9 | 7.4 | 10.0 | 6.8 |
| | Q12 I got it from some other family member | 5.4 | 6.3 | 4.4 | 6.5 | 10.9 | 6.8 |
| | Q12 I got it some other way | 4.7 | 11.8 | 6.7 | 13.0 | 20.9 | 16.2 |

Note: Multiple responses allowed; percentages do not add to 100%.

**Usual Sources of Prescription Drugs in the Past Year
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| During the past year, how did you get your prescription drugs that were used to get high? | | Grade | | | | | |
|---|---|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Source | Q13 I did not use prescription drugs to get high | 99.3 | 95.1 | 97.0 | 88.9 | 96.3 | 93.1 |
| | Q13 They were prescribed to me | .7 | 2.8 | 1.5 | 4.6 | 1.8 | 2.8 |
| | Q13 My parents gave them to me | .0 | .0 | .0 | .0 | .0 | 1.4 |
| | Q13 Someone other than my parents gave them to me | .7 | 1.4 | 1.5 | 5.6 | .9 | 4.2 |
| | Q13 I took them from home | .0 | 2.1 | 1.5 | 5.6 | .9 | 1.4 |
| | Q13 I bought them from someone | .7 | 2.8 | 1.5 | 3.7 | .9 | 5.6 |
| | Q13 I bought them on the internet | .0 | .0 | .0 | .0 | .0 | .0 |
| | Q13 I took them from someone else | .0 | .7 | .0 | 4.6 | .0 | 1.4 |
| | Q13 I got them some other way | .7 | 2.1 | .7 | 1.9 | 3.7 | .0 |

Note: Multiple responses allowed; percentages do not add to 100%.

**CRAFFT Substance Abuse Screening
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| | | Age | | | | |
|---|------------|----------|----------|----------|----------|-------------------|
| | | 14 years | 15 years | 16 years | 17 years | 18 years or older |
| Q34 Have you ever ridden in a car driven by someone (including yourself) who was high or had been using alcohol or drugs? | No | 68.1 | 78.0 | 73.7 | 53.8 | 44.0 |
| | Yes | 31.9 | 22.0 | 26.3 | 46.2 | 56.0 |
| Q14 Do you ever use alcohol or drugs to relax, feel better about yourself, or fit in? | Never used | 76.2 | 76.6 | 64.7 | 54.3 | 43.6 |
| | No | 15.9 | 14.1 | 20.2 | 27.7 | 36.4 |
| | Yes | 7.9 | 9.4 | 15.1 | 18.1 | 20.0 |
| Q14 Do you ever use alcohol or drugs while you are by yourself, or alone? | Never used | 75.7 | 76.6 | 66.4 | 53.2 | 43.6 |
| | No | 14.5 | 15.6 | 18.5 | 28.7 | 41.8 |
| | Yes | 9.9 | 7.8 | 15.1 | 18.1 | 14.5 |
| Q14 Do you ever forget things you did while using alcohol or drugs? | Never used | 77.0 | 77.3 | 66.9 | 53.2 | 43.6 |
| | No | 17.8 | 18.8 | 25.4 | 29.8 | 43.6 |
| | Yes | 5.3 | 3.9 | 7.6 | 17.0 | 12.7 |
| Q14 Do your family or friends ever tell you that you should cut down on your drinking or drug use? | Never used | 77.0 | 76.6 | 66.4 | 53.2 | 43.6 |
| | No | 21.7 | 21.9 | 31.1 | 43.6 | 54.5 |
| | Yes | 1.3 | 1.6 | 2.5 | 3.2 | 1.8 |
| Q14 Have you ever gotten into trouble while you were using alcohol or drugs? | Never used | 76.8 | 75.8 | 64.4 | 52.7 | 41.8 |
| | No | 19.9 | 22.7 | 28.8 | 41.9 | 50.9 |
| | Yes | 3.3 | 1.6 | 6.8 | 5.4 | 7.3 |

**Consequences of Alcohol, Tobacco, and Other Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How many times have you experienced the following due to your drinking or drug use...? | | Grade | | | | | |
|--|------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q15 Performed poorly on test or project | Never | 94.3 | 95.6 | 94.2 | 96.3 | 96.3 | 96.0 |
| | Once | .6 | 2.2 | 2.9 | .9 | 1.8 | 1.3 |
| | Twice | 1.3 | .0 | .7 | .9 | .0 | 1.3 |
| | 3-5 times | 3.8 | .7 | 1.4 | 1.8 | 1.8 | 1.3 |
| | 6-10 times | .0 | .7 | .7 | .0 | .0 | .0 |
| | 11+ times | .0 | .7 | .0 | .0 | .0 | .0 |
| Q15 Missed class | Never | 96.8 | 97.1 | 94.9 | 99.1 | 98.2 | 98.7 |
| | Once | .6 | .0 | .0 | .0 | .9 | .0 |
| | Twice | 1.3 | .7 | 2.2 | .0 | .0 | .0 |
| | 3-5 times | .0 | 2.2 | 1.4 | .0 | .0 | 1.3 |
| | 6-10 times | .0 | .0 | .7 | .0 | .0 | .0 |
| | 11+ times | 1.3 | .0 | .7 | .9 | .9 | .0 |

**Perceived Risks of Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How much do you think people risk harming themselves if they...? | | Grade | | | | | |
|--|---------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q16 Smoke 1+ pack cigarettes per day | No risk | 9.6 | 4.8 | 10.6 | 9.3 | 6.4 | 8.2 |
| | Slight risk | 14.0 | 13.7 | 9.2 | 11.1 | 4.5 | 8.2 |
| | Moderate risk | 26.1 | 28.8 | 28.4 | 19.4 | 39.1 | 19.2 |
| | Great risk | 50.3 | 52.7 | 51.8 | 60.2 | 50.0 | 64.4 |
| Q16 Try marijuana once or twice | No risk | 22.3 | 24.0 | 35.7 | 36.1 | 37.3 | 45.2 |
| | Slight risk | 26.8 | 33.6 | 27.1 | 29.6 | 34.5 | 27.4 |
| | Moderate risk | 24.2 | 20.5 | 15.7 | 13.0 | 12.7 | 13.7 |
| | Great risk | 26.8 | 21.9 | 21.4 | 21.3 | 15.5 | 13.7 |
| Q16 Smoke marijuana once or twice per week | No risk | 14.5 | 12.3 | 24.5 | 20.6 | 19.4 | 31.0 |
| | Slight risk | 20.4 | 25.3 | 18.7 | 22.4 | 22.2 | 21.1 |
| | Moderate risk | 26.3 | 32.2 | 26.6 | 29.0 | 31.5 | 26.8 |
| | Great risk | 38.8 | 30.1 | 30.2 | 28.0 | 26.9 | 21.1 |
| Q16 Have 1-2 alcoholic drinks every day | No risk | 17.1 | 10.6 | 16.5 | 15.1 | 10.9 | 15.5 |
| | Slight risk | 23.4 | 29.8 | 30.9 | 33.0 | 29.1 | 25.4 |
| | Moderate risk | 27.8 | 29.1 | 26.6 | 28.3 | 25.5 | 35.2 |
| | Great risk | 31.6 | 30.5 | 25.9 | 23.6 | 34.5 | 23.9 |
| Q16 Binge drink once or twice a week | No risk | 10.8 | 5.5 | 8.6 | 8.3 | 7.4 | 8.3 |
| | Slight risk | 9.6 | 13.0 | 15.8 | 13.0 | 21.3 | 13.9 |

Perceived Risks of Drug Use
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| How much do you think people risk harming themselves if they...? | | Grade | | | | | |
|--|---------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q16 Misuse prescription drugs | Moderate risk | 33.1 | 32.9 | 32.4 | 43.5 | 25.0 | 34.7 |
| | Great risk | 46.5 | 48.6 | 43.2 | 35.2 | 46.3 | 43.1 |
| | No risk | 9.0 | 4.1 | 7.9 | 7.4 | 3.7 | 8.3 |
| | Slight risk | 5.2 | 9.6 | 8.6 | 2.8 | 4.6 | 5.6 |
| | Moderate risk | 24.5 | 24.0 | 18.7 | 22.2 | 23.9 | 20.8 |
| | Great risk | 61.3 | 62.3 | 64.7 | 67.6 | 67.9 | 65.3 |

Favorable Attitudes Toward Antisocial Behavior
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| How wrong do you think it is for someone your age to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q17 Take a gun to school | Very wrong | 90.8 | 90.5 | 89.3 | 91.7 | 90.0 | 94.6 |
| | Wrong | 6.1 | 5.4 | 5.7 | 6.5 | 7.3 | 4.1 |
| | A little bit wrong | 2.5 | 2.7 | 4.3 | .9 | 2.7 | .0 |
| | Not at all wrong | .6 | 1.4 | .7 | .9 | .0 | 1.4 |
| Q17 Steal something more than \$5 | Very wrong | 54.6 | 46.3 | 48.2 | 60.2 | 57.3 | 67.6 |
| | Wrong | 29.4 | 41.5 | 41.7 | 31.5 | 38.2 | 24.3 |
| | A little bit wrong | 15.3 | 8.8 | 10.1 | 7.4 | 4.5 | 6.8 |
| | Not at all wrong | .6 | 3.4 | .0 | .9 | .0 | 1.4 |
| Q17 Attack someone | Very wrong | 79.0 | 77.7 | 77.9 | 85.8 | 86.4 | 86.3 |
| | Wrong | 14.2 | 16.2 | 19.3 | 10.4 | 9.1 | 13.7 |
| | A little bit wrong | 4.9 | 4.1 | .7 | 2.8 | 4.5 | .0 |
| | Not at all wrong | 1.9 | 2.0 | 2.1 | .9 | .0 | .0 |
| Q17 Pick a fight | Very wrong | 40.7 | 42.6 | 46.8 | 44.4 | 47.7 | 57.5 |
| | Wrong | 40.7 | 33.8 | 40.3 | 40.7 | 40.4 | 31.5 |
| | A little bit wrong | 14.2 | 20.3 | 9.4 | 12.0 | 10.1 | 11.0 |
| | Not at all wrong | 4.3 | 3.4 | 3.6 | 2.8 | 1.8 | .0 |
| Q17 Skip school | Very wrong | 66.5 | 53.7 | 52.9 | 57.0 | 49.5 | 54.1 |
| | Wrong | 23.6 | 32.7 | 33.3 | 34.6 | 35.8 | 31.1 |
| | A little bit wrong | 8.1 | 12.2 | 11.6 | 7.5 | 11.9 | 12.2 |
| | Not at all wrong | 1.9 | 1.4 | 2.2 | .9 | 2.8 | 2.7 |

Favorable Attitudes Toward Drug Use
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| How wrong do you think it is for someone your age to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q17 Drink alcohol regularly | Very wrong | 77.2 | 63.5 | 53.2 | 48.6 | 49.1 | 49.3 |
| | Wrong | 12.3 | 19.6 | 27.3 | 28.0 | 17.3 | 26.0 |
| | A little bit wrong | 6.2 | 11.5 | 15.8 | 13.1 | 27.3 | 15.1 |
| | Not at all wrong | 4.3 | 5.4 | 3.6 | 10.3 | 6.4 | 9.6 |
| Q17 Smoke cigarettes | Very wrong | 75.9 | 67.6 | 66.4 | 55.1 | 43.6 | 43.2 |
| | Wrong | 15.4 | 15.5 | 19.3 | 26.2 | 27.3 | 37.8 |
| | A little bit wrong | 5.6 | 10.8 | 10.0 | 12.1 | 24.5 | 10.8 |
| | Not at all wrong | 3.1 | 6.1 | 4.3 | 6.5 | 4.5 | 8.1 |
| Q17 Smoke marijuana | Very wrong | 81.4 | 70.3 | 65.7 | 64.5 | 46.8 | 49.3 |
| | Wrong | 6.8 | 10.8 | 12.1 | 16.8 | 22.0 | 20.5 |
| | A little bit wrong | 8.1 | 10.1 | 14.3 | 6.5 | 18.3 | 15.1 |
| | Not at all wrong | 3.7 | 8.8 | 7.9 | 12.1 | 12.8 | 15.1 |
| Q17 Use illegal drugs | Very wrong | 90.7 | 86.5 | 88.6 | 86.9 | 84.5 | 86.5 |
| | Wrong | 8.0 | 8.1 | 9.3 | 7.5 | 10.0 | 9.5 |
| | A little bit wrong | .6 | 4.1 | 1.4 | 3.7 | 4.5 | 4.1 |
| | Not at all wrong | .6 | 1.4 | .7 | 1.9 | .9 | .0 |

**Perceived Peer Approval of Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your friends feel it would be for you to...? | | Grade | | | | | |
|---|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q18 Smoke tobacco | Very wrong | 80.1 | 66.0 | 67.6 | 56.5 | 49.1 | 41.9 |
| | Wrong | 13.0 | 17.4 | 16.5 | 24.1 | 24.5 | 25.7 |
| | A little bit wrong | 4.3 | 7.6 | 9.4 | 9.3 | 11.8 | 13.5 |
| | Not at all wrong | 2.5 | 9.0 | 6.5 | 10.2 | 14.5 | 18.9 |
| Q18 Smoke marijuana | Very wrong | 78.0 | 64.6 | 65.5 | 62.0 | 46.4 | 43.8 |
| | Wrong | 11.9 | 12.5 | 12.2 | 13.9 | 17.3 | 17.8 |
| | A little bit wrong | 6.3 | 11.8 | 12.2 | 10.2 | 12.7 | 15.1 |
| | Not at all wrong | 3.8 | 11.1 | 10.1 | 13.9 | 23.6 | 23.3 |
| Q18 Have 1-2 alcoholic drinks every day | Very wrong | 79.4 | 64.6 | 59.7 | 60.2 | 50.9 | 45.9 |
| | Wrong | 10.6 | 19.4 | 23.0 | 17.6 | 20.9 | 12.2 |
| | A little bit wrong | 6.9 | 8.3 | 10.8 | 13.0 | 10.9 | 14.9 |
| | Not at all wrong | 3.1 | 7.6 | 6.5 | 9.3 | 17.3 | 27.0 |
| Q18 Misuse prescription drugs | Very wrong | 89.9 | 79.7 | 80.6 | 82.4 | 69.1 | 64.9 |
| | Wrong | 6.3 | 10.5 | 14.4 | 10.2 | 15.5 | 21.6 |
| | A little bit wrong | 3.1 | 6.3 | 2.9 | 5.6 | 10.0 | 6.8 |
| | Not at all wrong | .6 | 3.5 | 2.2 | 1.9 | 5.5 | 6.8 |

Rewards for Antisocial Involvement
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| What are the chances you would be seen as cool if you...? | | Grade | | | | | |
|---|--------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q19 Smoked cigarettes | Very good chance | 3.3 | 4.8 | 5.1 | 5.6 | 3.6 | 5.4 |
| | Pretty good chance | 5.3 | 4.1 | 2.2 | 1.9 | 1.8 | 4.1 |
| | Some chance | 9.9 | 11.7 | 15.9 | 14.0 | 13.6 | 12.2 |
| | Little chance | 15.9 | 15.2 | 16.7 | 10.3 | 16.4 | 18.9 |
| | No or very little chance | 65.6 | 64.1 | 60.1 | 68.2 | 64.5 | 59.5 |
| Q19 Drank alcohol regularly | Very good chance | 4.0 | 6.2 | 4.4 | 10.3 | 5.5 | 11.0 |
| | Pretty good chance | 6.7 | 7.6 | 6.6 | .9 | 6.4 | 9.6 |
| | Some chance | 8.0 | 15.2 | 19.0 | 19.6 | 17.3 | 12.3 |
| | Little chance | 17.3 | 13.1 | 13.9 | 11.2 | 16.4 | 19.2 |
| | No or very little chance | 64.0 | 57.9 | 56.2 | 57.9 | 54.5 | 47.9 |
| Q19 Smoked marijuana | Very good chance | 8.0 | 9.7 | 12.4 | 9.3 | 6.4 | 9.7 |
| | Pretty good chance | 6.7 | 12.4 | 8.8 | 9.3 | 7.3 | 12.5 |
| | Some chance | 11.3 | 13.1 | 19.7 | 14.0 | 11.8 | 6.9 |
| | Little chance | 11.3 | 11.0 | 10.2 | 9.3 | 19.1 | 16.7 |
| | No or very little chance | 62.7 | 53.8 | 48.9 | 57.9 | 55.5 | 54.2 |
| Q19 Carried a gun | Very good chance | 6.7 | 4.8 | 4.4 | 3.7 | 3.7 | 4.1 |
| | Pretty good chance | 4.7 | 4.8 | 4.4 | .0 | 2.8 | 2.7 |
| | Some chance | 4.7 | 11.0 | 4.4 | 7.5 | 7.3 | 6.8 |
| | Little chance | 14.0 | 9.7 | 9.6 | 7.5 | 9.2 | 12.3 |
| | No or very little chance | 70.0 | 69.7 | 77.2 | 81.3 | 77.1 | 74.0 |

**Parental Attitudes Favorable Toward Drug Use
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your parents feel it would be for you to...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q20 Have 1-2 alcoholic drinks every day | Very wrong | 92.0 | 91.1 | 90.7 | 87.9 | 89.1 | 83.8 |
| | Wrong | 5.6 | 6.2 | 9.3 | 8.4 | 6.4 | 5.4 |
| | A little bit wrong | 1.2 | 2.1 | .0 | .0 | 4.5 | 6.8 |
| | Not at all wrong | 1.2 | .7 | .0 | 3.7 | .0 | 4.1 |
| Q20 Drink alcohol regularly (at least once or twice a month) | Very wrong | 88.8 | 89.0 | 84.9 | 86.1 | 82.7 | 71.6 |
| | Wrong | 6.9 | 8.2 | 12.2 | 7.4 | 10.0 | 12.2 |
| | A little bit wrong | 3.8 | 2.1 | 2.2 | 2.8 | 7.3 | 9.5 |
| | Not at all wrong | .6 | .7 | .7 | 3.7 | .0 | 6.8 |
| Q20 Smoke cigarettes | Very wrong | 95.0 | 89.7 | 87.1 | 88.9 | 80.9 | 78.4 |
| | Wrong | 3.8 | 7.5 | 10.0 | 6.5 | 13.6 | 6.8 |
| | A little bit wrong | .6 | 2.1 | 1.4 | 2.8 | 5.5 | 8.1 |
| | Not at all wrong | .6 | .7 | 1.4 | 1.9 | .0 | 6.8 |
| Q20 Smoke marijuana | Very wrong | 94.3 | 89.7 | 87.1 | 89.8 | 85.5 | 70.3 |
| | Wrong | 3.8 | 6.8 | 5.8 | 4.6 | 8.2 | 12.2 |
| | A little bit wrong | .0 | 1.4 | 6.5 | 1.9 | 5.5 | 9.5 |
| | Not at all wrong | 1.9 | 2.1 | .7 | 3.7 | .9 | 8.1 |
| Q20 Use prescription drugs not prescribed to you | Very wrong | 96.3 | 93.2 | 91.4 | 94.4 | 90.0 | 87.8 |
| | Wrong | 2.5 | 4.1 | 7.9 | 3.7 | 8.2 | 8.1 |
| | A little bit wrong | .6 | 2.1 | .7 | .0 | .9 | 2.7 |
| | Not at all wrong | .6 | .7 | .0 | 1.9 | .9 | 1.4 |

**Parental Attitudes Favorable Toward Antisocial Behavior
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| How wrong do your parents feel it would be for you to...? | | Grade | | | | | |
|---|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q20 Steal something worth more than \$5 | Very wrong | 84.2 | 82.2 | 86.4 | 88.0 | 87.3 | 81.1 |
| | Wrong | 13.3 | 11.0 | 12.1 | 8.3 | 10.9 | 14.9 |
| | A little bit wrong | 1.3 | 6.2 | .7 | 1.9 | 1.8 | .0 |
| | Not at all wrong | 1.3 | .7 | .7 | 1.9 | .0 | 4.1 |
| Q20 Draw graffiti | Very wrong | 88.1 | 80.6 | 85.7 | 83.3 | 85.5 | 82.4 |
| | Wrong | 6.3 | 11.1 | 11.4 | 11.1 | 10.9 | 16.2 |
| | A little bit wrong | 4.4 | 6.3 | 2.9 | 3.7 | 3.6 | .0 |
| | Not at all wrong | 1.3 | 2.1 | .0 | 1.9 | .0 | 1.4 |
| Q20 Pick a fight with someone | Very wrong | 66.7 | 64.1 | 68.3 | 69.8 | 69.7 | 68.5 |
| | Wrong | 22.6 | 22.1 | 26.6 | 23.6 | 19.3 | 20.5 |
| | A little bit wrong | 8.2 | 11.7 | 4.3 | 3.8 | 9.2 | 8.2 |
| | Not at all wrong | 2.5 | 2.1 | .7 | 2.8 | 1.8 | 2.7 |

**Mental Health in the Past Twelve Months
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| During the past 12 months, did you...? | | Grade | | | | | |
|--|-----|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q21 Feel sad or hopeless | No | 66.9 | 52.7 | 50.0 | 63.6 | 56.0 | 63.9 |
| | Yes | 33.1 | 47.3 | 50.0 | 36.4 | 44.0 | 36.1 |
| Q21 Consider attempting suicide | No | 79.5 | 72.2 | 73.0 | 74.8 | 78.0 | 83.1 |
| | Yes | 20.5 | 27.8 | 27.0 | 25.2 | 22.0 | 16.9 |
| Q21 Make a plan about attempting suicide | No | 83.3 | 82.1 | 76.5 | 77.6 | 85.3 | 90.3 |
| | Yes | 16.7 | 17.9 | 23.5 | 22.4 | 14.7 | 9.7 |

Gambling during the Last Twelve Months
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)

| How often have you bet/gambled for money or valuables in the following ways? | | Grade | | | | | |
|--|------------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q22 Card games | Never | 92.4 | 91.1 | 92.1 | 90.7 | 96.3 | 93.2 |
| | Less than once a month | 5.1 | 6.8 | 5.8 | 6.5 | 3.7 | 5.4 |
| | 1-3 times per month | 1.9 | 1.4 | .7 | 2.8 | .0 | 1.4 |
| | Once a week or more | .6 | .7 | 1.4 | .0 | .0 | .0 |
| Q22 Personal games of skill | Never | 88.5 | 86.3 | 89.2 | 86.1 | 91.7 | 90.5 |
| | Less than once a month | 6.4 | 6.2 | 5.8 | 10.2 | 8.3 | 6.8 |
| | 1-3 times per month | 2.5 | 4.1 | 1.4 | 2.8 | .0 | 2.7 |
| | Once a week or more | 2.5 | 3.4 | 3.6 | .9 | .0 | .0 |
| Q22 Sports | Never | 88.6 | 87.0 | 92.1 | 95.4 | 92.7 | 95.9 |
| | Less than once a month | 7.6 | 7.5 | 6.5 | 3.7 | 4.6 | 2.7 |
| | 1-3 times per month | 1.9 | 2.7 | .7 | .0 | 1.8 | 1.4 |
| | Once a week or more | 1.9 | 2.7 | .7 | .9 | .9 | .0 |
| Q22 Lottery | Never | 94.9 | 91.0 | 88.4 | 90.7 | 91.7 | 91.9 |
| | Less than once a month | 3.2 | 9.0 | 10.9 | 8.3 | 6.4 | 6.8 |
| | 1-3 times per month | .6 | .0 | .7 | .9 | 1.8 | 1.4 |
| | Once a week or more | 1.3 | .0 | .0 | .0 | .0 | .0 |
| Q22 Bingo | Never | 90.4 | 93.8 | 95.0 | 96.3 | 96.3 | 95.9 |
| | Less than once a month | 7.0 | 4.1 | 3.6 | 3.7 | 3.7 | .0 |
| | 1-3 times per month | 1.9 | .7 | .7 | .0 | .0 | 2.7 |
| | Once a week or more | .6 | 1.4 | .7 | .0 | .0 | 1.4 |
| Q22 Online gambling | Never | 96.2 | 95.8 | 97.8 | 99.1 | 100 | 100 |
| | Less than once a month | 2.5 | 2.1 | 1.4 | .0 | .0 | .0 |
| | 1-3 times per month | .6 | .0 | .7 | .0 | .0 | .0 |
| | Once a week or more | .6 | 2.1 | .0 | .9 | .0 | .0 |
| Q22 Personal challenges | Never | 80.3 | 73.8 | 78.4 | 83.3 | 87.2 | 89.0 |
| | Less than once a month | 11.5 | 12.4 | 14.4 | 10.2 | 6.4 | 5.5 |
| | 1-3 times per month | 4.5 | 8.3 | 5.0 | 5.6 | 4.6 | 5.5 |
| | Once a week or more | 3.8 | 5.5 | 2.2 | .9 | 1.8 | .0 |
| Q22 Gambled in other ways | Never | 94.3 | 87.7 | 93.5 | 95.4 | 90.8 | 91.9 |
| | Less than once a month | 4.4 | 6.8 | 4.3 | 1.9 | 6.4 | 5.4 |
| | 1-3 times per month | 1.3 | 1.4 | .7 | 1.9 | 2.8 | 2.7 |
| | Once a week or more | .0 | 4.1 | 1.4 | .9 | .0 | .0 |

Consequences of Gambling
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| How often have you experienced the following consequences due to your gambling? | | Grade | | | | | |
|---|-----------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q23 Academic problems | I do not gamble | 86.5 | 83.4 | 87.8 | 83.3 | 85.3 | 87.8 |
| | Never | 12.2 | 15.2 | 9.4 | 14.8 | 14.7 | 12.2 |
| | Occasionally | 1.3 | 1.4 | 2.2 | 1.9 | .0 | .0 |
| | Frequently | .0 | .0 | .7 | .0 | .0 | .0 |
| Q23 Issues with the legal system | I do not gamble | 87.2 | 83.4 | 87.8 | 84.3 | 85.3 | 87.8 |
| | Never | 12.8 | 15.9 | 12.2 | 14.8 | 14.7 | 12.2 |
| | Occasionally | .0 | .7 | .0 | .9 | .0 | .0 |
| Q23 Lost possessions or money | I do not gamble | 86.5 | 82.8 | 87.8 | 84.3 | 85.3 | 86.5 |
| | Never | 10.3 | 10.3 | 8.6 | 9.3 | 12.8 | 9.5 |
| | Occasionally | 3.2 | 6.2 | 3.6 | 5.6 | 1.8 | 4.1 |
| | Frequently | .0 | .7 | .0 | .9 | .0 | .0 |
| Q23 Felt bad about gambling | I do not gamble | 87.2 | 83.4 | 87.1 | 84.3 | 85.3 | 87.8 |
| | Never | 10.9 | 15.2 | 11.5 | 15.7 | 13.8 | 12.2 |
| | Occasionally | 1.3 | 1.4 | .7 | .0 | .9 | .0 |
| | Frequently | .6 | .0 | .7 | .0 | .0 | .0 |
| Q23 Poor health | I do not gamble | 86.5 | 83.9 | 86.3 | 84.3 | 85.3 | 87.8 |
| | Never | 12.8 | 14.7 | 9.4 | 14.8 | 14.7 | 12.2 |
| | Occasionally | .6 | 1.4 | 2.9 | .0 | .0 | .0 |
| | Frequently | .0 | .0 | 1.4 | .9 | .0 | .0 |
| Q23 Issues with friends and family | I do not gamble | 85.9 | 81.3 | 86.1 | 84.3 | 85.3 | 87.8 |
| | Never | 9.6 | 11.1 | 9.5 | 12.0 | 14.7 | 12.2 |
| | Occasionally | 1.9 | 6.3 | 2.2 | 2.8 | .0 | .0 |
| | Frequently | 2.6 | 1.4 | 2.2 | .9 | .0 | .0 |

School Opportunities for Prosocial Involvement
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q24 Students have chances to help decide class activities and rules | YES! | 16.8 | 13.0 | 21.9 | 13.1 | 16.8 | 21.9 |
| | yes | 40.6 | 41.8 | 39.4 | 35.5 | 47.7 | 38.4 |
| | no | 30.3 | 30.1 | 28.5 | 35.5 | 24.3 | 27.4 |
| | NO! | 12.3 | 15.1 | 10.2 | 15.9 | 11.2 | 12.3 |
| Q24 Teachers ask me to work on special class projects | YES! | 15.9 | 13.7 | 13.8 | 10.3 | 11.2 | 13.7 |
| | yes | 35.7 | 34.2 | 33.3 | 29.9 | 45.8 | 38.4 |
| | no | 32.5 | 36.3 | 36.2 | 46.7 | 36.4 | 37.0 |
| | NO! | 15.9 | 15.8 | 16.7 | 13.1 | 6.5 | 11.0 |
| Q24 Students have chances to get involved in activities outside of class | YES! | 63.5 | 56.2 | 52.2 | 59.8 | 57.9 | 50.7 |
| | yes | 25.0 | 34.2 | 34.1 | 29.0 | 33.6 | 43.8 |
| | no | 8.3 | 8.2 | 9.4 | 8.4 | 7.5 | 4.1 |
| | NO! | 3.2 | 1.4 | 4.3 | 2.8 | .9 | 1.4 |
| Q24 Students have chances to talk with teacher one-on-one | YES! | 42.7 | 36.7 | 27.5 | 35.6 | 37.4 | 34.2 |
| | yes | 29.3 | 32.7 | 43.5 | 38.5 | 37.4 | 43.8 |
| | no | 21.0 | 16.3 | 21.0 | 19.2 | 18.7 | 13.7 |
| | NO! | 7.0 | 14.3 | 8.0 | 6.7 | 6.5 | 8.2 |
| Q24 Students have chances to be a part of class discussions or activities | YES! | 38.6 | 29.0 | 28.5 | 32.1 | 36.8 | 31.5 |
| | yes | 35.9 | 42.8 | 51.1 | 48.1 | 45.3 | 47.9 |
| | no | 17.6 | 18.6 | 16.1 | 14.2 | 17.0 | 15.1 |
| | NO! | 7.8 | 9.7 | 4.4 | 5.7 | .9 | 5.5 |

School Rewards for Prosocial Involvement
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q24 Teachers notice when doing a good job and let me know | YES! | 31.8 | 25.2 | 15.4 | 25.7 | 23.4 | 21.9 |
| | yes | 34.4 | 31.5 | 42.6 | 44.8 | 36.4 | 42.5 |
| | no | 22.9 | 26.6 | 33.1 | 19.0 | 30.8 | 28.8 |
| | NO! | 10.8 | 16.8 | 8.8 | 10.5 | 9.3 | 6.8 |
| Q24 I feel safe at school | YES! | 40.4 | 35.4 | 24.8 | 36.4 | 31.8 | 31.5 |
| | yes | 41.7 | 44.9 | 55.5 | 46.7 | 52.3 | 50.7 |
| | no | 11.5 | 11.6 | 12.4 | 12.1 | 12.1 | 15.1 |
| | NO! | 6.4 | 8.2 | 7.3 | 4.7 | 3.7 | 2.7 |
| Q24 School lets parents know when I do well | YES! | 13.5 | 12.3 | 11.7 | 13.1 | 16.8 | 8.2 |
| | yes | 24.4 | 24.7 | 20.4 | 27.1 | 24.3 | 31.5 |
| | no | 36.5 | 35.6 | 43.8 | 32.7 | 36.4 | 32.9 |
| | NO! | 25.6 | 27.4 | 24.1 | 27.1 | 22.4 | 27.4 |
| Q24 Teachers praise me when I work hard in school | YES! | 19.7 | 10.4 | 8.7 | 17.0 | 15.1 | 16.4 |
| | yes | 32.9 | 37.5 | 33.3 | 36.8 | 40.6 | 35.6 |
| | no | 32.9 | 31.9 | 39.1 | 35.8 | 28.3 | 32.9 |
| | NO! | 14.5 | 20.1 | 18.8 | 10.4 | 16.0 | 15.1 |

Academic Failure
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q28 What were your grades like last year? | Mostly A's | 33.3 | 28.5 | 38.0 | 42.5 | 34.6 | 29.7 |
| | Mostly B's | 42.7 | 44.4 | 35.0 | 39.6 | 47.7 | 45.9 |
| | Mostly C's | 18.0 | 20.1 | 20.4 | 14.2 | 15.0 | 23.0 |
| | Mostly D's | 4.0 | 2.8 | 4.4 | 3.8 | 2.8 | .0 |
| | Mostly F's | 2.0 | 4.2 | 2.2 | .0 | .0 | 1.4 |
| Q24 My grades are better than most students | YES! | 20.0 | 21.5 | 21.7 | 32.7 | 37.4 | 21.9 |
| | yes | 43.2 | 38.9 | 45.7 | 42.1 | 38.3 | 50.7 |
| | no | 23.2 | 25.7 | 24.6 | 21.5 | 22.4 | 23.3 |
| | NO! | 13.5 | 13.9 | 8.0 | 3.7 | 1.9 | 4.1 |

Low Commitment to School
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|----------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q26 Days of school skipped during last month | None | 83.2 | 82.2 | 83.3 | 85.0 | 81.5 | 75.7 |
| | 1 day | 5.8 | 7.5 | 6.5 | 9.3 | 11.1 | 6.8 |
| | 2 days | 3.2 | 4.1 | 4.3 | 2.8 | 5.6 | 10.8 |
| | 3 days | 3.2 | 2.1 | 2.9 | .9 | 1.9 | 4.1 |
| | 4-5 days | 1.9 | 2.7 | 2.2 | .9 | .0 | 1.4 |
| | 6-10 days | 1.3 | 1.4 | .7 | .9 | .0 | 1.4 |
| | 11 or more days | 1.3 | .0 | .0 | .0 | .0 | .0 |
| Q27 How interesting are courses | Very interesting | 10.9 | 3.5 | 7.3 | 7.4 | 10.2 | 13.5 |
| | Quite interesting | 26.5 | 14.8 | 20.4 | 25.9 | 22.2 | 18.9 |
| | Fairly interesting | 25.9 | 42.3 | 37.2 | 33.3 | 36.1 | 43.2 |
| | Slightly boring | 21.8 | 26.1 | 18.2 | 23.1 | 18.5 | 18.9 |
| | Very boring | 15.0 | 13.4 | 16.8 | 10.2 | 13.0 | 5.4 |
| Q29 Feel schoolwork is meaningful | Almost always | 24.0 | 23.4 | 13.3 | 10.5 | 8.4 | 7.0 |
| | Often | 32.2 | 21.4 | 23.0 | 21.0 | 18.7 | 21.1 |
| | Sometimes | 22.6 | 32.4 | 40.7 | 33.3 | 39.3 | 39.4 |
| | Seldom | 13.0 | 14.5 | 15.6 | 27.6 | 23.4 | 21.1 |
| | Never | 8.2 | 8.3 | 7.4 | 7.6 | 10.3 | 11.3 |
| Q30 Importance of school to later life | Very important | 41.1 | 40.7 | 19.3 | 18.9 | 11.2 | 12.7 |
| | Quite important | 21.2 | 15.2 | 25.9 | 15.1 | 16.8 | 11.3 |
| | Fairly important | 20.5 | 20.0 | 28.1 | 26.4 | 29.0 | 35.2 |
| | Slightly important | 8.2 | 17.2 | 20.7 | 25.5 | 32.7 | 29.6 |
| | Not at all important | 8.9 | 6.9 | 5.9 | 14.2 | 10.3 | 11.3 |
| Q25 Enjoy being in school | Never | 10.9 | 13.0 | 16.8 | 11.2 | 10.1 | 12.3 |
| | Seldom | 10.3 | 15.1 | 20.4 | 18.7 | 27.5 | 23.3 |
| | Sometimes | 35.3 | 36.3 | 34.3 | 32.7 | 21.1 | 34.2 |
| | Often | 26.9 | 23.3 | 21.9 | 27.1 | 32.1 | 26.0 |
| | A lot | 16.7 | 12.3 | 6.6 | 10.3 | 9.2 | 4.1 |
| Q25 Hate being in school | Never | 13.5 | 8.2 | 4.3 | 9.3 | 9.2 | 8.2 |
| | Seldom | 14.2 | 18.5 | 16.7 | 21.5 | 22.9 | 11.0 |
| | Sometimes | 40.6 | 28.8 | 29.0 | 29.0 | 29.4 | 38.4 |
| | Often | 14.2 | 19.2 | 29.0 | 21.5 | 19.3 | 21.9 |
| | A lot | 17.4 | 25.3 | 21.0 | 18.7 | 19.3 | 20.5 |
| Q25 Try to do your best work in school | Never | 1.9 | 2.1 | 2.2 | .9 | .9 | 2.7 |
| | Seldom | .6 | 2.1 | 2.2 | .9 | 4.6 | 4.1 |
| | Sometimes | 8.9 | 18.5 | 20.3 | 17.8 | 22.0 | 20.5 |
| | Often | 28.7 | 28.1 | 29.7 | 30.8 | 30.3 | 37.0 |
| | A lot | 59.9 | 49.3 | 45.7 | 49.5 | 42.2 | 35.6 |

Poor Family Management
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Rules in my family are clear | YES! | 63.3 | 56.6 | 50.4 | 65.4 | 56.2 | 49.3 |
| | yes | 30.0 | 35.7 | 37.2 | 29.9 | 39.0 | 43.8 |
| | no | 5.3 | 6.3 | 10.2 | 4.7 | 4.8 | 2.7 |
| | NO! | 1.3 | 1.4 | 2.2 | .0 | .0 | 4.1 |
| Q31 Parents ask about homework | YES! | 59.1 | 52.1 | 45.6 | 50.0 | 40.0 | 28.8 |
| | yes | 27.5 | 32.4 | 33.8 | 25.5 | 28.6 | 27.4 |
| | no | 11.4 | 12.0 | 16.2 | 19.8 | 27.6 | 35.6 |
| | NO! | 2.0 | 3.5 | 4.4 | 4.7 | 3.8 | 8.2 |
| Q31 Parents know where I am and who I am with | YES! | 74.5 | 73.9 | 69.3 | 67.3 | 66.7 | 49.3 |
| | yes | 20.1 | 18.3 | 24.1 | 27.1 | 26.7 | 35.6 |
| | no | 2.7 | 5.6 | 3.6 | 2.8 | 5.7 | 11.0 |
| | NO! | 2.7 | 2.1 | 2.9 | 2.8 | 1.0 | 4.1 |
| Q31 Family has clear rules about alcohol and drug use | YES! | 77.9 | 66.0 | 67.2 | 73.6 | 69.5 | 50.7 |
| | yes | 14.8 | 23.4 | 20.4 | 17.0 | 20.0 | 34.2 |
| | no | 6.7 | 9.2 | 8.8 | 8.5 | 9.5 | 11.0 |
| | NO! | .7 | 1.4 | 3.6 | .9 | 1.0 | 4.1 |
| Q32 Parents know if you come home late | YES! | 63.3 | 60.9 | 46.7 | 61.3 | 57.9 | 49.3 |
| | yes | 23.0 | 22.5 | 39.4 | 30.2 | 29.9 | 37.0 |
| | no | 7.9 | 13.0 | 10.2 | 7.5 | 8.4 | 9.6 |
| | NO! | 5.8 | 3.6 | 3.6 | .9 | 3.7 | 4.1 |
| Q32 Parents would catch you drinking | YES! | 63.0 | 59.0 | 38.0 | 41.1 | 34.6 | 30.1 |
| | yes | 21.0 | 19.4 | 30.7 | 19.6 | 23.4 | 26.0 |
| | no | 11.6 | 14.4 | 22.6 | 30.8 | 26.2 | 31.5 |
| | NO! | 4.3 | 7.2 | 8.8 | 8.4 | 15.9 | 12.3 |
| Q32 Parents would catch you if you carried a gun | YES! | 74.1 | 75.5 | 66.9 | 67.3 | 67.3 | 52.1 |
| | yes | 16.5 | 14.4 | 20.6 | 27.1 | 23.4 | 31.5 |
| | no | 5.8 | 7.9 | 10.3 | 2.8 | 6.5 | 13.7 |
| | NO! | 3.6 | 2.2 | 2.2 | 2.8 | 2.8 | 2.7 |
| Q32 Parents would catch you if you skipped school | YES! | 74.3 | 67.6 | 62.0 | 66.4 | 61.7 | 47.9 |
| | yes | 18.6 | 21.6 | 26.3 | 27.1 | 21.5 | 34.2 |
| | no | 4.3 | 7.9 | 6.6 | 3.7 | 14.0 | 12.3 |
| | NO! | 2.9 | 2.9 | 5.1 | 2.8 | 2.8 | 5.5 |

Family Conflict
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Family argues over and over about same thing | YES! | 15.9 | 27.5 | 29.6 | 27.1 | 25.7 | 20.5 |
| | yes | 20.7 | 23.9 | 34.8 | 24.3 | 28.6 | 26.0 |
| | no | 40.7 | 28.9 | 27.4 | 38.3 | 30.5 | 35.6 |
| | NO! | 22.8 | 19.7 | 8.1 | 10.3 | 15.2 | 17.8 |
| Q31 Family has serious arguments | YES! | 17.9 | 21.1 | 24.3 | 18.7 | 8.7 | 15.3 |
| | yes | 13.8 | 19.7 | 19.1 | 14.0 | 23.1 | 18.1 |
| | no | 38.6 | 31.7 | 37.5 | 43.9 | 42.3 | 43.1 |
| | NO! | 29.7 | 27.5 | 19.1 | 23.4 | 26.0 | 23.6 |
| Q31 Family members often insult each other | YES! | 19.4 | 20.1 | 19.9 | 17.8 | 13.5 | 15.1 |
| | yes | 13.9 | 26.6 | 25.7 | 20.6 | 20.2 | 15.1 |
| | no | 31.9 | 22.3 | 35.3 | 33.6 | 30.8 | 38.4 |
| | NO! | 34.7 | 30.9 | 19.1 | 28.0 | 35.6 | 31.5 |

Family Opportunities for Prosocial Involvement
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q31 Parents ask me before most family decisions made | YES! | 26.9 | 22.7 | 22.8 | 18.7 | 14.3 | 24.7 |
| | yes | 34.5 | 29.1 | 30.9 | 38.3 | 39.0 | 31.5 |
| | no | 23.4 | 22.7 | 25.0 | 29.0 | 31.4 | 30.1 |
| | NO! | 15.2 | 25.5 | 21.3 | 14.0 | 15.2 | 13.7 |
| Q32 I can ask parents for help if I have problem | YES! | 54.9 | 45.7 | 34.6 | 40.2 | 41.1 | 42.5 |
| | yes | 25.0 | 31.4 | 30.1 | 36.4 | 29.9 | 35.6 |
| | no | 12.5 | 12.1 | 23.5 | 15.0 | 18.7 | 15.1 |
| | NO! | 7.6 | 10.7 | 11.8 | 8.4 | 10.3 | 6.8 |
| Q32 Parents give me chances for fun with them | YES! | 44.4 | 36.0 | 28.7 | 34.3 | 27.1 | 26.0 |
| | yes | 31.3 | 29.5 | 39.7 | 31.4 | 33.6 | 43.8 |
| | no | 18.1 | 24.5 | 19.1 | 26.7 | 29.9 | 21.9 |
| | NO! | 6.3 | 10.1 | 12.5 | 7.6 | 9.3 | 8.2 |

Family Rewards for Prosocial Involvement
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|---|--------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q32 I enjoy spending time with mom | YES! | 66.2 | 54.3 | 52.2 | 51.4 | 57.0 | 48.6 |
| | yes | 26.1 | 31.4 | 30.9 | 31.8 | 28.0 | 34.7 |
| | no | 3.5 | 10.7 | 8.8 | 12.1 | 10.3 | 9.7 |
| | NO! | 4.2 | 3.6 | 8.1 | 4.7 | 4.7 | 6.9 |
| Q32 I Enjoy spending time with dad | YES! | 58.3 | 46.3 | 43.6 | 44.3 | 46.2 | 29.6 |
| | yes | 23.7 | 32.4 | 31.6 | 28.3 | 28.3 | 42.3 |
| | no | 10.1 | 10.3 | 10.5 | 15.1 | 13.2 | 14.1 |
| | NO! | 7.9 | 11.0 | 14.3 | 12.3 | 12.3 | 14.1 |
| Q33 Parents notice when I am doing a good job | All the time | 41.5 | 23.0 | 29.1 | 19.6 | 23.1 | 30.1 |
| | Often | 27.5 | 30.2 | 26.9 | 41.1 | 28.7 | 24.7 |
| | Sometimes | 15.5 | 28.8 | 27.6 | 26.2 | 33.3 | 27.4 |
| | Never | 15.5 | 18.0 | 16.4 | 13.1 | 14.8 | 17.8 |
| Q33 Parents tell me they are proud of me | All the time | 40.0 | 36.2 | 27.4 | 33.7 | 24.1 | 26.0 |
| | Often | 23.4 | 24.6 | 24.4 | 26.9 | 29.6 | 27.4 |
| | Sometimes | 22.8 | 21.7 | 33.3 | 23.1 | 29.6 | 24.7 |
| | Never | 13.8 | 17.4 | 14.8 | 16.3 | 16.7 | 21.9 |

Interaction with Antisocial Peers
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| In the past year (12 months), how many of your best friends have...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q35 Been suspended | None of my friends | 81.8 | 81.5 | 83.9 | 86.7 | 90.7 | 83.1 |
| | 1 of my friends | 11.9 | 10.4 | 9.5 | 7.6 | 5.6 | 11.3 |
| | 2 of my friends | 4.9 | 5.9 | 3.6 | 3.8 | 3.7 | 4.2 |
| | 3 of my friends | .7 | .7 | 2.2 | 1.0 | .0 | 1.4 |
| | 4 of my friends | .7 | 1.5 | .7 | 1.0 | .0 | .0 |
| Q35 Carried a gun | None of my friends | 97.2 | 97.0 | 100 | 97.1 | 95.3 | 93.0 |
| | 1 of my friends | 2.1 | 2.2 | .0 | 1.9 | 3.7 | 4.2 |
| | 2 of my friends | .7 | .7 | .0 | .0 | .0 | 1.4 |
| | 4 of my friends | .0 | .0 | .0 | 1.0 | .9 | 1.4 |
| Q35 Sold drugs | None of my friends | 93.7 | 88.1 | 87.7 | 89.6 | 79.4 | 83.1 |
| | 1 of my friends | 4.2 | 7.5 | 6.5 | 3.8 | 10.3 | 5.6 |
| | 2 of my friends | .7 | 1.5 | 2.9 | 5.7 | 8.4 | 8.5 |
| | 3 of my friends | .7 | 1.5 | 1.4 | .0 | 1.9 | .0 |
| | 4 of my friends | .7 | 1.5 | 1.4 | .9 | .0 | 2.8 |
| Q35 Stolen a vehicle | None of my friends | 98.6 | 94.8 | 99.3 | 96.2 | 99.1 | 98.6 |
| | 1 of my friends | .7 | 3.7 | .7 | 2.8 | .0 | .0 |
| | 2 of my friends | .7 | 1.5 | .0 | .0 | .0 | 1.4 |
| | 3 of my friends | .0 | .0 | .0 | .9 | .9 | .0 |
| Q35 Been arrested | None of my friends | 89.4 | 86.7 | 91.3 | 90.5 | 88.0 | 90.1 |
| | 1 of my friends | 5.6 | 8.9 | 5.8 | 4.8 | 5.6 | 4.2 |
| | 2 of my friends | 4.2 | 3.0 | 1.4 | 2.9 | 3.7 | 1.4 |
| | 3 of my friends | .0 | .0 | .7 | .0 | 2.8 | 1.4 |
| | 4 of my friends | .7 | 1.5 | .7 | 1.9 | .0 | 2.8 |
| Q35 Dropped out of school | None of my friends | 95.8 | 94.7 | 97.0 | 92.5 | 94.4 | 85.7 |
| | 1 of my friends | 3.5 | 3.0 | .7 | 5.7 | 3.7 | 10.0 |
| | 2 of my friends | .0 | 1.5 | 1.5 | 1.9 | .9 | 1.4 |
| | 3 of my friends | .7 | .0 | .0 | .0 | .0 | 1.4 |
| | 4 of my friends | .0 | .8 | .7 | .0 | .9 | 1.4 |

Interaction with Prosocial Peers
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| In the past year (12 months), how many of your best friends have...? | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q35 Participated in school activities | None of my friends | 26.1 | 17.3 | 30.4 | 18.3 | 15.0 | 28.2 |
| | 1 of my friends | 10.1 | 13.5 | 4.4 | 9.6 | 8.4 | 11.3 |
| | 2 of my friends | 10.9 | 17.3 | 16.3 | 8.7 | 15.0 | 14.1 |
| | 3 of my friends | 12.3 | 16.5 | 12.6 | 18.3 | 17.8 | 12.7 |
| | 4 of my friends | 40.6 | 35.3 | 36.3 | 45.2 | 43.9 | 33.8 |
| Q35 Made a commitment to stay drug-free | None of my friends | 30.9 | 30.1 | 38.0 | 41.1 | 36.2 | 35.7 |
| | 1 of my friends | 5.9 | 9.0 | 7.3 | 3.7 | 16.2 | 14.3 |
| | 2 of my friends | 6.6 | 6.8 | 10.9 | 6.5 | 5.7 | 17.1 |
| | 3 of my friends | 5.9 | 7.5 | 10.2 | 7.5 | 11.4 | 12.9 |
| | 4 of my friends | 50.7 | 46.6 | 33.6 | 41.1 | 30.5 | 20.0 |
| Q35 Liked school | None of my friends | 29.8 | 37.1 | 40.4 | 34.0 | 35.2 | 40.8 |
| | 1 of my friends | 12.1 | 9.8 | 14.7 | 14.6 | 16.2 | 15.5 |
| | 2 of my friends | 17.0 | 19.7 | 16.9 | 16.5 | 12.4 | 12.7 |
| | 3 of my friends | 9.2 | 14.4 | 14.0 | 14.6 | 15.2 | 12.7 |
| | 4 of my friends | 31.9 | 18.9 | 14.0 | 20.4 | 21.0 | 18.3 |
| Q35 Regularly attended religious activities | None of my friends | 29.4 | 28.2 | 39.0 | 26.7 | 36.5 | 43.7 |
| | 1 of my friends | 19.9 | 19.1 | 19.9 | 23.8 | 23.1 | 15.5 |
| | 2 of my friends | 17.6 | 25.2 | 25.0 | 27.6 | 20.2 | 18.3 |
| | 3 of my friends | 11.8 | 10.7 | 8.8 | 7.6 | 10.6 | 7.0 |
| | 4 of my friends | 21.3 | 16.8 | 7.4 | 14.3 | 9.6 | 15.5 |
| Q35 Tried to do well in school | None of my friends | 9.4 | 9.7 | 9.6 | 11.2 | 15.0 | 12.7 |
| | 1 of my friends | 7.2 | 6.7 | 7.4 | 1.9 | 5.6 | 12.7 |
| | 2 of my friends | 7.2 | 8.2 | 12.6 | 11.2 | 15.0 | 12.7 |
| | 3 of my friends | 9.4 | 17.2 | 17.0 | 17.8 | 18.7 | 16.9 |
| | 4 of my friends | 66.7 | 58.2 | 53.3 | 57.9 | 45.8 | 45.1 |

Community Laws and Norms Favorable to Drug Use
ABC School Corporation Female Students, 2015
 (Values are percentages, valid cases only)

| | | Grade | | | | | |
|--|--------------------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q36 If a kid drank alcohol in your neighborhood, would he or she be caught by police? | YES! | 23.0 | 18.9 | 17.0 | 14.2 | 12.0 | 14.3 |
| | yes | 28.1 | 26.0 | 13.3 | 17.0 | 17.6 | 17.1 |
| | no | 33.8 | 40.9 | 47.4 | 50.9 | 43.5 | 42.9 |
| | NO! | 15.1 | 14.2 | 22.2 | 17.9 | 26.9 | 25.7 |
| Q36 If a kid smoked marijuana in your neighborhood, would he or she be caught by police? | YES! | 29.2 | 24.6 | 19.4 | 14.2 | 13.1 | 15.7 |
| | yes | 28.5 | 24.6 | 20.9 | 22.6 | 17.8 | 17.1 |
| | no | 29.9 | 34.9 | 43.3 | 43.4 | 40.2 | 42.9 |
| | NO! | 12.4 | 15.9 | 16.4 | 19.8 | 29.0 | 24.3 |
| Q36 If a kid carried a handgun in your neighborhood, would he or she be caught by police? | YES! | 34.1 | 29.4 | 32.6 | 21.2 | 20.4 | 24.3 |
| | yes | 30.4 | 32.5 | 28.9 | 27.9 | 34.3 | 25.7 |
| | no | 26.8 | 25.4 | 23.7 | 40.4 | 29.6 | 34.3 |
| | NO! | 8.7 | 12.7 | 14.8 | 10.6 | 15.7 | 15.7 |
| Q36 If a kid smoked a cigarette in your neighborhood, would he or she be caught by police? | YES! | 21.0 | 15.2 | 17.0 | 14.2 | 12.3 | 12.9 |
| | yes | 20.3 | 20.0 | 11.1 | 13.2 | 13.2 | 15.7 |
| | no | 34.8 | 36.0 | 42.2 | 46.2 | 38.7 | 35.7 |
| | NO! | 23.9 | 28.8 | 29.6 | 26.4 | 35.8 | 35.7 |
| Q38 Adults in your neighborhood think about youth marijuana use | Very wrong | 73.9 | 67.2 | 60.7 | 51.9 | 49.1 | 50.0 |
| | Wrong | 15.9 | 18.4 | 20.7 | 35.8 | 30.6 | 21.4 |
| | A little bit wrong | 8.0 | 8.0 | 11.9 | 8.5 | 15.7 | 18.6 |
| | Not at all wrong | 2.2 | 6.4 | 6.7 | 3.8 | 4.6 | 10.0 |
| Q38 Adults in your neighborhood think about youth alcohol use | Very wrong | 71.5 | 60.8 | 48.9 | 43.9 | 34.6 | 37.1 |
| | Wrong | 13.9 | 22.4 | 25.9 | 34.6 | 38.3 | 31.4 |
| | A little bit wrong | 11.7 | 8.8 | 16.3 | 18.7 | 22.4 | 21.4 |
| | Not at all wrong | 2.9 | 8.0 | 8.9 | 2.8 | 4.7 | 10.0 |
| Q38 Adults in your neighborhood think about youth cigarettes use | Very wrong | 69.3 | 59.7 | 55.2 | 48.1 | 37.0 | 41.4 |
| | Wrong | 16.1 | 24.2 | 20.1 | 33.0 | 35.2 | 24.3 |
| | A little bit wrong | 11.7 | 10.5 | 15.7 | 13.2 | 18.5 | 18.6 |
| | Not at all wrong | 2.9 | 5.6 | 9.0 | 5.7 | 9.3 | 15.7 |

**Community Rewards for Prosocial Involvement
ABC School Corporation Female Students, 2015
(Values are percentages, valid cases only)**

| | | Grade | | | | | |
|--|------|-------|------|------|------|------|------|
| | | 7th | 8th | 9th | 10th | 11th | 12th |
| Q37 Neighbors notice good job and let me know | YES! | 7.5 | 5.5 | 8.1 | 4.7 | 5.6 | 4.2 |
| | yes | 20.9 | 12.6 | 8.9 | 9.4 | 15.9 | 21.1 |
| | no | 23.9 | 29.1 | 31.1 | 30.2 | 29.9 | 29.6 |
| | NO! | 47.8 | 52.8 | 51.9 | 55.7 | 48.6 | 45.1 |
| Q37 There are people in my neighborhood who are proud of me | YES! | 14.2 | 10.2 | 11.1 | 8.5 | 9.3 | 7.0 |
| | yes | 21.6 | 20.5 | 15.6 | 14.2 | 19.4 | 29.6 |
| | no | 22.4 | 21.3 | 26.7 | 26.4 | 25.0 | 25.4 |
| | NO! | 41.8 | 48.0 | 46.7 | 50.9 | 46.3 | 38.0 |
| Q37 There are people in my neighborhood who encourage me to do my best | YES! | 18.7 | 15.7 | 13.5 | 12.3 | 9.3 | 7.0 |
| | yes | 25.4 | 20.5 | 15.8 | 16.0 | 24.3 | 29.6 |
| | no | 17.9 | 19.7 | 27.8 | 22.6 | 19.6 | 26.8 |
| | NO! | 38.1 | 44.1 | 42.9 | 49.1 | 46.7 | 36.6 |